

<b>Owner:</b> <b>DG TAXUD</b>	<b>Issue Date:</b> <b>28/02/2011</b>	<b>Version:</b> <b>5.00</b>
<p><b>TAXATION AND CUSTOMS UNION DG</b></p> <p><b>CUST-DEV2 - FC TAXUD/2010/CC/100 - SC 04</b></p> <p><b>SUBJECT:</b></p> <p><b>DDNXA for ECS P2</b></p> <p><b>Appendix T: Document Type Definitions</b></p> <p><b>(CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T)</b></p>		
<p><b>FRAMEWORK CONTRACT TAXUD/2010/CC/100</b></p> <p><b>SPECIFIC CONTRACT 04</b></p>		

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
1. Introduction	

## 1. Introduction

This document presents the Document Type Definitions for all the messages used for ECS P2.

The following convention is used to create these DTDs:

- Every Data Group and Data Item is added as a comment (<!-- xxx -->).
- Every Data Group is shown as a 'Node'. Each node also lists all its sub-nodes and leaves..
- Every Data Item is shown as a Leaf.

The following convention is used to specify the optionality:

- none 1 (R, 1x)
- + 1...n (R, nx)
- ? 0...1 (O/D, 1x)
- \* 0...n (O/D, nx) n>=1

Where

- R = Required
- O = Optional
- D = Dependent

Example of a node:

```
<!-- Node: (AUTHORISED CONSIGNEE) TRADER -->
<!ELEMENT TRAAUTCONTRA (TINTRA59)>
```

Example of a leaf:

```
<!--Leaf: Name -->
<!ELEMENT NamPC17 (#PCDATA)>
```

## DDNA KEL Alignment

The specific Appendix is aligned to DDNA KEL V0.23

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
2. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	

## 2. IE030 C\_COL\_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN

```

<!-- Node: MESSAGE -->
<ELEMENT CD030B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, CUSOFFINF105*, COU113*, COUHOL118*)>
<!-- Node: CUSTOMS OFFICE INFORMATION -->
<ELEMENT CUSOFFINF105 (RefNum18, RefNumMaiOff104?, RefNumHigAut19?, RefNumTak20?,
RefNumCAEnqCUSOFFINF131?, RefNumCAREcCUSOFFINF132?, CouCod21, UNLId22?, RegCod24?, NCTEntDat25?,
NeaOff26?, NeaOff26LNG?, Pos28, PhoNum29?, FaxNum30?, TelNum31?, EmaAdd32?, GeoInfCod33?, TraDed34, ACT119,
TRADED106*, COICOSN*, CUSOFFFLSD109+, CUSOFFTIM110*)>
<!-- Node: COUNTRY/REGION -->
<ELEMENT COU113 (CouCod73, CouCod74, ACT119, COULSD115+, COUHOL116*)>
<!-- Node: COUNTRY HOLIDAYS -->
<ELEMENT COUHOL118 (CouCod92, ACT119, COUHOLDAT120+)>
<!-- Node: ACTION -->
<ELEMENT ACT119 (Ope288, ValDat103?, ModSub144?, ActId)>
<!-- Node: (DEDICATED) TRADER -->
<ELEMENT TRADED106 (Nam36, LanCod37, TIN38?)>
<!-- Node: CUSTOMS OFFICE SPECIFIC NOTES -->
<ELEMENT COICOSN (SpecNotCodCN634)>
<!-- Node: CUSTOMS OFFICE LSD -->
<ELEMENT CUSOFFFLSD109 (LanCod44, CusOffUsuNam45, CusOffUsuNam45LNG?, StrAndNum47, StrAndNum47LNG?,
Cit49, Cit49LNG?, PreLev51?, PreFla52, PreNam53?, PreNam53LNG?, Spa55)>
<!-- Node: CUSTOMS OFFICE TIMETABLE -->
<ELEMENT CUSOFFTIM110 (SeaCod57, SeaNam58?, SeaNam58LNG?, SeaStaDat60, SeaEndDat61,
CUSOFFTIMLIN111+)>
<!-- Node: COUNTRY/REGION LSD -->
<ELEMENT COULSD115 (LanCod80, CouNam81, CouNam81LNG?)>
<!-- Node: COUNTRY/REGION HOLIDAYS -->
<ELEMENT COUHOL116 (CouHolVarHolDat, Day84, Mon85, Yea86?, COUHOLLSD117+)>
<!-- Node: COUNTRY HOLIDAYS DATA -->
<ELEMENT COUHOLDAT120 (VarHolCouHolDat, Day98, Mon99, Yea100?, COUHOLDATLSD121+)>
<!-- Node: CUSTOMS OFFICE TIMETABLE LINE -->
<ELEMENT CUSOFFTIMLIN111 (DayInTheWeeBEGDA63, OpeHouTimFirPerF64, OpeHouTimFirPerT65,
DayInTheWeeENDDA66, OpeHouTimSecPerF67?, OpeHouTimSecPerT68?, CUSOFFFROLCOM112+)>
<!-- Node: COUNTRY/REGION HOLIDAYS LSD -->
<ELEMENT COUHOLLSD117 (LanCod88, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: COUNTRY HOLIDAYS DATA LSD -->
<ELEMENT COUHOLDATLSD121 (LanCod102, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE -->
<ELEMENT CUSOFFFROLCOM112 (Rol70, TraTyp71)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>

```

<b>DDNXA for ECS P2. Version 5.00</b>	<b>ALIGNED TO DDNA KEL 0.23</b>
<b>REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T</b>	
<b>Appendix T: Document Type Definitions</b>	
<b>2. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN</b>	

```

<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNum18 (#PCDATA)>
<!-- Leaf: Reference number main office -->
<ELEMENT RefNumMaiOff104 (#PCDATA)>
<!-- Leaf: Reference number higher authority -->
<ELEMENT RefNumHigAut19 (#PCDATA)>
<!-- Leaf: Reference number take-over -->
<ELEMENT RefNumTak20 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Enquiry -->
<ELEMENT RefNumCAEnqCUSOFFINF131 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Recovery -->
<ELEMENT RefNumCARecCUSOFFINF132 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod21 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<ELEMENT UNLId22 (#PCDATA)>
<!-- Leaf: Region code -->
<ELEMENT RegCod24 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<ELEMENT NCTEntDat25 (#PCDATA)>
<!-- Leaf: Nearest office -->
<ELEMENT NeaOff26 (#PCDATA)>
<!-- Leaf: Nearest office LNG -->
<ELEMENT NeaOff26LNG (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT Pos28 (#PCDATA)>
<!-- Leaf: Phone number -->
<ELEMENT PhoNum29 (#PCDATA)>
<!-- Leaf: Fax number -->
<ELEMENT FaxNum30 (#PCDATA)>
<!-- Leaf: Telex number -->
<ELEMENT TelNum31 (#PCDATA)>
<!-- Leaf: E-mail address -->
<ELEMENT EmaAdd32 (#PCDATA)>
<!-- Leaf: Geo info code -->
<ELEMENT GeoInfCod33 (#PCDATA)>
<!-- Leaf: Trader dedicated -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
2. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	

```

<ELEMENT TraDed34 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<ELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActId (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT Nam36 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod37 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TIN38 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<ELEMENT SpecNotCodCN634 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod44 (#PCDATA)>
<!-- Leaf: Customs office usual name -->
<ELEMENT CusOffUsuNam45 (#PCDATA)>
<!-- Leaf: Customs office usual name LNG -->
<ELEMENT CusOffUsuNam45LNG (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNum47 (#PCDATA)>
<!-- Leaf: Street and number LNG -->
<ELEMENT StrAndNum47LNG (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT Cit49 (#PCDATA)>
<!-- Leaf: City LNG -->
<ELEMENT Cit49LNG (#PCDATA)>
<!-- Leaf: Prefix-suffix level -->
<ELEMENT PreLev51 (#PCDATA)>
<!-- Leaf: Prefix-suffix flag -->
<ELEMENT PreFla52 (#PCDATA)>
<!-- Leaf: Prefix-suffix name -->
<ELEMENT PreNam53 (#PCDATA)>
<!-- Leaf: Prefix-suffix name LNG -->
<ELEMENT PreNam53LNG (#PCDATA)>
<!-- Leaf: Space to add -->
<ELEMENT Spa55 (#PCDATA)>
<!-- Leaf: Season code -->
<ELEMENT SeaCod57 (#PCDATA)>
<!-- Leaf: Season name -->
<ELEMENT SeaNam58 (#PCDATA)>
<!-- Leaf: Season name LNG -->
<ELEMENT SeaNam58LNG (#PCDATA)>
<!-- Leaf: Season start date -->
<ELEMENT SeaStaDat60 (#PCDATA)>
<!-- Leaf: Season end date -->
<ELEMENT SeaEndDat61 (#PCDATA)>
<!-- Leaf: Day in the week (begin day) -->
<ELEMENT DayInTheWeeBEGDA63 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
2. IE030 C_COL_COM NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO COMMON DOMAIN	

```

<!-- Leaf: Opening hours time first period from -->
<ELEMENT OpeHouTimFirPerF64 (#PCDATA)>
<!-- Leaf: Opening hours time first period to -->
<ELEMENT OpeHouTimFirPerT65 (#PCDATA)>
<!-- Leaf: Day in the week (end day) -->
<ELEMENT DayInTheWeeENDDA66 (#PCDATA)>
<!-- Leaf: Opening hours time second period from -->
<ELEMENT OpeHouTimSecPerF67 (#PCDATA)>
<!-- Leaf: Opening hours time second period to -->
<ELEMENT OpeHouTimSecPerT68 (#PCDATA)>
<!-- Leaf: Role -->
<ELEMENT Rol70 (#PCDATA)>
<!-- Leaf: Traffic type -->
<ELEMENT TraTyp71 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod73 (#PCDATA)>
<!-- Leaf: Country/region code -->
<ELEMENT CouCod74 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod80 (#PCDATA)>
<!-- Leaf: Country/region name -->
<ELEMENT CouNam81 (#PCDATA)>
<!-- Leaf: Country/region name LNG -->
<ELEMENT CouNam81LNG (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT CouHolVarHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day84 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon85 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea86 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod88 (#PCDATA)>
<!-- Leaf: Public holiday name -->
<ELEMENT PubHolNam89 (#PCDATA)>
<!-- Leaf: Public holiday name LNG -->
<ELEMENT PubHolNam89LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod92 (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT VarHolCouHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day98 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon99 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea100 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod102 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
3. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	

### 3. IE031 C\_COL\_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN

```

<!-- Node: MESSAGE -->
<ELEMENT CD031B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, CUSOFFINF105*, COU113*, COUHOL118*)>
<!-- Node: CUSTOMS OFFICE INFORMATION -->
<ELEMENT CUSOFFINF105 (RefNum18, RefNumMaiOff104?, RefNumHigAut19?, RefNumTak20?,
RefNumCAEnqCUSOFFINF131?, RefNumCAREcCUSOFFINF132?, CouCod21, UNLId22?, RegCod24?, NCTEntDat25?,
NeaOff26?, NeaOff26LNG?, Pos28, PhoNum29?, FaxNum30?, TelNum31?, EmaAdd32?, GeoInfCod33?, TraDed34, ACT119,
TRADED106*, COICOSN*, CUSOFFFLSD109+, CUSOFFTIM110*)>
<!-- Node: COUNTRY/REGION -->
<ELEMENT COU113 (CouCod73, CouCod74, ACT119, COULSD115+, COUHOL116*)>
<!-- Node: COUNTRY HOLIDAYS -->
<ELEMENT COUHOL118 (CouCod92, ACT119, COUHOLDAT120+)>
<!-- Node: ACTION -->
<ELEMENT ACT119 (Ope288, ValDat103?, ModSub144?, ActId)>
<!-- Node: (DEDICATED) TRADER -->
<ELEMENT TRADED106 (Nam36, LanCod37, TIN38*)>
<!-- Node: CUSTOMS OFFICE SPECIFIC NOTES -->
<ELEMENT COICOSN (SpecNotCodCN634)>
<!-- Node: CUSTOMS OFFICE LSD -->
<ELEMENT CUSOFFFLSD109 (LanCod44, CusOffUsuNam45, CusOffUsuNam45LNG?, StrAndNum47, StrAndNum47LNG?,
Cit49, Cit49LNG?, PreLev51?, PreFla52, PreNam53?, PreNam53LNG?, Spa55)>
<!-- Node: CUSTOMS OFFICE TIMETABLE -->
<ELEMENT CUSOFFTIM110 (SeaCod57, SeaNam58?, SeaNam58LNG?, SeaStaDat60, SeaEndDat61,
CUSOFFTIMLIN111+)>
<!-- Node: COUNTRY/REGION LSD -->
<ELEMENT COULSD115 (LanCod80, CouNam81, CouNam81LNG*)>
<!-- Node: COUNTRY/REGION HOLIDAYS -->
<ELEMENT COUHOL116 (CouHolVarHolDat, Day84, Mon85, Yea86?, COUHOLLSD117+)>
<!-- Node: COUNTRY HOLIDAYS DATA -->
<ELEMENT COUHOLDAT120 (VarHolCouHolDat, Day98, Mon99, Yea100?, COUHOLDATLSD121+)>
<!-- Node: CUSTOMS OFFICE TIMETABLE LINE -->
<ELEMENT CUSOFFTIMLIN111 (DayInTheWeeBEGDA63, OpeHouTimFirPerF64, OpeHouTimFirPerT65,
DayInTheWeeENDDA66, OpeHouTimSecPerF67?, OpeHouTimSecPerT68?, CUSOFFFROLCOM112+)>
<!-- Node: COUNTRY/REGION HOLIDAYS LSD -->
<ELEMENT COUHOLLSD117 (LanCod88, PubHolNam89, PubHolNam89LNG*)>
<!-- Node: COUNTRY HOLIDAYS DATA LSD -->
<ELEMENT COUHOLDATLSD121 (LanCod102, PubHolNam89, PubHolNam89LNG*)>
<!-- Node: CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE -->
<ELEMENT CUSOFFFROLCOM112 (Rol70, TraTyp71)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>

```

<b>DDNXA for ECS P2. Version 5.00</b>	<b>ALIGNED TO DDNA KEL 0.23</b>
<b>REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T</b>	
<b>Appendix T: Document Type Definitions</b>	
<b>3. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN</b>	

```

<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNum18 (#PCDATA)>
<!-- Leaf: Reference number main office -->
<ELEMENT RefNumMaiOff104 (#PCDATA)>
<!-- Leaf: Reference number higher authority -->
<ELEMENT RefNumHigAut19 (#PCDATA)>
<!-- Leaf: Reference number take-over -->
<ELEMENT RefNumTak20 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Enquiry -->
<ELEMENT RefNumCAEnqCUSOFFINF131 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Recovery -->
<ELEMENT RefNumCARecCUSOFFINF132 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod21 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<ELEMENT UNLId22 (#PCDATA)>
<!-- Leaf: Region code -->
<ELEMENT RegCod24 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<ELEMENT NCTEntDat25 (#PCDATA)>
<!-- Leaf: Nearest office -->
<ELEMENT NeaOff26 (#PCDATA)>
<!-- Leaf: Nearest office LNG -->
<ELEMENT NeaOff26LNG (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT Pos28 (#PCDATA)>
<!-- Leaf: Phone number -->
<ELEMENT PhoNum29 (#PCDATA)>
<!-- Leaf: Fax number -->
<ELEMENT FaxNum30 (#PCDATA)>
<!-- Leaf: Telex number -->
<ELEMENT TelNum31 (#PCDATA)>
<!-- Leaf: E-mail address -->
<ELEMENT EmaAdd32 (#PCDATA)>
<!-- Leaf: Geo info code -->
<ELEMENT GeoInfCod33 (#PCDATA)>
<!-- Leaf: Trader dedicated -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
3. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	

```

<ELEMENT TraDed34 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<ELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActId (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT Nam36 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod37 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TIN38 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<ELEMENT SpecNotCodCN634 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod44 (#PCDATA)>
<!-- Leaf: Customs office usual name -->
<ELEMENT CusOffUsuNam45 (#PCDATA)>
<!-- Leaf: Customs office usual name LNG -->
<ELEMENT CusOffUsuNam45LNG (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNum47 (#PCDATA)>
<!-- Leaf: Street and number LNG -->
<ELEMENT StrAndNum47LNG (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT Cit49 (#PCDATA)>
<!-- Leaf: City LNG -->
<ELEMENT Cit49LNG (#PCDATA)>
<!-- Leaf: Prefix-suffix level -->
<ELEMENT PreLev51 (#PCDATA)>
<!-- Leaf: Prefix-suffix flag -->
<ELEMENT PreFla52 (#PCDATA)>
<!-- Leaf: Prefix-suffix name -->
<ELEMENT PreNam53 (#PCDATA)>
<!-- Leaf: Prefix-suffix name LNG -->
<ELEMENT PreNam53LNG (#PCDATA)>
<!-- Leaf: Space to add -->
<ELEMENT Spa55 (#PCDATA)>
<!-- Leaf: Season code -->
<ELEMENT SeaCod57 (#PCDATA)>
<!-- Leaf: Season name -->
<ELEMENT SeaNam58 (#PCDATA)>
<!-- Leaf: Season name LNG -->
<ELEMENT SeaNam58LNG (#PCDATA)>
<!-- Leaf: Season start date -->
<ELEMENT SeaStaDat60 (#PCDATA)>
<!-- Leaf: Season end date -->
<ELEMENT SeaEndDat61 (#PCDATA)>
<!-- Leaf: Day in the week (begin day) -->
<ELEMENT DayInTheWeeBEGDA63 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
3. IE031 C_COL_NAT NOTIFICATION OF CUSTOMS OFFICES MODIFICATION TO NATIONAL DOMAIN	

```

<!-- Leaf: Opening hours time first period from -->
<ELEMENT OpeHouTimFirPerF64 (#PCDATA)>
<!-- Leaf: Opening hours time first period to -->
<ELEMENT OpeHouTimFirPerT65 (#PCDATA)>
<!-- Leaf: Day in the week (end day) -->
<ELEMENT DayInTheWeeENDDA66 (#PCDATA)>
<!-- Leaf: Opening hours time second period from -->
<ELEMENT OpeHouTimSecPerF67 (#PCDATA)>
<!-- Leaf: Opening hours time second period to -->
<ELEMENT OpeHouTimSecPerT68 (#PCDATA)>
<!-- Leaf: Role -->
<ELEMENT Rol70 (#PCDATA)>
<!-- Leaf: Traffic type -->
<ELEMENT TraTyp71 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod73 (#PCDATA)>
<!-- Leaf: Country/region code -->
<ELEMENT CouCod74 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod80 (#PCDATA)>
<!-- Leaf: Country/region name -->
<ELEMENT CouNam81 (#PCDATA)>
<!-- Leaf: Country/region name LNG -->
<ELEMENT CouNam81LNG (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT CouHolVarHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day84 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon85 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea86 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod88 (#PCDATA)>
<!-- Leaf: Public holiday name -->
<ELEMENT PubHolNam89 (#PCDATA)>
<!-- Leaf: Public holiday name LNG -->
<ELEMENT PubHolNam89LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod92 (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT VarHolCouHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day98 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon99 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea100 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod102 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
4. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

#### 4. IE032 C\_REF\_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND

```

<!-- Node: MESSAGE -->
<IELEMENT CD032B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, RESOFCO534*, AMEREJMOT429*, AARREJREA432*, ATRREJREA435*,
CONRESCOD438*, COU441*, COUREG444*, CUSOFFGEOINF447*, CURCOD450*, DISSOLNOT456*, DIVREJREA459*,
DOCTYP462*, GUATYP472*, GUAMON475*, INVGUAREA478*, LANCOD481*, PACCOD484*, ROL490*,
SENGOOCOD493*, SPEMENCOD496*, STATYP499*, TRATYP502*, CUSOPESTATYP505*, UNIOFMEA508*, UNL511*,
TRAMOD513*, QUEONGUATYP516*, SPENOTCODSNC2*, COMCOD389*, EXPQUEREACOD402*, INCCOD425*,
NATTRANCOD451*, PROREQ490*, PREPRO477*, REPSTACOD503*, RISANARESCOD382*, SPECCIRIND384*,
SUMDECREJREACOD544*, TYOFTAX570*, WARTYP595*, UNDANGOOCOD583*, COMNATPRO106*,
PREVDOCCAT464*, METHOPPAY367*, TRACHAMETOPPAY557*, DECTYP453*, DECTYPBX2*, INF359*,
PREDOCTYP463*, REQINF690*, ITENUMREJREACOD440*, CUSINT632*, INFYTP432*, RESCOD*)>
<!-- Node: RESULTS OF CONTROL -->
<IELEMENT RESOFCO534 (ConInd424, LANSPEDAT515+, ACT517)>
<!-- Node: AMENDMENT REJECTION MOTIVATION -->
<IELEMENT AMEREJMOT429 (AmeRejMotCod31, LANSPEDAT515+, ACT517)>
<!-- Node: AAR/AER REJECTION REASON -->
<IELEMENT AARREJREA432 (AARRejReaCod44, LANSPEDAT515+, ACT517)>
<!-- Node: ATR REJECTION REASON -->
<IELEMENT ATRREJREA435 (ATRRejReaCod57, LANSPEDAT515+, ACT517)>
<!-- Node: CONTROL RESULT CODE -->
<IELEMENT CONRESCOD438 (ConResCod70, ACT517, LANSPEDAT515+)>
<!-- Node: COUNTRY -->
<IELEMENT COU441 (CouCod83, TCCEntDat84, NCTEntDat85, GeoCod86?, CouRegCod87, ACT517, LANSPEDAT515+)>
<!-- Node: COUNTRY REGIME -->
<IELEMENT COUREG444 (CouRegCod100, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS OFFICE GEO INFO -->
<IELEMENT CUSOFFGEOINF447 (CusOffGeoInfCod113, ACT517, LANSPEDAT515+)>
<!-- Node: CURRENCY CODE -->
<IELEMENT CURCOD450 (Cur126, RatVal127, ACT517, LANSPEDAT515+)>
<!-- Node: DISCREPANCIES SOLVED NOTIFICATION -->
<IELEMENT DISSOLNOT456 (DisSolNotCod153, LANSPEDAT515+, ACT517)>
<!-- Node: DIVERSION REJECTION REASON -->
<IELEMENT DIVREJREA459 (DivRejReaCod166, LANSPEDAT515+, ACT517)>
<!-- Node: DOCUMENT TYPE -->
<IELEMENT DOCTYP462 (DocTyp179, TraDoc199, ACT517, LANSPEDAT515+)>
<!-- Node: GUARANTEE TYPE -->
<IELEMENT GUATYP472 (GuaTypCod217, ACT517, LANSPEDAT515+)>
<!-- Node: GUARANTEE MONITORING -->
<IELEMENT GUAMON475 (GuaMonCod230, ACT517, LANSPEDAT515+)>
<!-- Node: INVALID GUARANTEE REASON -->
<IELEMENT INVGUAREA478 (InvGuaReaCod243, ACT517, LANSPEDAT515+)>
<!-- Node: LANGUAGE CODE -->
<IELEMENT LANCOD481 (LanCod256, ACT517, LANSPEDAT515+)>
<!-- Node: PACKAGING CODE -->
<IELEMENT PACCOD484 (PacCod269, ACT517, LANSPEDAT515+)>
<!-- Node: ROLE -->
<IELEMENT ROL490 (Rol295, ACT517, LANSPEDAT515+)>
<!-- Node: SENSITIVE GOODS CODE -->
<IELEMENT SENGOOCOD493 (ComCod308, SenGooCod309?, RefQua310?, UniOfMea311?, EECTerLim312, ACT517,
LANSPEDAT515+)>
<!-- Node: SPECIAL MENTION CODE -->
<IELEMENT SPEMENCOD496 (SpeMenCod325, ACT517, LANSPEDAT515+)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
4. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<!-- Node: STATISTICS TYPE -->
<IELEMENT STATYP499 (StaTyp338, ACT517, LANSPEDAT515+)>
<!-- Node: TRAFFIC TYPE -->
<IELEMENT TRATYP502 (TraTyp351, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS OPERATION STATE TYPE -->
<IELEMENT CUSOPESTATYP505 (CusOpeStaTyp364, ACT517, LANSPEDAT515+)>
<!-- Node: UNIT OF MEASURE -->
<IELEMENT UNIOFMEA508 (UniOfMeaCod377, ACT517, LANSPEDAT515+)>
<!-- Node: UN/LOCODE -->
<IELEMENT UNL511 (CouCod390, UNL391, UNLNam392, ACT517)>
<!-- Node: TRANSPORT MODE -->
<IELEMENT TRAMOD513 (TraMod401, ACT517, LANSPEDAT515+)>
<!-- Node: QUERY ON GUARANTEE TYPE -->
<IELEMENT QUEONGUATYP516 (QueIde414, ACT517, LANSPEDAT515+)>
<!-- Node: SPECIFIC NOTES CODE -->
<IELEMENT SPENOTCODSNC2 (SpeNotCod644, ACT517, LANSPEDAT515+)>
<!-- Node: COMPLEMENTARY CODE -->
<IELEMENT COMCOD389 (ComCodCOMCOD401, LANSPEDAT515+, ACT517)>
<!-- Node: EXPORT QUERY REASON CODE -->
<IELEMENT EXPQUEREACOD402 (ExpQueReaCodEXPQUEREACOD414, LANSPEDAT515+, ACT517)>
<!-- Node: INCOTERM CODE -->
<IELEMENT INCCOD425 (IncCodINCCOD652, LANSPEDAT515+, ACT517)>
<!-- Node: NATURE OF TRANSACTION CODE -->
<IELEMENT NATTRANCOD451 (NatTranCodNATTRACOD463, LANSPEDAT515+, ACT517)>
<!-- Node: PROCEDURE REQUESTED -->
<IELEMENT PROREQ490 (ProReqPROREQ502, LANSPEDAT515+, ACT517)>
<!-- Node: PREVIOUS PROCEDURE -->
<IELEMENT PREPRO477 (PreProPREPRO489, LANSPEDAT515+, ACT517)>
<!-- Node: REPRESENTATIVE STATUS CODE -->
<IELEMENT REPSTACOD503 (RepStatCodREPSTATCOD516, LANSPEDAT515+, ACT517)>
<!-- Node: RISK ANALYSIS RESULT CODE -->
<IELEMENT RISANARESCOD382 (RisAnaResCodRISANARESCOD528, ACT517, LANSPEDAT515+)>
<!-- Node: SPECIFIC CIRCUMSTANCE INDICATOR -->
<IELEMENT SPECCIRIND384 (SpeCirIndSPECIRIND543, LANSPEDAT515+, ACT517)>
<!-- Node: SUMMARY DECLARATION REJECTION REASON CODE -->
<IELEMENT SUMDECREJREACOD544 (SumDecRejReaCodSUMDECREJREACOD556, ACT517, LANSPEDAT515+)>
<!-- Node: TYPE OF TAX -->
<IELEMENT TYPOFTAX570 (TypOfTaxTYPOFTAX582, LANSPEDAT515+, ACT517)>
<!-- Node: WAREHOUSE TYPE -->
<IELEMENT WARTYP595 (WarTypWARTYP607, ACT517, LANSPEDAT515+)>
<!-- Node: UN DANGEROUS GOODS CODE -->
<IELEMENT UNDANGOOCOD583 (UNDangoocodUNDANGOOCOD594, LANSPEDAT515+, ACT517)>
<!-- Node: COMMUNITY NATIONAL PROCEDURE -->
<IELEMENT COMNATPRO106 (ComNatProCOM613, LANSPEDAT515+, ACT517)>
<!-- Node: PREVIOUS DOCUMENT CATEGORY -->
<IELEMENT PREVDOCCAT464 (PreDocCatPREDOCCAT476, LANSPEDAT515+, ACT517)>
<!-- Node: METHOD OF PAYMENT -->
<IELEMENT METHOFPAY367 (MethofPayMETHOFPAY450, ACT517, LANSPEDAT515+)>
<!-- Node: TRANSPORT CHARGES METHOD OF PAYMENT -->
<IELEMENT TRACHAMETOPAY557 (TraChaMetOfPayTRACHAMETOPAY569, ACT517, LANSPEDAT515+)>
<!-- Node: DECLARATION TYPE -->
<IELEMENT DECTYP453 (DecTyp140, ACT517, LANSPEDAT515+)>
<!-- Node: DECLARATION TYPE (BOX 1.2) -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
4. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<ELEMENT DECTYPBX2 (TypOfDecBx2DEC626, ACT517, LANSPEDAT515+)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfCodINF045, ACT517, LANSPEDAT515+)>
<!-- Node: PREVIOUS DOCUMENT TYPE -->
<ELEMENT PREDOCTYP463 (PreDocTyp180, ACT517, LANSPEDAT515+)>
<!-- Node: REQUESTED INFORMATION -->
<ELEMENT REQINF690 (ReqInfCodREQINF546, LANSPEDAT515+, ACT517)>
<!-- Node: ITEM NUMBER REJECTION REASON CODE -->
<ELEMENT ITENUMREJREACOD440 (ItemNumRejReaCodITENUMREJREACOD444, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS INTERVENTION -->
<ELEMENT CUSINT632 (CusIntCodCUSINT665, ACT517, LANSPEDAT515+)>
<!-- Node: INFORMATION TYPE -->
<ELEMENT INFTYP432 (InfTypINFTYP433, ACT517, LANSPEDAT515+)>
<!-- Node: RESPONSE CODE -->
<ELEMENT RESCOD (ResCodRESCOD569, LANSPEDAT515+, ACT517)>
<!-- Node: LANGUAGE SPECIFIC DATA -->
<ELEMENT LANSPEDAT515 (LanCod347, Des110, LANSPEDAT515LNG?)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288, ValDat103?, ModSub144?, LegRef197?, ResDatMan302?, ActId)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod347 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT Des110 (#PCDATA)>

```

<b>DDNXA for ECS P2. Version 5.00</b>	<b>ALIGNED TO DDNA KEL 0.23</b>
<b>REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T</b>	
<b>Appendix T: Document Type Definitions</b>	
<b>4. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND</b>	

```

<!-- Leaf: Language specific data LNG -->
<ELEMENT LANSPEDAT515LNG (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<ELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Legal references -->
<ELEMENT LegRef197 (#PCDATA)>
<!-- Leaf: Responsible data manager -->
<ELEMENT ResDatMan302 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActId (#PCDATA)>
<!-- Leaf: Amendment rejection motivation code -->
<ELEMENT AmeRejMotCod31 (#PCDATA)>
<!-- Leaf: AAR/AER rejection reason code -->
<ELEMENT AARRejReaCod44 (#PCDATA)>
<!-- Leaf: ATR rejection reason code -->
<ELEMENT ATRRejReaCod57 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCod70 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: TCC entry date -->
<ELEMENT TCCEntDat84 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<ELEMENT NCTEntDat85 (#PCDATA)>
<!-- Leaf: Geo-nomenclature code -->
<ELEMENT GeoCod86 (#PCDATA)>
<!-- Leaf: Country regime code -->
<ELEMENT CouRegCod87 (#PCDATA)>
<!-- Leaf: Country regime code -->
<ELEMENT CouRegCod100 (#PCDATA)>
<!-- Leaf: Geo info code -->
<ELEMENT CusOffGeoInfCod113 (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT Cur126 (#PCDATA)>
<!-- Leaf: Rate value -->
<ELEMENT RatVal127 (#PCDATA)>
<!-- Leaf: Discrepancies solved notification code -->
<ELEMENT DisSolNotCod153 (#PCDATA)>
<!-- Leaf: Diversion rejection reason code -->
<ELEMENT DivRejReaCod166 (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTyp179 (#PCDATA)>
<!-- Leaf: Transport document -->
<ELEMENT TraDoc199 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<ELEMENT GuaTypCod217 (#PCDATA)>
<!-- Leaf: Guarantee monitoring code -->
<ELEMENT GuaMonCod230 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason code -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
4. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<!ELEMENT InvGuaReaCod243 (#PCDATA)>
<!-- Leaf: Language code -->
<!ELEMENT LanCod256 (#PCDATA)>
<!-- Leaf: Kind of packages -->
<!ELEMENT PacCod269 (#PCDATA)>
<!-- Leaf: Role -->
<!ELEMENT Rol295 (#PCDATA)>
<!-- Leaf: Commodity code (taric code) -->
<!ELEMENT ComCod308 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<!ELEMENT SenGooCod309 (#PCDATA)>
<!-- Leaf: Reference quantity -->
<!ELEMENT RefQua310 (#PCDATA)>
<!-- Leaf: Unit of measure code -->
<!ELEMENT UniOfMea311 (#PCDATA)>
<!-- Leaf: EEC territory limitation -->
<!ELEMENT EECterLim312 (#PCDATA)>
<!-- Leaf: Additional information coded -->
<!ELEMENT SpeMenCod325 (#PCDATA)>
<!-- Leaf: Statistics type -->
<!ELEMENT StaTyp338 (#PCDATA)>
<!-- Leaf: Traffic type -->
<!ELEMENT TraTyp351 (#PCDATA)>
<!-- Leaf: Customs Operation State Types -->
<!ELEMENT CusOpeStaTyp364 (#PCDATA)>
<!-- Leaf: Unit of measure code -->
<!ELEMENT UniOfMeaCod377 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouCod390 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<!ELEMENT UNL391 (#PCDATA)>
<!-- Leaf: UN/LOCODE name -->
<!ELEMENT UNLNam392 (#PCDATA)>
<!-- Leaf: Transport mode -->
<!ELEMENT TraMod401 (#PCDATA)>
<!-- Leaf: Query identifier -->
<!ELEMENT Quelde414 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<!ELEMENT SpeNotCod644 (#PCDATA)>
<!-- Leaf: Complementary code -->
<!ELEMENT ComCodCOMCOD401 (#PCDATA)>
<!-- Leaf: Export_Query Reason Code -->
<!ELEMENT ExpQueReaCodEXPQUEREACOD414 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<!ELEMENT IncCodINCCOD652 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<!ELEMENT NatTranCodNATTRACOD463 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<!ELEMENT ProReqPROREQ502 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<!ELEMENT PreProPREPRO489 (#PCDATA)>
<!-- Leaf: Representative status code -->
<!ELEMENT RepStatCodREPSTATCOD516 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
4. IE032 C_REF_MOD NOTIFICATION OF COMMON REFERENCE DATA MODIFICATION TO ND	

```

<!-- Leaf: Risk Analysis result code -->
<IELEMENT RisAnaResCodRISANARESCOD528 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndSPECIRIND543 (#PCDATA)>
<!-- Leaf: Summary Declaration rejection reason code -->
<IELEMENT SumDecRejReaCodSUMDECREJREACOD556 (#PCDATA)>
<!-- Leaf: Type of tax -->
<IELEMENT TypOfTaxTYPOFTAX582 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<IELEMENT WarTypWARTYP607 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<IELEMENT UNdangooocodUNDANGOOOCOD594 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<IELEMENT ComNatProCOM613 (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<IELEMENT PreDocCatPREDOCCAT476 (#PCDATA)>
<!-- Leaf: Method of payment -->
<IELEMENT MethofPayMETHOFPAY450 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayTRACHAMETOPAY569 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<IELEMENT DecTyp140 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<IELEMENT TypOfDecBx2DEC626 (#PCDATA)>
<!-- Leaf: Information Code -->
<IELEMENT InfCodINF045 (#PCDATA)>
<!-- Leaf: Previous document type -->
<IELEMENT PreDocTyp180 (#PCDATA)>
<!-- Leaf: Requested Information Code -->
<IELEMENT ReqInfCodREQINF546 (#PCDATA)>
<!-- Leaf: Item number rejection reason code -->
<IELEMENT ItemNumRejReaCodITENUMREJREACOD444 (#PCDATA)>
<!-- Leaf: Customs Intervention code -->
<IELEMENT CusIntCodCUSINT665 (#PCDATA)>
<!-- Leaf: Information type -->
<IELEMENT InfTypINFTYP433 (#PCDATA)>
<!-- Leaf: Response Code -->
<IELEMENT ResCodRESCOD569 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
5. IE070 C_UNA_COM NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	

## 5. IE070 C\_UNA\_COM NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD

```

<!-- Node: MESSAGE -->
<ELEMENT CD070A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, COU441)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, ACT517+, COSYSUNAV+)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288)>
<!-- Node: SYSTEM UNAVAILABILITY -->
<ELEMENT COSYSUNAV (CouSysUNaBusFunCSU660, CouSysUNaDowFrmCSU661, CouSysUNaTypCSU662,
CouSysUNaDowToCSU663?, CouSysUNaExpCSU664?, CouSysUNaExpCSU664LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Business functionality -->
<ELEMENT CouSysUNaBusFunCSU660 (#PCDATA)>
<!-- Leaf: Downtime from -->
<ELEMENT CouSysUNaDowFrmCSU661 (#PCDATA)>
<!-- Leaf: System unavailability type -->
<ELEMENT CouSysUNaTypCSU662 (#PCDATA)>
<!-- Leaf: Downtime to -->
<ELEMENT CouSysUNaDowToCSU663 (#PCDATA)>
<!-- Leaf: Explanation -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
5. IE070 C_UNA_COM NOTIFICATION OF SYSTEM UNAVAILABILITY TO CD	

```

<!ELEMENT CouSysUNaExpCSU664 (#PCDATA)>
<!-- Leaf: Explanation LNG -->
<!ELEMENT CouSysUNaExpCSU664LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
6. IE071 C_UNA_NAT NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	

## 6. IE071 C\_UNA\_NAT NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND

```

<!-- Node: MESSAGE -->
<ELEMENT CD071A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, COU441+)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, ACT517+, COSYSUNAV+)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288)>
<!-- Node: SYSTEM UNAVAILABILITY -->
<ELEMENT COSYSUNAV (CouSysUNaBusFunCSU660, CouSysUNaDowFrmCSU661, CouSysUNaTypCSU662,
CouSysUNaDowToCSU663?, CouSysUNaExpCSU664?, CouSysUNaExpCSU664LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Business functionality -->
<ELEMENT CouSysUNaBusFunCSU660 (#PCDATA)>
<!-- Leaf: Downtime from -->
<ELEMENT CouSysUNaDowFrmCSU661 (#PCDATA)>
<!-- Leaf: System unavailability type -->
<ELEMENT CouSysUNaTypCSU662 (#PCDATA)>
<!-- Leaf: Downtime to -->
<ELEMENT CouSysUNaDowToCSU663 (#PCDATA)>
<!-- Leaf: Explanation -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
6. IE071 C_UNA_NAT NOTIFICATION OF SYSTEM UNAVAILABILITY TO ND	

```

<!ELEMENT CouSysUNaExpCSU664 (#PCDATA)>
<!-- Leaf: Explanation LNG -->
<!ELEMENT CouSysUNaExpCSU664LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
7. IE411 C_STA_SND SENDING OF STATISTICS DATA	

## 7. IE411 C\_STA\_SND SENDING OF STATISTICS DATA

```

<!-- Node: MESSAGE -->
<ELEMENT CD411B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, SENDCOUNTRY)>
<!-- Node: SENDING COUNTRY -->
<ELEMENT SENDCOUNTRY (CouCodSENCOU342, YeaSDD400, MonSED230, SYSAPP405+)>
<!-- Node: SYSTEM APPLICABILITY -->
<ELEMENT SYSAPP405 (SysCodSYSAPP406, STACHA607+)>
<!-- Node: STATISTICAL CHARACTERISTICS -->
<ELEMENT STACHA607 (StaTypSTACHA608, SERELE202+)>
<!-- Node: SERIES ELEMENTS -->
<ELEMENT SERELE202 (OthCouSERELE100?, CouSERELE101)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodSENCOU342 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT YeaSDD400 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT MonSED230 (#PCDATA)>
<!-- Leaf: System code -->
<ELEMENT SysCodSYSAPP406 (#PCDATA)>
<!-- Leaf: Statistics type -->
<ELEMENT StaTypSTACHA608 (#PCDATA)>
<!-- Leaf: Other country -->
<ELEMENT OthCouSERELE100 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
7. IE411 C_STA_SND SENDING OF STATISTICS DATA	

<!-- Leaf: Counter -->

<!ELEMENT CouSERELE101 (#PCDATA)>

<b>DDNXA for ECS P2. Version 5.00</b>	<b>ALIGNED TO DDNA KEL 0.23</b>
<b>REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T</b>	
<b>Appendix T: Document Type Definitions</b>	
<b>8. IE412 C_STA_GEN STATISTICS GENERATED SENT TO NATIONAL DOMAIN</b>	

## 8. IE412 C\_STA\_GEN STATISTICS GENERATED SENT TO NATIONAL DOMAIN

```

<!-- Node: MESSAGE -->
<ELEMENT CD412B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, STACON400)>
<!-- Node: STATISTICAL CONSOLIDATION -->
<ELEMENT STACON400 (YeaSTACON401, MonSTACON444, SysCodSTACON300, STACHASTACON478+)>
<!-- Node: STATISTICAL CHARACTERISTICS -->
<ELEMENT STACHASTACON478 (StaTypSTACHA302, SERELESTACHA008+)>
<!-- Node: SERIES ELEMENTS -->
<ELEMENT SERELESTACHA008 (SenCouCodSERELE003?, OthCouCodSERELESTA001?, CouSERELESTACHA7800)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT YeaSTACON401 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT MonSTACON444 (#PCDATA)>
<!-- Leaf: System code -->
<ELEMENT SysCodSTACON300 (#PCDATA)>
<!-- Leaf: Statistics type -->
<ELEMENT StaTypSTACHA302 (#PCDATA)>
<!-- Leaf: Sending country code -->
<ELEMENT SenCouCodSERELE003 (#PCDATA)>
<!-- Leaf: Other country code -->
<ELEMENT OthCouCodSERELESTA001 (#PCDATA)>
<!-- Leaf: Counter -->
<ELEMENT CouSERELESTACHA7800 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
9. IE501 C_AER_SND AER	

## 9. IE501 C\_AER\_SND AER

```

<!-- Node: MESSAGE -->
<ELEMENT CD501B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, TRACONCE1?, CUSOFFEXPERT, CUSOFFEXIEXT, CONRESERS,
SEAINFSLI?, GOOITEGDS+, ITI*, RISANA*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4?, DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, CouOfDisCodHEA55?,
IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, ConIndHEA96, AccDatHEA158, IssDatHEA186,
ECSAccDocHEA601, TotNumOfIteHEA305, TotNumOfPacHEA306?, TotGroMasHEA307?, DecSubTimHEA1,
SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRAEXPEX1 (NamEX17, StrAndNumEX122, PosCodEX123, CitEX124, CouEX125, NADLNGEX?, TINEX159)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID*)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48,
CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1, PreProGDI1, ComNatProGIM1?, StaValCurGDI1?,
StaValAmoGDI1?, ComRefNumGIM1?, UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*,
TRACONEX2?, COMCODGODITM, TRACONCE2?, CONNR2*, PACGS2+)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, TexSPM1?, TexSPM1LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRACONEX2 (NamEX27, StrAndNumEX222, PosCodEX223, CitEX224, CouEX225, NADLNGGTEX?,
TINEX259)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1,
NatAddCodCMD1?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
9. IE501 C_AER_SND AER	

<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?, NumOfPieGS25?)>

<!-- Leaf: Syntax identifier -->

<ELEMENT SynIdeMES1 (#PCDATA)>

<!-- Leaf: Syntax version number -->

<ELEMENT SynVerNumMES2 (#PCDATA)>

<!-- Leaf: Message sender -->

<ELEMENT MesSenMES3 (#PCDATA)>

<!-- Leaf: Sender identification code qualifier -->

<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>

<!-- Leaf: Message recipient -->

<ELEMENT MesRecMES6 (#PCDATA)>

<!-- Leaf: Recipient identification code qualifier -->

<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>

<!-- Leaf: Date of preparation -->

<ELEMENT DatOfPreMES9 (#PCDATA)>

<!-- Leaf: Time of preparation -->

<ELEMENT TimOfPreMES10 (#PCDATA)>

<!-- Leaf: Interchange control reference -->

<ELEMENT IntConRefMES11 (#PCDATA)>

<!-- Leaf: Recipient's reference/password -->

<ELEMENT RecRefMES12 (#PCDATA)>

<!-- Leaf: Recipient's reference/password qualifier -->

<ELEMENT RecRefQuaMES13 (#PCDATA)>

<!-- Leaf: Application reference -->

<ELEMENT AppRefMES14 (#PCDATA)>

<!-- Leaf: Priority -->

<ELEMENT PriMES15 (#PCDATA)>

<!-- Leaf: Acknowledgement request -->

<ELEMENT AckReqMES16 (#PCDATA)>

<!-- Leaf: Communications agreement id -->

<ELEMENT ComAgrIdMES17 (#PCDATA)>

<!-- Leaf: Test indicator -->

<ELEMENT TesIndMES18 (#PCDATA)>

<!-- Leaf: Message identification -->

<ELEMENT MesIdeMES19 (#PCDATA)>

<!-- Leaf: Message type -->

<ELEMENT MesTypMES20 (#PCDATA)>

<!-- Leaf: Common access reference -->

<ELEMENT ComAccRefMES21 (#PCDATA)>

<!-- Leaf: Reference number -->

<ELEMENT RefNumHEA4 (#PCDATA)>

<!-- Leaf: Document/reference number -->

<ELEMENT DocNumHEA5 (#PCDATA)>

<!-- Leaf: Type of declaration -->

<ELEMENT TypOfDecHEA24 (#PCDATA)>

<!-- Leaf: Country of destination code -->

<ELEMENT CouOfDesCodHEA30 (#PCDATA)>

<!-- Leaf: Country of dispatch/export code -->

<ELEMENT CouOfDisCodHEA55 (#PCDATA)>

<!-- Leaf: Identity of means of transport at departure (exp/trans) -->

<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>

<!-- Leaf: Identity of means of transport at departure LNG -->

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
9. IE501 C_AER_SND AER	

```

<IELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<IELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<IELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<IELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: ECS accompanying document language code -->
<IELEMENT ECSAccDocHEA601 (#PCDATA)>
<!-- Leaf: Total number of items -->
<IELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Declaration submitted time -->
<IELEMENT DecSubTimHEA1 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumERT1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
9. IE501 C_AER_SND AER	

```

<!-- Leaf: Reference number -->
<ELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<ELEMENT ProReqGDI1 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<ELEMENT PreProGDI1 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<ELEMENT ComNatProGIM1 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<ELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<ELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
9. IE501 C_AER_SND AER	

```

<!ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<!ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Text -->
<!ELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<!ELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Name -->
<!ELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<!ELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<!ELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<!ELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<!ELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<!ELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<!ELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<!ELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<!ELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<!ELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<!ELEMENT NatAddCodCMD1 (#PCDATA)>
<!-- Leaf: Name -->
<!ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<!ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<!ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<!ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<!ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<!ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<!ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<!ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<!ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<!ELEMENT KinOfPacGS23 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
9. IE501 C_AER_SND AER	

```

<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<ELEMENT ItNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<ELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<ELEMENT RisAnaTexRKA1LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
10. IE502 C_EXP_REQ DECLARATION REQUEST EXPORT	

## 10. IE502 C\_EXP\_REQ DECLARATION REQUEST EXPORT

```

<!-- Node: MESSAGE -->
<ELEMENT CD502A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CouOfExpCodHEA167)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Country of export code -->
<ELEMENT CouOfExpCodHEA167 (#PCDATA)>
<!-- Leaf: Reference number -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
10. IE502 C_EXP_REQ DECLARATION REQUEST EXPORT	

<!ELEMENT RefNumACE1 (#PCDATA)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
11. IE503 C_AER_RSP AER RESPONSE	

## 11. IE503 C\_AER\_RSP AER RESPONSE

<!-- Node: MESSAGE -->

<IELEMENT CD503B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6, RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?, AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20, ComAccRefMES21?, HEAHEA, TRAEXPEX1?, TRACONCE1?, CUSOFFEXPERT?, ACEACE, CUSOFFEXIEXT?, CONRESERS?, SEAINFSLI?, GOOITEGDS\*, ITI\*, RISANA\*)>

<!-- Node: HEADER -->

<IELEMENT HEAHEA (RefNumHEA4?, DocNumHEA5, TypOfDecHEA24?, CouOfDesCodHEA30?, CouOfDisCodHEA55?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, ConIndHEA96?, AccDatHEA158?, IssDatHEA186?, ECSAccDocHEA601?, TotNumOfHeaHEA305?, TotNumOfPacHEA306?, TotGroMasHEA307?, AERRejReaCodHEA211?, AERRejReaHEA334?, AERRejReaHEA334LNG?, DecSubTimHEA1?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?)>

<!-- Node: (EXPORTER) TRADER -->

<IELEMENT TRAEXPEX1 (NamEX17, StrAndNumEX122, PosCodEX123, CitEX124, CouEX125, NADLNGEX?, TINEX159)>

<!-- Node: (CONSIGNEE) TRADER -->

<IELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?, TINC159?)>

<!-- Node: (EXPORT) CUSTOMS OFFICE -->

<IELEMENT CUSOFFEXPERT (RefNumERT1)>

<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->

<IELEMENT ACEACE (RefNumACE1)>

<!-- Node: (EXIT) CUSTOMS OFFICE -->

<IELEMENT CUSOFFEXIEXT (RefNumEXT1)>

<!-- Node: CONTROL RESULT -->

<IELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>

<!-- Node: SEALS INFO -->

<IELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID\*)>

<!-- Node: GOODS ITEM -->

<IELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1, PreProGDI1, ComNatProGIM1?, StaValCurGDI1?, StaValAmoGDI1?, ComRefNumGIM1?, UNDanGooCodGDI1?, PREADMREFAR2\*, PRODOCDC2\*, SPEMENMT2\*, TRACONEX2?, COMCODGODITM, TRACONCE2?, CONNR2\*, PACGS2+)>

<!-- Node: ITINERARY -->

<IELEMENT ITI (CouOfRouCodITI1)>

<!-- Node: RISK ANALYSIS -->

<IELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>

<!-- Node: SEALS ID -->

<IELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>

<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->

<IELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?)>

<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->

<IELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>

<!-- Node: SPECIAL MENTIONS -->

<IELEMENT SPEMENMT2 (AddInfCodMT23, TexSPM1?, TexSPM1LNG?)>

<!-- Node: (EXPORTER) TRADER -->

<IELEMENT TRACONEX2 (NamEX27, StrAndNumEX222, PosCodEX223, CitEX224, CouEX225, NADLNGGTEX?, TINEX259)>

<!-- Node: (CODE) COMMODITY -->

<IELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1, NATAddCodCMD1?)>

<!-- Node: (CONSIGNEE) TRADER -->

<IELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?, TINC259?)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
11. IE503 C_AER_RSP AER RESPONSE	

```

<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
11. IE503 C_AER_RSP AER RESPONSE	

```

<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<IELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<IELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<IELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<IELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<IELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: ECS accompanying document language code -->
<IELEMENT ECSAccDocHEA601 (#PCDATA)>
<!-- Leaf: Total number of items -->
<IELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: AER rejection reason code -->
<IELEMENT AERRejReaCodHEA211 (#PCDATA)>
<!-- Leaf: AER rejection reason -->
<IELEMENT AERRejReaHEA334 (#PCDATA)>
<!-- Leaf: AER rejection reason LNG -->
<IELEMENT AERRejReaHEA334LNG (#PCDATA)>
<!-- Leaf: Declaration submitted time -->
<IELEMENT DecSubTimHEA1 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
11. IE503 C_AER_RSP AER RESPONSE	

```

<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT Tince159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Control result code -->
<IELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<IELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<IELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<IELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<IELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<IELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<IELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<IELEMENT ProReqGDI1 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<IELEMENT PreProGDI1 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<IELEMENT ComNatProGIM1 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<IELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<IELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<IELEMENT UNDanGooCodGDI1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
11. IE503 C_AER_RSP AER RESPONSE	

```

<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Text -->
<ELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<ELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<ELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<ELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<ELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<ELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<ELEMENT NATAddCodCMD1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
11. IE503 C_AER_RSP AER RESPONSE	

```

<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINC259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<IELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<IELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<IELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<IELEMENT RisAnaTexRKA1LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
12. IE504 E_EXP_AAC EXPORT DECLARATION AMENDMENT ACCEPTANCE	

## 12. IE504 E\_EXP\_AAC EXPORT DECLARATION AMENDMENT ACCEPTANCE

```

<!-- Node: MESSAGE -->
<ELEMENT CC504A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT, TRADEC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AmdDatHEA599, AmeAccDatHEA602)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
12. IE504 E_EXP_AAC EXPORT DECLARATION AMENDMENT ACCEPTANCE	

```

<!-- Leaf: Date of amendment -->
<ELEMENT AmdDatHEA599 (#PCDATA)>
<!-- Leaf: Amendment acceptance date -->
<ELEMENT AmeAccDatHEA602 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTDE1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
13. IE505 E_EXP_ARJ EXPORT DECLARATION AMENDMENT REJECTION	

### 13. IE505 E\_EXP\_ARJ EXPORT DECLARATION AMENDMENT REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC505A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT?, FUNERRER1*, TRADEC?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5?, AmdDatHEA599?, AmeRejDatHEA603, AmeRejMotCodHEA604?,
AmeRejMotTexHEA605?, AmeRejMotTexHEA605LNG?)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypeER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
13. IE505 E_EXP_ARJ EXPORT DECLARATION AMENDMENT REJECTION	

```

<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of amendment -->
<ELEMENT AmdDatHEA599 (#PCDATA)>
<!-- Leaf: Amendment rejection date -->
<ELEMENT AmeRejDatHEA603 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation code -->
<ELEMENT AmeRejMotCodHEA604 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation text -->
<ELEMENT AmeRejMotTexHEA605 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation text LNG -->
<ELEMENT AmeRejMotTexHEA605LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTDE1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
14. IE507 E_ARR_EXT ARRIVAL AT EXIT	

#### 14. IE507 E\_ARR\_EXT ARRIVAL AT EXIT

```

<!-- Node: MESSAGE -->
<ELEMENT CC507A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE, TRAEXICAR)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CusSubPlaHEA66?, ArrNotPlaHEA60, ArrNotPlaHEA60LNG?, ArrAgrLocCodHEA62?,
ArrAgrLocOfGooHEA63?, ArrAgrLocOfGooHEA63LNG?, ArrNotDatHEA141, DiaLanIndAtDesHEA255?, StoFlaHEA1,
AuthStorLocGoodHEA416?)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: (EXIT CARRIER) TRADER -->
<ELEMENT TRAEXICAR (NamTEC1?, StrAndNumTEC2?, PosCodTEC1?, CitTEC1?, CouCodTEC1?, TRAEXICARLNG?,
TINTEC2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
14. IE507 E_ARR_EXT ARRIVAL AT EXIT	

```

<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<IELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Arrival notification place -->
<IELEMENT ArrNotPlaHEA60 (#PCDATA)>
<!-- Leaf: Arrival notification place LNG -->
<IELEMENT ArrNotPlaHEA60LNG (#PCDATA)>
<!-- Leaf: Arrival agreed Location code -->
<IELEMENT ArrAgrLocCodHEA62 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods -->
<IELEMENT ArrAgrLocOfGooHEA63 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods LNG -->
<IELEMENT ArrAgrLocOfGooHEA63LNG (#PCDATA)>
<!-- Leaf: Arrival notification date -->
<IELEMENT ArrNotDatHEA141 (#PCDATA)>
<!-- Leaf: Dialog language indicator at destination -->
<IELEMENT DiaLanIndAtDesHEA255 (#PCDATA)>
<!-- Leaf: Storing flag -->
<IELEMENT StoFlaHEA1 (#PCDATA)>
<!-- Leaf: Authorised Storing Location of goods -->
<IELEMENT AuthStorLocGoodHEA416 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTEC1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTEC2 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTEC1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CtiTEC1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTEC1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAEXICARLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTEC2 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
15. IE508 E_ARR_REJ ARRIVAL AT EXIT REJECTION	

## 15. IE508 E\_ARR\_REJ ARRIVAL AT EXIT REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC508A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, ArrRejDatHEA142, ActToBeTakHEA238?, ActToBeTakHEA238LNG?,
ArrRejReaHEA242?, ArrRejReaHEA242LNG?)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Arrival rejection date -->
<ELEMENT ArrRejDatHEA142 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
15. IE508 E_ARR_REJ ARRIVAL AT EXIT REJECTION	

```

<!-- Leaf: Action to be taken -->
<ELEMENT ActToBeTakHEA238 (#PCDATA)>
<!-- Leaf: Action to be taken LNG -->
<ELEMENT ActToBeTakHEA238LNG (#PCDATA)>
<!-- Leaf: Arrival rejection reason -->
<ELEMENT ArrRejReaHEA242 (#PCDATA)>
<!-- Leaf: Arrival rejection reason LNG -->
<ELEMENT ArrRejReaHEA242LNG (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
16. IE509 E_EXP_DEC EXPORT CANCELLATION DECISION	

## 16. IE509 E\_EXP\_DEC EXPORT CANCELLATION DECISION

```

<!-- Node: MESSAGE -->
<ELEMENT CC509A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, CUSOFFEXPERT, TRADEC?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CanDecHEA93?, DatOfCanReqHEA147?, CanIniByCusHEA94,
DatOfCanDecHEA146, CanJusHEA248?, CanJusHEA248LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRAEXPEX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125?, NADLNGEX?,
TINEX159)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
16. IE509 E_EXP_DEC EXPORT CANCELLATION DECISION	

```

<!ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<!ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Cancellation decision -->
<!ELEMENT CanDecHEA93 (#PCDATA)>
<!-- Leaf: Date of cancellation request -->
<!ELEMENT DatOfCanReqHEA147 (#PCDATA)>
<!-- Leaf: Cancellation initiated by customs -->
<!ELEMENT CanIniByCusHEA94 (#PCDATA)>
<!-- Leaf: Date of cancellation decision -->
<!ELEMENT DatOfCanDecHEA146 (#PCDATA)>
<!-- Leaf: Cancellation justification -->
<!ELEMENT CanJusHEA248 (#PCDATA)>
<!-- Leaf: Cancellation justification LNG -->
<!ELEMENT CanJusHEA248LNG (#PCDATA)>
<!-- Leaf: Name -->
<!ELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<!ELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<!ELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<!ELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<!ELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<!ELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Name -->
<!ELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<!ELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<!ELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<!ELEMENT CitTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<!ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<!ELEMENT TINTDE1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
17. IE510 C_CAN_EXP EXPORT CANCELLATION NOTIFICATION	

## 17. IE510 C\_CAN\_EXP EXPORT CANCELLATION NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CD510A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT, CUSOFFEXTDECEDC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfCanHEA145)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (EXIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXTDECEDC (RefNumEDC11)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of cancellation -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
17. IE510 C_CAN_EXP EXPORT CANCELLATION NOTIFICATION	

<!ELEMENT DatOfCanHEA145 (#PCDATA)>

<!-- Leaf: Reference number -->

<!ELEMENT RefNumERT1 (#PCDATA)>

<!-- Leaf: Reference number -->

<!ELEMENT RefNumEDC11 (#PCDATA)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
18. IE513 E_EXP_AMD EXPORT DECLARATION AMENDMENT	

## 18. IE513 E\_EXP\_AMD EXPORT DECLARATION AMENDMENT

<!-- Node: MESSAGE -->

<ELEMENT CC513A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6, RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?, AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20, ComAccRefMES21?, HEAHEA, TRAEXPEX1?, TRACONCE1?, CUSOFFEXPERT, CUSOFFEXIEXT, CONRESERS?, SEAINFSLI?, GOOITEGDS+, ITI\*, TRADEC, DELTER?, TRADAT?, DEFPOSPAY\*, IDEWAR?, STATREP385)>

<!-- Node: HEADER -->

<ELEMENT HEAHEA (RefNumHEA4, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?, AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, CouOfDisCodHEA55?, CusSubPlaHEA66?, IniTraModHEA75?, TraModAtBorHEA76, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?, TypOfMeaOfTraCroHEA88?, ConIndHEA96, DiaLanIndAtDepHEA254?, ECSAccDocHEA601, TotNumOfIteHEA305, TotNumOfPacHEA306?, TotGroMasHEA307?, AmdPlaHEA598, AmdPlaHEA598LNG?, AmdDatHEA599, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, GraTotTaxAmoHEA1?, TypOfDecBx12HEA651)>

<!-- Node: (EXPORTER) TRADER -->

<ELEMENT TRAEXPEX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125?, NADLNGEX?, TINEX159)>

<!-- Node: (CONSIGNEE) TRADER -->

<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?, TINC159?)>

<!-- Node: (EXPORT) CUSTOMS OFFICE -->

<ELEMENT CUSOFFEXPERT (RefNumERT1)>

<!-- Node: (EXIT) CUSTOMS OFFICE -->

<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>

<!-- Node: CONTROL RESULT -->

<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>

<!-- Node: SEALS INFO -->

<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID\*)>

<!-- Node: GOODS ITEM -->

<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1, PreProGDI1, ComNatProGIM1?, StaValCurGDI1?, StaValAmoGDI1?, CouOfOriGDI1?, DisProRegGDI1?, SupUniGDI1?, TotIteTaxAmoGDI1?, ComRefNumGIM1?, UNDanGooCodGDI1?, PREADMREFAR2\*, PRODOCDC2\*, SPEMENMT2\*, TRACONEX2?, COMCODGODITM, CALTAXGOD\*, TRACONCE2?, CONNR2\*, PACGS2+)>

<!-- Node: ITINERARY -->

<ELEMENT ITI (CouOfRouCodITI1)>

<!-- Node: (DECLARANT) TRADER -->

<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CitTDE1?, CouCodTDE1?, TRADECLNG?, TINTDE1)>

<!-- Node: (TERMS) DELIVERY -->

<ELEMENT DELTER (IncCodTDL1, ComCodTDL1?, ComInfDELTER387, ComInfDELTER387LNG?)>

<!-- Node: (DATA) TRANSACTION -->

<ELEMENT TRADAT (CurTRD1?, TotAmoInvTRD1?, ExcRatTRD1?, NatOfTraFirCodTRD1?)>

<!-- Node: (PAYMENT) DEFERRED OR POSTPONED -->

<ELEMENT DEFPOSPAY (AutRefDPP1)>

<!-- Node: (WAREHOUSE) IDENTIFICATION -->

<ELEMENT IDEWAR (WarTypWID1, AutCouWID1, WarIdeWID1)>

<!-- Node: (STATUS) REPRESENTATIVE -->

<ELEMENT STATREP385 (RepStatCodSTATREP386)>

<!-- Node: SEALS ID -->

<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>

<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->

<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, PreDocCatPREADMREF21)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
18. IE513 E_EXP_AMD EXPORT DECLARATION AMENDMENT	

```

<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, TexSPM1?, TexSPM1LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRACONEX2 (NamEX27?, StrAndNumEX222?, PosCodEX223?, CitEX224?, CouEX225?, NADLNGGTEX?,
TINEX259?)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1,
NAtAddCodCMD1?)>
<!-- Node: (TAXES) CALCULATION -->
<ELEMENT CALTAXGOD (TypOfTaxCTX1, TaxBasCTX1, RatOfTaxCTX1, AmoOfTaxTCL1, MetOfPayCTX1)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
18. IE513 E_EXP_AMD EXPORT DECLARATION AMENDMENT	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<ELEMENT InlTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<ELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<ELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: ECS accompanying document language code -->
<ELEMENT ECSAccDocHEA601 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Amendment place -->
<ELEMENT AmdPlaHEA598 (#PCDATA)>
<!-- Leaf: Amendment place LNG -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
18. IE513 E_EXP_AMD EXPORT DECLARATION AMENDMENT	

```

<IELEMENT AmdPlaHEA598LNG (#PCDATA)>
<!-- Leaf: Date of amendment -->
<IELEMENT AmdDatHEA599 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Grand total taxes amount -->
<IELEMENT GraTotTaxAmoHEA1 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<IELEMENT TypOfDecBx12HEA651 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Control result code -->
<IELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<IELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<IELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<IELEMENT SealdeSID1 (#PCDATA)>

```

<b>DDNXA for ECS P2. Version 5.00</b>	<b>ALIGNED TO DDNA KEL 0.23</b>
<b>REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T</b>	
<b>Appendix T: Document Type Definitions</b>	
<b>18. IE513 E_EXP_AMD EXPORT DECLARATION AMENDMENT</b>	

```

<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT ItNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<IELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<IELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<IELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<IELEMENT ProReqGDI1 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<IELEMENT PreProGDI1 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<IELEMENT ComNatProGIM1 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<IELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<IELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Country of Origin -->
<IELEMENT CouOfOriGDI1 (#PCDATA)>
<!-- Leaf: Dispatch / Production Region -->
<IELEMENT DisProRegGDI1 (#PCDATA)>
<!-- Leaf: Supplementary units -->
<IELEMENT SupUniGDI1 (#PCDATA)>
<!-- Leaf: Total item taxes amount -->
<IELEMENT TotlTeTaxAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<IELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<IELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<IELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<IELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<IELEMENT PreDocCatPREADMREF21 (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<IELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
18. IE513 E_EXP_AMD EXPORT DECLARATION AMENDMENT	

```

<IELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<IELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Text -->
<IELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<IELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<IELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<IELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<IELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<IELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<IELEMENT NatAddCodCMD1 (#PCDATA)>
<!-- Leaf: Type of tax -->
<IELEMENT TypOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Tax base -->
<IELEMENT TaxBasCTX1 (#PCDATA)>
<!-- Leaf: Rate of tax -->
<IELEMENT RatOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Amount of tax -->
<IELEMENT AmoOfTaxTCL1 (#PCDATA)>
<!-- Leaf: Method of payment -->
<IELEMENT MetOfPayCTX1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
18. IE513 E_EXP_AMD EXPORT DECLARATION AMENDMENT	

```

<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTDE1 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<ELEMENT IncCodTDL1 (#PCDATA)>
<!-- Leaf: Complementary code -->
<ELEMENT ComCodTDL1 (#PCDATA)>
<!-- Leaf: Complement of info -->
<ELEMENT ComInfDELTERR387 (#PCDATA)>
<!-- Leaf: Complement of info LNG -->
<ELEMENT ComInfDELTERR387LNG (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurTRD1 (#PCDATA)>
<!-- Leaf: Total amount invoiced -->
<ELEMENT TotAmolnVTRD1 (#PCDATA)>
<!-- Leaf: Exchange rate -->
<ELEMENT ExcRatTRD1 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<ELEMENT NatOfTraFirCodTRD1 (#PCDATA)>
<!-- Leaf: Authorisation Reference -->
<ELEMENT AutRefDPP1 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<ELEMENT WarTypWID1 (#PCDATA)>
<!-- Leaf: Authorizing country -->
<ELEMENT AutCouWID1 (#PCDATA)>
<!-- Leaf: Warehouse identification -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
18. IE513 E_EXP_AMD EXPORT DECLARATION AMENDMENT	

<!ELEMENT WarIdeWID1 (#PCDATA)>

<!-- Leaf: Representative status code -->

<!ELEMENT RepStatCodSTATREP386 (#PCDATA)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
19. IE514 E_EXP_CAN EXPORT CANCELLATION REQUEST	

## 19. IE514 E\_EXP\_CAN EXPORT CANCELLATION REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CC514A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, CUSOFFEXPERT, TRADEC?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfCanReqHEA147, CanReaHEA250, CanReaHEA250LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRAEXPEX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125?, NADLNGEX?,
TINEX159)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
19. IE514 E_EXP_CAN EXPORT CANCELLATION REQUEST	

```

<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of cancellation request -->
<ELEMENT DatOfCanReqHEA147 (#PCDATA)>
<!-- Leaf: Cancellation reason -->
<ELEMENT CanReaHEA250 (#PCDATA)>
<!-- Leaf: Cancellation reason LNG -->
<ELEMENT CanReaHEA250LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTDE1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
20. IE515 E_EXP_DAT EXPORT DECLARATION	

## 20. IE515 E\_EXP\_DAT EXPORT DECLARATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC515A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, TRACONCE1?, CUSOFFEXPERT, CUSOFFEXIEXT, CONRESERS?,
SEAINFSLI?, GOOITEGDS+, ITI*, TRADEC, DELTER?, TRADAT?, DEFPOSPAY*, IDEWAR?, STATREP385)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, CouOfDisCodHEA55?, CusSubPlaHEA66?,
IniTraModHEA75?, TraModAtBorHEA76, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?, TypOfMeaOfTraCroHEA88?,
ConIndHEA96, DiaLanIndAtDepHEA254?, ECSAccDocHEA601, TotNumOfIteHEA305, TotNumOfPacHEA306?,
TotGroMasHEA307?, DecDatHEA383, DecPlaHEA394, DecPlaHEA394LNG?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?,
ComRefNumHEA?, GraTotTaxAmoHEA1?, TypOfDecBx12HEA651)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRAEXPEX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125?, NADLNGEX?,
TINEX159)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID*)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48,
CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1, PreProGDI1, ComNatProGIM1?, StaValCurGDI1?,
StaValAmoGDI1?, CouOfOriGDI1?, DisProRegGDI1?, SupUniGDI1?, TotIteTaxAmoGDI1?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONEX2?, COMCODGODITM,
CALTAXGOD*, TRACONCE2?, CONNR2*, PACGS2+)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CitTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Node: (TERMS) DELIVERY -->
<ELEMENT DELTER (IncCodTDL1, ComCodTDL1?, ComInfDELTER387, ComInfDELTER387LNG?)>
<!-- Node: (DATA) TRANSACTION -->
<ELEMENT TRADAT (CurTRD1?, TotAmoInvTRD1?, ExcRatTRD1?, NatOfTraFirCodTRD1?)>
<!-- Node: (PAYMENT) DEFERRED OR POSTPONED -->
<ELEMENT DEFPOSPAY (AutRefDPP1)>
<!-- Node: (WAREHOUSE) IDENTIFICATION -->
<ELEMENT IDEWAR (WarTypWID1, AutCouWID1, WarIdeWID1)>
<!-- Node: (STATUS) REPRESENTATIVE -->
<ELEMENT STATREP385 (RepStatCodSTATREP386)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, PreDocCatPREADMREF21)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
20. IE515 E_EXP_DAT EXPORT DECLARATION	

```

<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, TexSPM1?, TexSPM1LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRACONEX2 (NamEX27?, StrAndNumEX222?, PosCodEX223?, CitEX224?, CouEX225?, NADLNGGTEX?,
TINEX259?)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1,
NAtAddCodCMD1?)>
<!-- Node: (TAXES) CALCULATION -->
<ELEMENT CALTAXGOD (TypOfTaxCTX1, TaxBasCTX1, RatOfTaxCTX1, AmoOfTaxTCL1, MetOfPayCTX1)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
20. IE515 E_EXP_DAT EXPORT DECLARATION	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<ELEMENT InlTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<ELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<ELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: ECS accompanying document language code -->
<ELEMENT ECSAccDocHEA601 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Declaration date -->
<ELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
20. IE515 E_EXP_DAT EXPORT DECLARATION	

```

<ELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<ELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Grand total taxes amount -->
<ELEMENT GraTotTaxAmoHEA1 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<ELEMENT TypOfDecBx12HEA651 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
20. IE515 E_EXP_DAT EXPORT DECLARATION	

```

<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT ItNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<IELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<IELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<IELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<IELEMENT ProReqGDI1 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<IELEMENT PreProGDI1 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<IELEMENT ComNatProGIM1 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<IELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<IELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Country of Origin -->
<IELEMENT CouOfOriGDI1 (#PCDATA)>
<!-- Leaf: Dispatch / Production Region -->
<IELEMENT DisProRegGDI1 (#PCDATA)>
<!-- Leaf: Supplementary units -->
<IELEMENT SupUniGDI1 (#PCDATA)>
<!-- Leaf: Total item taxes amount -->
<IELEMENT TotlTeTaxAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<IELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<IELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<IELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<IELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<IELEMENT PreDocCatPREADMREF21 (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<IELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
20. IE515 E_EXP_DAT EXPORT DECLARATION	

```

<!ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<!ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Text -->
<!ELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<!ELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Name -->
<!ELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<!ELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<!ELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<!ELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<!ELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<!ELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<!ELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<!ELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<!ELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<!ELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<!ELEMENT NatAddCodCMD1 (#PCDATA)>
<!-- Leaf: Type of tax -->
<!ELEMENT TypOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Tax base -->
<!ELEMENT TaxBasCTX1 (#PCDATA)>
<!-- Leaf: Rate of tax -->
<!ELEMENT RatOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Amount of tax -->
<!ELEMENT AmoOfTaxTCL1 (#PCDATA)>
<!-- Leaf: Method of payment -->
<!ELEMENT MetOfPayCTX1 (#PCDATA)>
<!-- Leaf: Name -->
<!ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<!ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<!ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<!ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<!ELEMENT NADLNGGICE (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
20. IE515 E_EXP_DAT EXPORT DECLARATION	

```

<!-- Leaf: TIN -->
<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTDE1 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<IELEMENT IncCodTDL1 (#PCDATA)>
<!-- Leaf: Complementary code -->
<IELEMENT ComCodTDL1 (#PCDATA)>
<!-- Leaf: Complement of info -->
<IELEMENT ComInfDELTER387 (#PCDATA)>
<!-- Leaf: Complement of info LNG -->
<IELEMENT ComInfDELTER387LNG (#PCDATA)>
<!-- Leaf: Currency -->
<IELEMENT CurTRD1 (#PCDATA)>
<!-- Leaf: Total amount invoiced -->
<IELEMENT TotAmolnVTRD1 (#PCDATA)>
<!-- Leaf: Exchange rate -->
<IELEMENT ExcRatTRD1 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<IELEMENT NatOfTraFirCodTRD1 (#PCDATA)>
<!-- Leaf: Authorisation Reference -->
<IELEMENT AutRefDPP1 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<IELEMENT WarTypWID1 (#PCDATA)>
<!-- Leaf: Authorizing country -->
<IELEMENT AutCouWID1 (#PCDATA)>
<!-- Leaf: Warehouse identification -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
20. IE515 E_EXP_DAT EXPORT DECLARATION	

<!ELEMENT WarIdeWID1 (#PCDATA)>

<!-- Leaf: Representative status code -->

<!ELEMENT RepStatCodSTATREP386 (#PCDATA)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
21. IE516 E_EXP_REJ EXPORT DECLARATION REJECTED	

## 21. IE516 E\_EXP\_REJ EXPORT DECLARATION REJECTED

```

<!-- Node: MESSAGE -->
<ELEMENT CC516A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, TypOfDecHEA24, DecRejDatHEA159, DecRejReaHEA252?,
DecRejReaHEA252LNG?, TypOfDecBx12HEA651)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
21. IE516 E_EXP_REJ EXPORT DECLARATION REJECTED	

```

<!-- Leaf: Declaration rejection date -->
<ELEMENT DecRejDatHEA159 (#PCDATA)>
<!-- Leaf: Declaration rejection reason -->
<ELEMENT DecRejReaHEA252 (#PCDATA)>
<!-- Leaf: Declaration rejection reason LNG -->
<ELEMENT DecRejReaHEA252LNG (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<ELEMENT TypOfDecBx12HEA651 (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
22. IE517 E_EXP_CON EXPORT CONTROL RESULTS	

## 22. IE517 E\_EXP\_CON EXPORT CONTROL RESULTS

<!-- Node: MESSAGE -->

<ELEMENT CC517A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6, RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?, AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20, ComAccRefMES21?, HEAHEA, TRAEXPX1?, TRACONCE1?, CUSOFFEXPERT, CUSOFFEXIEXT?, CONRESERS, RESOFCON534?, SEAINFSLI?, GOOITEGDS\*, ITI\*, TRADEC, DELTER?, TRADAT?, DEFPOSPAY\*, IDEWAR?)>

<!-- Node: HEADER -->

<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24?, CouOfDesCodHEA30?, CouOfDisCodHEA55?, InlTraModHEA75?, TraModAtBorHEA76?, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?, TypOfMeaOfTraCroHEA88?, ConIndHEA96, RelReqHEA105?, RelReqDatHEA154?, TotNumOfHeHEA305?, TotNumOfPacHEA306?, TotGroMasHEA307?, SecCodHEA378, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, GraTotTaxAmoHEA1?, TypOfDecBx12HEA651?)>

<!-- Node: (EXPORTER) TRADER -->

<ELEMENT TRAEXPX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125?, NADLNGEX?, TINEX159?)>

<!-- Node: (CONSIGNEE) TRADER -->

<ELEMENT TRACONCE1 (NamCE17?, StrAndNumCE122?, PosCodCE123?, CitCE124?, CouCE125?, NADLNGCE?, TINC159?)>

<!-- Node: (EXPORT) CUSTOMS OFFICE -->

<ELEMENT CUSOFFEXPERT (RefNumERT1)>

<!-- Node: (EXIT) CUSTOMS OFFICE -->

<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>

<!-- Node: CONTROL RESULT -->

<ELEMENT CONRESERS (ConDatERS14, ConResCodERS16, ConByERS18, ConByERS18LNG?, RemERS24?, RemERS24LNG?, DatLimERS69)>

<!-- Node: RESULTS OF CONTROL -->

<ELEMENT RESOFCON534 (DesTOC2?, DesTOC2LNG?, ConInd424, PoiToTheAttTOC5?, CorValTOC4?)>

<!-- Node: SEALS INFO -->

<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID\*)>

<!-- Node: GOODS ITEM -->

<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23?, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48?, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1?, PreProGDI1?, ComNatProGIM1?, StaValCurGDI1?, StaValAmoGDI1?, CouOfOriGDI1?, DisProRegGDI1?, SupUniGDI1?, TotlTaxAmoGDI1?, ComRefNumGIM1?, UNDanGooCodGDI1?, PREADMREFAR2\*, PRODOCDC2\*, SPEMENMT2\*, RESOFCONROC\*, TRACONEX2?, COMCODGODITM?, CALTAXGOD\*, TRACONCE2?, CONNR2\*, PACGS2\*)>

<!-- Node: ITINERARY -->

<ELEMENT ITI (CouOfRouCodITI1)>

<!-- Node: (DECLARANT) TRADER -->

<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CitTDE1?, CouCodTDE1?, TRADECLNG?, TINTDE1)>

<!-- Node: (TERMS) DELIVERY -->

<ELEMENT DELTER (IncCodTDL1?, ComCodTDL1?, ComInfDELTER387?, ComInfDELTER387LNG?)>

<!-- Node: (DATA) TRANSACTION -->

<ELEMENT TRADAT (CurTRD1?, TotAmoInvTRD1?, ExcRatTRD1?, NatOfTraFirCodTRD1?)>

<!-- Node: (PAYMENT) DEFERRED OR POSTPONED -->

<ELEMENT DEFPOSPAY (AutRefDPP1)>

<!-- Node: (WAREHOUSE) IDENTIFICATION -->

<ELEMENT IDEWAR (WarTypWID1?, AutCouWID1?, WarIdeWID1?)>

<!-- Node: SEALS ID -->

<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>

<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->

<ELEMENT PREADMREFAR2 (PreDocTypAR21?, PreDocRefAR26?, PreDocRefLNG?, ComConAR211, PreDocCatPREADMREF21)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
22. IE517 E_EXP_CON EXPORT CONTROL RESULTS	

```

<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21?, DocRefDC23?, DocRefDCLNG?, ComConDC27?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPENEMT2 (AddInfCodMT23?, ComConMT26, TexSPM1?, TexSPM1LNG?)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCONROC (DesROC2?, DesROC2LNG?, ConIndROC1, PoiToTheAttROC51?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRACONEX2 (NamEX27?, StrAndNumEX222?, PosCodEX223?, CitEX224?, CouEX225?, NADLNGGTEX?,
TINEX259?)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1?, TARCodCMD1?, TARFirAddCodCMD1?, TARSecAddCodCMD1?,
NATAddCodCMD1?)>
<!-- Node: (TAXES) CALCULATION -->
<ELEMENT CALTAXGOD (TypOfTaxCTX1?, TaxBasCTX1?, RatOfTaxCTX1?, AmoOfTaxTCL1?, MetOfPayCTX1?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27?, StrAndNumCE222?, PosCodCE223?, CitCE224?, CouCE225?, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21, ComConNR22)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?, ConPacGS26?, ConPacGS26LNG?, ComConGS28)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
22. IE517 E_EXP_CON EXPORT CONTROL RESULTS	

```

<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<IELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<IELEMENT InlTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<IELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<IELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<IELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<IELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<IELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<IELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<IELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<IELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Release requested -->
<IELEMENT RelReqHEA105 (#PCDATA)>
<!-- Leaf: Date of release request -->
<IELEMENT RelReqDatHEA154 (#PCDATA)>
<!-- Leaf: Total number of items -->
<IELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Security code -->
<IELEMENT SecCodHEA378 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Grand total taxes amount -->
<IELEMENT GraTotTaxAmoHEA1 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
22. IE517 E_EXP_CON EXPORT CONTROL RESULTS	

<!ELEMENT TypOfDecBx12HEA651 (#PCDATA)>

<!-- Leaf: Name -->

<!ELEMENT NamEX17 (#PCDATA)>

<!-- Leaf: Street and number -->

<!ELEMENT StrAndNumEX122 (#PCDATA)>

<!-- Leaf: Postal code -->

<!ELEMENT PosCodEX123 (#PCDATA)>

<!-- Leaf: City -->

<!ELEMENT CitEX124 (#PCDATA)>

<!-- Leaf: Country code -->

<!ELEMENT CouEX125 (#PCDATA)>

<!-- Leaf: NAD LNG -->

<!ELEMENT NADLNGEX (#PCDATA)>

<!-- Leaf: TIN -->

<!ELEMENT TINEX159 (#PCDATA)>

<!-- Leaf: Name -->

<!ELEMENT NamCE17 (#PCDATA)>

<!-- Leaf: Street and number -->

<!ELEMENT StrAndNumCE122 (#PCDATA)>

<!-- Leaf: Postal code -->

<!ELEMENT PosCodCE123 (#PCDATA)>

<!-- Leaf: City -->

<!ELEMENT CitCE124 (#PCDATA)>

<!-- Leaf: Country code -->

<!ELEMENT CouCE125 (#PCDATA)>

<!-- Leaf: NAD LNG -->

<!ELEMENT NADLNGCE (#PCDATA)>

<!-- Leaf: TIN -->

<!ELEMENT TINC159 (#PCDATA)>

<!-- Leaf: Reference number -->

<!ELEMENT RefNumERT1 (#PCDATA)>

<!-- Leaf: Reference number -->

<!ELEMENT RefNumEXT1 (#PCDATA)>

<!-- Leaf: Control date -->

<!ELEMENT ConDatERS14 (#PCDATA)>

<!-- Leaf: Control result code -->

<!ELEMENT ConResCodERS16 (#PCDATA)>

<!-- Leaf: Controlled by -->

<!ELEMENT ConByERS18 (#PCDATA)>

<!-- Leaf: Controlled by LNG -->

<!ELEMENT ConByERS18LNG (#PCDATA)>

<!-- Leaf: Remark -->

<!ELEMENT RemERS24 (#PCDATA)>

<!-- Leaf: Remark LNG -->

<!ELEMENT RemERS24LNG (#PCDATA)>

<!-- Leaf: Date limit -->

<!ELEMENT DatLimERS69 (#PCDATA)>

<!-- Leaf: Description -->

<!ELEMENT DesTOC2 (#PCDATA)>

<!-- Leaf: Description LNG -->

<!ELEMENT DesTOC2LNG (#PCDATA)>

<!-- Leaf: Control indicator -->

<!ELEMENT ConInd424 (#PCDATA)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
22. IE517 E_EXP_CON EXPORT CONTROL RESULTS	

<!-- Leaf: Pointer to the attribute -->  
 <IELEMENT PoiToTheAttTOC5 (#PCDATA)>  
 <!-- Leaf: Corrected value -->  
 <IELEMENT CorValTOC4 (#PCDATA)>  
 <!-- Leaf: Seals number -->  
 <IELEMENT SeaNumSLI2 (#PCDATA)>  
 <!-- Leaf: Seals identity -->  
 <IELEMENT SealdeSID1 (#PCDATA)>  
 <!-- Leaf: Seals identity LNG -->  
 <IELEMENT SealdeSID1LNG (#PCDATA)>  
 <!-- Leaf: Item number -->  
 <IELEMENT IteNumGDS7 (#PCDATA)>  
 <!-- Leaf: Goods description -->  
 <IELEMENT GooDesGDS23 (#PCDATA)>  
 <!-- Leaf: Goods description LNG -->  
 <IELEMENT GooDesGDS23LNG (#PCDATA)>  
 <!-- Leaf: Gross mass -->  
 <IELEMENT GroMasGDS46 (#PCDATA)>  
 <!-- Leaf: Net mass -->  
 <IELEMENT NetMasGDS48 (#PCDATA)>  
 <!-- Leaf: Country of dispatch/export code -->  
 <IELEMENT CouOfDisGDS58 (#PCDATA)>  
 <!-- Leaf: Country of destination code -->  
 <IELEMENT CouOfDesGDS59 (#PCDATA)>  
 <!-- Leaf: Transport charges/ Method of Payment -->  
 <IELEMENT MetOfPayGDI12 (#PCDATA)>  
 <!-- Leaf: Procedure requested -->  
 <IELEMENT ProReqGDI1 (#PCDATA)>  
 <!-- Leaf: Previous Procedure -->  
 <IELEMENT PreProGDI1 (#PCDATA)>  
 <!-- Leaf: Community / National Procedure -->  
 <IELEMENT ComNatProGIM1 (#PCDATA)>  
 <!-- Leaf: Statistical value currency -->  
 <IELEMENT StaValCurGDI1 (#PCDATA)>  
 <!-- Leaf: Statistical value amount -->  
 <IELEMENT StaValAmoGDI1 (#PCDATA)>  
 <!-- Leaf: Country of Origin -->  
 <IELEMENT CouOfOriGDI1 (#PCDATA)>  
 <!-- Leaf: Dispatch / Production Region -->  
 <IELEMENT DisProRegGDI1 (#PCDATA)>  
 <!-- Leaf: Supplementary units -->  
 <IELEMENT SupUniGDI1 (#PCDATA)>  
 <!-- Leaf: Total item taxes amount -->  
 <IELEMENT TotlItTaxAmoGDI1 (#PCDATA)>  
 <!-- Leaf: Commercial Reference Number -->  
 <IELEMENT ComRefNumGIM1 (#PCDATA)>  
 <!-- Leaf: UN dangerous goods code -->  
 <IELEMENT UNDanGooCodGDI1 (#PCDATA)>  
 <!-- Leaf: Previous document type -->  
 <IELEMENT PreDocTypAR21 (#PCDATA)>  
 <!-- Leaf: Previous document reference -->  
 <IELEMENT PreDocRefAR26 (#PCDATA)>  
 <!-- Leaf: Previous document reference LNG -->

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
22. IE517 E_EXP_CON EXPORT CONTROL RESULTS	

```

<!ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Complete control -->
<!ELEMENT ComConAR211 (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<!ELEMENT PreDocCatPREADMREF21 (#PCDATA)>
<!-- Leaf: Document type -->
<!ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<!ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<!ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Complete control -->
<!ELEMENT ComConDC27 (#PCDATA)>
<!-- Leaf: Additional information coded -->
<!ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Complete control -->
<!ELEMENT ComConMT26 (#PCDATA)>
<!-- Leaf: Text -->
<!ELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<!ELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Description -->
<!ELEMENT DesROC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<!ELEMENT DesROC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<!ELEMENT ConIndROC1 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<!ELEMENT PoiToTheAttROC51 (#PCDATA)>
<!-- Leaf: Name -->
<!ELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<!ELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<!ELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<!ELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<!ELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<!ELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<!ELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<!ELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<!ELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<!ELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<!ELEMENT NatAddCodCMD1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
22. IE517 E_EXP_CON EXPORT CONTROL RESULTS	

```

<!-- Leaf: Type of tax -->
<IELEMENT TypOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Tax base -->
<IELEMENT TaxBasCTX1 (#PCDATA)>
<!-- Leaf: Rate of tax -->
<IELEMENT RatOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Amount of tax -->
<IELEMENT AmoOfTaxTCL1 (#PCDATA)>
<!-- Leaf: Method of payment -->
<IELEMENT MetOfPayCTX1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINC259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Complete control -->
<IELEMENT ComConNR22 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Controlled packages -->
<IELEMENT ConPacGS26 (#PCDATA)>
<!-- Leaf: Controlled packages LNG -->
<IELEMENT ConPacGS26LNG (#PCDATA)>
<!-- Leaf: Complete control -->
<IELEMENT ComConGS28 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
22. IE517 E_EXP_CON EXPORT CONTROL RESULTS	

```

<ELEMENT CItDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTDE1 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<ELEMENT IncCodTDL1 (#PCDATA)>
<!-- Leaf: Complementary code -->
<ELEMENT ComCodTDL1 (#PCDATA)>
<!-- Leaf: Complement of info -->
<ELEMENT ComInfDELTERR387 (#PCDATA)>
<!-- Leaf: Complement of info LNG -->
<ELEMENT ComInfDELTERR387LNG (#PCDATA)>
<!-- Leaf: Currency -->
<ELEMENT CurTRD1 (#PCDATA)>
<!-- Leaf: Total amount invoiced -->
<ELEMENT TotAmolnvTRD1 (#PCDATA)>
<!-- Leaf: Exchange rate -->
<ELEMENT ExcRatTRD1 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<ELEMENT NatOfTraFirCodTRD1 (#PCDATA)>
<!-- Leaf: Authorisation Reference -->
<ELEMENT AutRefDPP1 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<ELEMENT WarTypWID1 (#PCDATA)>
<!-- Leaf: Authorizing country -->
<ELEMENT AutCouWID1 (#PCDATA)>
<!-- Leaf: Warehouse identification -->
<ELEMENT WarIdeWID1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
23. IE518 C_EXT_RES EXIT RESULTS	

### 23. IE518 C\_EXT\_RES EXIT RESULTS

```

<!-- Node: MESSAGE -->
<ELEMENT CD518B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT, ACEACE, CONRESEXR, RESOFCON534*, GOOITEGDS*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, TotNumOfIteHEA305,
TotNumOfPacHEA306?, TotGroMasHEA307?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, TraHEA1, ComRefNumHEA?)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: EXIT CONTROL RESULT -->
<ELEMENT CONRESEXR (ConDatEXR14?, ConResCodEXR16, ExtStoDatEXR68?, StaOfTheSeaOKEXR70?)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCON534 (DesTOC2?, DesTOC2LNG?, ConInd424, PoiToTheAttTOC5?, CorValTOC4?)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23?, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48?,
MetOfPayGDI12?, StaValCurGDI1?, StaValAmoGDI1?, ComRefNumGIM1?, UNDanGooCodGDI1?, PRODOCDC2*,
RESOFCONROC*, COMCODGODITM?, CONNR2*, PACGS2*)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCONROC (DesROC2?, DesROC2LNG?, ConIndROC1, PoiToTheAttROC51?)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1,
NAtAddCodCMD1?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
23. IE518 C_EXT_RES EXIT RESULTS	

```

<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Transit -->
<ELEMENT TraHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Exit date -->
<ELEMENT ConDatEXR14 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodEXR16 (#PCDATA)>
<!-- Leaf: Exit stopped date -->
<ELEMENT ExtStoDatEXR68 (#PCDATA)>
<!-- Leaf: State of seals ok -->
<ELEMENT StaOfTheSeaOKEXR70 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DesTOC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<ELEMENT DesTOC2LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
23. IE518 C_EXT_RES EXIT RESULTS	

```

<!-- Leaf: Control indicator -->
<IELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<IELEMENT PoiToTheAttTOC5 (#PCDATA)>
<!-- Leaf: Corrected value -->
<IELEMENT CorValTOC4 (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT ItNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<IELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<IELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<IELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<IELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<IELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<IELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<IELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<IELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Description -->
<IELEMENT DesROC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<IELEMENT DesROC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<IELEMENT ConIndROC1 (#PCDATA)>
<!-- Leaf: Pointer to the attribute -->
<IELEMENT PoiToTheAttROC51 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<IELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<IELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<IELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<IELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<IELEMENT NatAddCodCMD1 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
23. IE518 C_EXT_RES EXIT RESULTS	

```

<!ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<!ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<!ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<!ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<!ELEMENT NumOfPieGS25 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
24. IE519 E_ECR_REJ EXPORT CONTROL RESULTS REJECTED	

## 24. IE519 E\_ECR\_REJ EXPORT CONTROL RESULTS REJECTED

```

<!-- Node: MESSAGE -->
<ELEMENT CC519A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DecRejDatHEA159, DecRejReaHEA252?, DecRejReaHEA252LNG?)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Declaration rejection date -->
<ELEMENT DecRejDatHEA159 (#PCDATA)>
<!-- Leaf: Declaration rejection reason -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
24. IE519 E_ECR_REJ EXPORT CONTROL RESULTS REJECTED	

```

<!ELEMENT DecRejReaHEA252 (#PCDATA)>
<!-- Leaf: Declaration rejection reason LNG -->
<!ELEMENT DecRejReaHEA252LNG (#PCDATA)>
<!-- Leaf: Error type -->
<!ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<!ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<!ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<!ELEMENT OriAttValER14 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
25. IE521 E_DIV_REJ DIVERSION REJECTION NOTIFICATION	

## 25. IE521 E\_DIV\_REJ DIVERSION REJECTION NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC521A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE, TRAEXICAR)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DivRejCodHEA613, DivRejCodTxtHEA614?, DivRejCodTxtHEA614LNG?)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: (EXIT CARRIER) TRADER -->
<ELEMENT TRAEXICAR (NamTEC1?, StrAndNumTEC2?, PosCodTEC1?, CitTEC1?, CouCodTEC1?, TRAEXICARLNG?,
TINTEC2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
25. IE521 E_DIV_REJ DIVERSION REJECTION NOTIFICATION	

```

<!-- Leaf: Diversion rejection code -->
<ELEMENT DivRejCodHEA613 (#PCDATA)>
<!-- Leaf: Diversion rejection text -->
<ELEMENT DivRejCodTxtHEA614 (#PCDATA)>
<!-- Leaf: Diversion rejection text LNG -->
<ELEMENT DivRejCodTxtHEA614LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTEC1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTEC2 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTEC1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CtiTEC1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTEC1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRAEXICARLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTEC2 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
26. IE522 E_EXT_REJ EXIT RELEASE REJECTION	

## 26. IE522 E\_EXT\_REJ EXIT RELEASE REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC522A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE, CONRESERS, TRAEXICAR)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, ExiRejMotHEA1?, ExiRejMotHEA1LNG?, ExitRejMotCodHEA417)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConDatERS14)>
<!-- Node: (EXIT CARRIER) TRADER -->
<ELEMENT TRAEXICAR (NamTEC1?, StrAndNumTEC2?, PosCodTEC1?, CitTEC1?, CouCodTEC1?, TRAEXICARLNG?,
TINTEC2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
26. IE522 E_EXT_REJ EXIT RELEASE REJECTION	

```

<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Exit Rejection Motivation -->
<ELEMENT ExiRejMotHEA1 (#PCDATA)>
<!-- Leaf: Exit Rejection Motivation LNG -->
<ELEMENT ExiRejMotHEA1LNG (#PCDATA)>
<!-- Leaf: Exit Rejection Motivation Code -->
<ELEMENT ExitRejMotCodHEA417 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Control date -->
<ELEMENT ConDatERS14 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTEC1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTEC2 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTEC1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTEC1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTEC1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRAEXICARLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTEC2 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
27. IE524 C_ARR_FWD FORWARDED ARRIVAL ADVICE	

## 27. IE524 C\_ARR\_FWD FORWARDED ARRIVAL ADVICE

```

<!-- Node: MESSAGE -->
<ELEMENT CD524B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT, ACEACE, CUSOFFEXTDECEDC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, ArrDatHEA140?)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: (EXIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXTDECEDC (RefNumEDC11)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
27. IE524 C_ARR_FWD FORWARDED ARRIVAL ADVICE	

```

<!ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Arrival date -->
<!ELEMENT ArrDatHEA140 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumEDC11 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
28. IE525 E_EXT_REL EXIT RELEASE NOTIFICATION	

## 28. IE525 E\_EXT\_REL EXIT RELEASE NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC525A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE, TRAEXICAR)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AutLocOfGooCodHEA41?, DatOfRelHEA701, StoFlaHEA1)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: (EXIT CARRIER) TRADER -->
<ELEMENT TRAEXICAR (NamTEC1?, StrAndNumTEC2?, PosCodTEC1?, CitTEC1?, CouCodTEC1?, TRAEXICARLNG?,
TINTEC2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
28. IE525 E_EXT_REL EXIT RELEASE NOTIFICATION	

```

<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Date of release -->
<ELEMENT DatOfRelHEA701 (#PCDATA)>
<!-- Leaf: Storing flag -->
<ELEMENT StoFlaHEA1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTEC1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTEC2 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTEC1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTEC1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTEC1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRAEXICARLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTEC2 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
29. IE527 C_EXP_QUE EXPORT QUERY	

## 29. IE527 C\_EXP\_QUE EXPORT QUERY

```

<!-- Node: MESSAGE -->
<ELEMENT CD527A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFREQ, CTLCL1?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CouOfExpCodHEA167, ExpQuiReaCodHEA333)>
<!-- Node: (REQUESTER) CUSTOMS OFFICE -->
<ELEMENT CUSOFFREQ (RefNumEPR1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (OthMovInfReqCL631, OthMovInfReqCL631LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Country of export code -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
29. IE527 C_EXP_QUE EXPORT QUERY	

```

<!ELEMENT CouOfExpCodHEA167 (#PCDATA)>
<!-- Leaf: Export_Query Reason Code -->
<!ELEMENT ExpQuiReaCodHEA333 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumEPR1 (#PCDATA)>
<!-- Leaf: Other movement information request -->
<!ELEMENT OthMovInfReqCL631 (#PCDATA)>
<!-- Leaf: Other movement information request LNG -->
<!ELEMENT OthMovInfReqCL631LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
30. IE528 E_MRN_EXP EXPORT MRN ALLOCATED	

### 30. IE528 E\_MRN\_EXP EXPORT MRN ALLOCATED

```

<!-- Node: MESSAGE -->
<ELEMENT CC528A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT, TRADEC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, AccDatHEA158)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
30. IE528 E_MRN_EXP EXPORT MRN ALLOCATED	

```

<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTDE1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
31. IE529 E_REL_EXP RELEASE FOR EXPORT	

### 31. IE529 E\_REL\_EXP RELEASE FOR EXPORT

```

<!-- Node: MESSAGE -->
<ELEMENT CC529A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, TRACONCE1?, CUSOFFEXPERT, CUSOFFEXIEXT, CONRESERS?,
SEAINFSLI?, GOOITEGDS+, ITI*, TRADEC, DELTER?, TRADAT?, DEFPOSPAY*, IDEWAR?, STATREP385)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, CouOfDisCodHEA55?, CusSubPlaHEA66?,
IniTraModHEA75?, TraModAtBorHEA76, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?, TypOfMeaOfTraCroHEA88?,
ConIndHEA96, AccDatHEA158, IssDatHEA186, DiaLanIndAtDepHEA254?, ECSAccDocHEA601, TotNumOfIteHEA305,
TotNumOfPacHEA306?, TotGroMasHEA307?, BinItiHEA246, AutIdHEA380?, DecDatHEA383, DecPlaHEA394,
DecPlaHEA394LNG?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, GraTotTaxAmoHEA1?,
TypOfDecBx12HEA651)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRAEXPEX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125?, NADLNGEX?,
TINEX159)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConDatERS14, ConByERS18, ConByERS18LNG?)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID*)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48,
CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1, PreProGDI1, ComNatProGIM1?, StaValCurGDI1?,
StaValAmoGDI1?, CouOfOriGDI1?, DisProRegGDI1?, SupUniGDI1?, TotIteTaxAmoGDI1?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONEX2?, COMCODGODITM,
CALTAXGOD*, TRACONCE2?, CONNR2*, PACGS2+)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CitTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Node: (TERMS) DELIVERY -->
<ELEMENT DELTER (IncCodTDL1, ComCodTDL1?, ComInfDELTER387, ComInfDELTER387LNG?)>
<!-- Node: (DATA) TRANSACTION -->
<ELEMENT TRADAT (CurTRD1?, TotAmoInvTRD1?, ExcRatTRD1?, NatOfTraFirCodTRD1?)>
<!-- Node: (PAYMENT) DEFERRED OR POSTPONED -->
<ELEMENT DEFPOSPAY (AutRefDPP1)>
<!-- Node: (WAREHOUSE) IDENTIFICATION -->
<ELEMENT IDEWAR (WarTypWID1, AutCouWID1, WarIdeWID1)>
<!-- Node: (STATUS) REPRESENTATIVE -->
<ELEMENT STATREP385 (RepStatCodSTATREP386)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, PreDocCatPREADMREF21)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
31. IE529 E_REL_EXP RELEASE FOR EXPORT	

```

<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, TexSPM1?, TexSPM1LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRACONEX2 (NamEX27?, StrAndNumEX222?, PosCodEX223?, CitEX224?, CouEX225?, NADLNGGTEX?,
TINEX259?)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1,
NAtAddCodCMD1?)>
<!-- Node: (TAXES) CALCULATION -->
<ELEMENT CALTAXGOD (TypOfTaxCTX1, TaxBasCTX1, RatOfTaxCTX1, AmoOfTaxTCL1, MetOfPayCTX1)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
31. IE529 E_REL_EXP RELEASE FOR EXPORT	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<ELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<ELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<ELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<ELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<ELEMENT IniTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<ELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<ELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<ELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<ELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<ELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<ELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<ELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<ELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<ELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<ELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: ECS accompanying document language code -->
<ELEMENT ECSAccDocHEA601 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
31. IE529 E_REL_EXP RELEASE FOR EXPORT	

```

<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Binding itinerary -->
<ELEMENT BinItiHEA246 (#PCDATA)>
<!-- Leaf: Authorisation id -->
<ELEMENT AutIdHEA380 (#PCDATA)>
<!-- Leaf: Declaration date -->
<ELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->
<ELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<ELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Grand total taxes amount -->
<ELEMENT GraTotTaxAmoHEA1 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<ELEMENT TypOfDecBx12HEA651 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT Tince159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
31. IE529 E_REL_EXP RELEASE FOR EXPORT	

```

<!-- Leaf: Reference number -->
<IELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Control date -->
<IELEMENT ConDatERS14 (#PCDATA)>
<!-- Leaf: Controlled by -->
<IELEMENT ConByERS18 (#PCDATA)>
<!-- Leaf: Controlled by LNG -->
<IELEMENT ConByERS18LNG (#PCDATA)>
<!-- Leaf: Seals number -->
<IELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<IELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<IELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<IELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<IELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<IELEMENT ProReqGDI1 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<IELEMENT PreProGDI1 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<IELEMENT ComNatProGIM1 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<IELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<IELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Country of Origin -->
<IELEMENT CouOfOriGDI1 (#PCDATA)>
<!-- Leaf: Dispatch / Production Region -->
<IELEMENT DisProRegGDI1 (#PCDATA)>
<!-- Leaf: Supplementary units -->
<IELEMENT SupUniGDI1 (#PCDATA)>
<!-- Leaf: Total item taxes amount -->
<IELEMENT TotlTeTaxAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<IELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
31. IE529 E_REL_EXP RELEASE FOR EXPORT	

```

<IELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<IELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<IELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<IELEMENT PreDocCatPREADMREF21 (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<IELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<IELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<IELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Text -->
<IELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<IELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<IELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<IELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<IELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<IELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<IELEMENT NATAddCodCMD1 (#PCDATA)>
<!-- Leaf: Type of tax -->
<IELEMENT TypOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Tax base -->
<IELEMENT TaxBasCTX1 (#PCDATA)>
<!-- Leaf: Rate of tax -->
<IELEMENT RatOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Amount of tax -->
<IELEMENT AmoOfTaxTCL1 (#PCDATA)>
<!-- Leaf: Method of payment -->
<IELEMENT MetOfPayCTX1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
31. IE529 E_REL_EXP RELEASE FOR EXPORT	

```

<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTDE1 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<IELEMENT IncCodTDL1 (#PCDATA)>
<!-- Leaf: Complementary code -->
<IELEMENT ComCodTDL1 (#PCDATA)>
<!-- Leaf: Complement of info -->
<IELEMENT ComInfDELTERR387 (#PCDATA)>
<!-- Leaf: Complement of info LNG -->
<IELEMENT ComInfDELTERR387LNG (#PCDATA)>
<!-- Leaf: Currency -->
<IELEMENT CurTRD1 (#PCDATA)>
<!-- Leaf: Total amount invoiced -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
31. IE529 E_REL_EXP RELEASE FOR EXPORT	

```

<IELEMENT TotAmolInvTRD1 (#PCDATA)>
<!-- Leaf: Exchange rate -->
<IELEMENT ExcRatTRD1 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<IELEMENT NatOfTraFirCodTRD1 (#PCDATA)>
<!-- Leaf: Authorisation Reference -->
<IELEMENT AutRefDPP1 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<IELEMENT WarTypWID1 (#PCDATA)>
<!-- Leaf: Authorizing country -->
<IELEMENT AutCouWID1 (#PCDATA)>
<!-- Leaf: Warehouse identification -->
<IELEMENT WarIdeWID1 (#PCDATA)>
<!-- Leaf: Representative status code -->
<IELEMENT RepStatCodSTATREP386 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
32. IE538 C_EXP_RSP RESPONSE TO EXPORT QUERY	

### 32. IE538 C\_EXP\_RSP RESPONSE TO EXPORT QUERY

```

<!-- Node: MESSAGE -->
<ELEMENT CD538A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, TRACONCE1?, CUSOFFEXPERT, CUSOFFEXIEXT, CUSOFFREQ,
CTLCL1, CONRESERS, SEAINFSLI?, GOOITEGDS+, ITI*, RISANA*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, CouOfDisCodHEA55?,
IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, ConIndHEA96, AccDatHEA158, IssDatHEA186,
ECSAccDocHEA601, TotNumOfIteHEA305, TotNumOfPacHEA306?, TotGroMasHEA307?, DecSubTimHEA1,
SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRAEXPEX1 (NamEX17, StrAndNumEX122, PosCodEX123, CitEX124, CouEX125, NADLNGEX?, TINEX159)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: (REQUESTER) CUSTOMS OFFICE -->
<ELEMENT CUSOFFREQ (RefNumEPR1)>
<!-- Node: CTL_CONTROL -->
<ELEMENT CTLCL1 (OthMovInfResCL633?, OthMovInfResCL633LNG?, ExpOpeStaTypCTL1)>
<!-- Node: CONTROL RESULT -->
<ELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<ELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID*)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48,
CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1, PreProGDI1, ComNatProGIM1?, StaValCurGDI1?,
StaValAmoGDI1?, ComRefNumGIM1?, UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPENENMT2*,
TRACONEX2?, COMCODGODITM, TRACONCE2?, CONNR2*, PACGS2+)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: SEALS ID -->
<ELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>
<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPENENMT2 (AddInfCodMT23, TexSPM1?, TexSPM1LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRACONEX2 (NamEX27, StrAndNumEX222, PosCodEX223, CitEX224, CouEX225, NADLNGGTEX?,
TINEX259)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1,
NatAddCodCMD1?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
32. IE538 C_EXP_RSP RESPONSE TO EXPORT QUERY	

```

<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<ELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
32. IE538 C_EXP_RSP RESPONSE TO EXPORT QUERY	

```

<!-- Leaf: Identity of means of transport at departure LNG -->
<IELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<IELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<IELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<IELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: ECS accompanying document language code -->
<IELEMENT ECSAccDocHEA601 (#PCDATA)>
<!-- Leaf: Total number of items -->
<IELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Declaration submitted time -->
<IELEMENT DecSubTimHEA1 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Reference number -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
32. IE538 C_EXP_RSP RESPONSE TO EXPORT QUERY	

```

<!ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumEPR1 (#PCDATA)>
<!-- Leaf: Other movement information response -->
<!ELEMENT OthMovInfResCL633 (#PCDATA)>
<!-- Leaf: Other movement information response LNG -->
<!ELEMENT OthMovInfResCL633LNG (#PCDATA)>
<!-- Leaf: Export Operation State Type -->
<!ELEMENT ExpOpeStaTypCTL1 (#PCDATA)>
<!-- Leaf: Control result code -->
<!ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<!ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<!ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<!ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<!ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<!ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<!ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<!ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<!ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<!ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<!ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<!ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<!ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<!ELEMENT ProReqGDI1 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<!ELEMENT PreProGDI1 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<!ELEMENT ComNatProGIM1 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<!ELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<!ELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<!ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<!ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<!ELEMENT PreDocTypAR21 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
32. IE538 C_EXP_RSP RESPONSE TO EXPORT QUERY	

```

<!-- Leaf: Previous document reference -->
<IELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<IELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<IELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<IELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<IELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Text -->
<IELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<IELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<IELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<IELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<IELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<IELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<IELEMENT NATAddCodCMD1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
32. IE538 C_EXP_RSP RESPONSE TO EXPORT QUERY	

```

<IELEMENT TINC259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<IELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<IELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<IELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<IELEMENT RisAnaTexRKA1LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
33. IE547 E_MAN_PRE MANIFEST PRESENTATION	

### 33. IE547 E\_MAN\_PRE MANIFEST PRESENTATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC547A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE, TRAEXICAR, MANITE+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (TotNumOfPacHEA306, TotGroMasHEA307, TotNumOfManIteHEA1, ManRefNumHEA1,
DatOfPreHEA1)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: (EXIT CARRIER) TRADER -->
<ELEMENT TRAEXICAR (NamTEC1?, StrAndNumTEC2?, PosCodTEC1?, CitTEC1?, CouCodTEC1?, TRAEXICARLNG?,
TINTEC2)>
<!-- Node: MANIFEST ITEM -->
<ELEMENT MANITE (ManIteNumMIT1, TRADOCDATMANITE)>
<!-- Node: TRANSPORT DOCUMENT DATA -->
<ELEMENT TRADOCDATMANITE (TraDocRefMTD1, MarNumOfPacMTD1?, MarNumOfPacMTD1LNG?, KinOfPacMTD1,
NumOfPacMTD1?, NumOfPieMTD1?, GroMasMTD1, ComCodTarCodTDD1?, GooDesTexMTD1?, GooDesTexMTD1LNG?,
CUSDATTRADOCDATMANITE+)>
<!-- Node: CUSTOMS DATA -->
<ELEMENT CUSDATTRADOCDATMANITE (DocRefNumTDD1, FinOrParShiFlaTDD1, NumOfPacTDD1?, NumOfPieTDD1?,
GroMasTDD1?, IteNumMANITETRADOCDATCUSDAT438?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
33. IE547 E_MAN_PRE MANIFEST PRESENTATION	

```

<IELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Total number of manifest items -->
<IELEMENT TotNumOfManIteHEA1 (#PCDATA)>
<!-- Leaf: Manifest reference number -->
<IELEMENT ManRefNumHEA1 (#PCDATA)>
<!-- Leaf: Date of presentation -->
<IELEMENT DatOfPreHEA1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTEC1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTEC2 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTEC1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CItTEC1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTEC1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAEXICARLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTEC2 (#PCDATA)>
<!-- Leaf: Manifest item number -->
<IELEMENT ManIteNumMIT1 (#PCDATA)>
<!-- Leaf: Transport document reference -->
<IELEMENT TraDocRefMTD1 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacMTD1 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacMTD1LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacMTD1 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacMTD1 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieMTD1 (#PCDATA)>
<!-- Leaf: Gross mass -->
<IELEMENT GroMasMTD1 (#PCDATA)>
<!-- Leaf: Commodity code (taric code) -->
<IELEMENT ComCodTarCodTDD1 (#PCDATA)>
<!-- Leaf: Goods description text -->
<IELEMENT GooDesTexMTD1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
33. IE547 E_MAN_PRE MANIFEST PRESENTATION	

```

<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesTexMTD1LNG (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocRefNumTDD1 (#PCDATA)>
<!-- Leaf: Final or Partial shipment flag -->
<ELEMENT FinOrParShiFlaTDD1 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacTDD1 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieTDD1 (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasTDD1 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumMANITETRADOCDATCUSDAT438 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
34. IE548 E_MAN_VAL MANIFEST VALIDATION	

### 34. IE548 E\_MAN\_VAL MANIFEST VALIDATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC548A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE?, FUNERRER1*, TRAEXICAR?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (ManRefNumHEA1, ManNumHEA1?, ManRegDatHEA418?, ManRejDatHEA419?,
ManRejReasHEA420?, ManRejReasHEA420LNG?)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypeER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Node: (EXIT CARRIER) TRADER -->
<ELEMENT TRAEXICAR (NamTEC1?, StrAndNumTEC2?, PosCodTEC1?, CitTEC1?, CouCodTEC1?, TRAEXICARLNG?,
TINTEC2)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
34. IE548 E_MAN_VAL MANIFEST VALIDATION	

```

<!-- Leaf: Manifest reference number -->
<IELEMENT ManRefNumHEA1 (#PCDATA)>
<!-- Leaf: Manifest Number -->
<IELEMENT ManNumHEA1 (#PCDATA)>
<!-- Leaf: Manifest registration date -->
<IELEMENT ManRegDatHEA418 (#PCDATA)>
<!-- Leaf: Manifest rejection date -->
<IELEMENT ManRejDatHEA419 (#PCDATA)>
<!-- Leaf: Manifest rejection reason -->
<IELEMENT ManRejReasHEA420 (#PCDATA)>
<!-- Leaf: Manifest rejection reason LNG -->
<IELEMENT ManRejReasHEA420LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Error type -->
<IELEMENT ErrTypeER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<IELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<IELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<IELEMENT OriAttValER14 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTEC1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTEC2 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTEC1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTEC1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTEC1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAEXICARLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTEC2 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
35. IE551 E_EXP_NRL EXPORT NO RELEASE	

### 35. IE551 E\_EXP\_NRL EXPORT NO RELEASE

<!-- Node: MESSAGE -->

<IELEMENT CC551A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6, RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?, AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20, ComAccRefMES21?, HEAHEA, TRAEXPEX1?, TRACONCE1?, CUSOFFEXPERT, CUSOFFEXIEXT, CONRESERS, RESOFCON534, SEAINFSLI?, GOOITEGDS+, ITI\*, TRADEC, DELTER?, TRADAT?, DEFPOSPAY\*, IDEWAR?, STATREP385)>

<!-- Node: HEADER -->

<IELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?, AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, CouOfDisCodHEA55?, CusSubPlaHEA66?, IniTraModHEA75?, TraModAtBorHEA76, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?, IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?, TypOfMeaOfTraCroHEA88?, ConIndHEA96, DiaLanIndAtDepHEA254?, ECSAccDocHEA601, TotNumOfIteHEA305, TotNumOfPacHEA306?, TotGroMasHEA307?, DecDatHEA383, DecPlaHEA394, DecPlaHEA394LNG?, NoRelMotHEA272?, NoRelMotHEA272LNG?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, GraTotTaxAmoHEA1?, TypOfDecBx12HEA651)>

<!-- Node: (EXPORTER) TRADER -->

<IELEMENT TRAEXPEX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125?, NADLNGEX?, TINEX159)>

<!-- Node: (CONSIGNEE) TRADER -->

<IELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?, TINC159?)>

<!-- Node: (EXPORT) CUSTOMS OFFICE -->

<IELEMENT CUSOFFEXPERT (RefNumERT1)>

<!-- Node: (EXIT) CUSTOMS OFFICE -->

<IELEMENT CUSOFFEXIEXT (RefNumEXT1)>

<!-- Node: CONTROL RESULT -->

<IELEMENT CONRESERS (ConDatERS14)>

<!-- Node: RESULTS OF CONTROL -->

<IELEMENT RESOFCON534 (DesTOC2?, DesTOC2LNG?, ConInd424)>

<!-- Node: SEALS INFO -->

<IELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID\*)>

<!-- Node: GOODS ITEM -->

<IELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48, CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1, PreProGDI1, ComNatProGIM1?, StaValCurGDI1?, StaValAmoGDI1?, CouOfOriGDI1?, DisProRegGDI1?, SupUniGDI1?, TotlIteTaxAmoGDI1?, ComRefNumGIM1?, UNDanGooCodGDI1?, PREADMREFAR2\*, PRODOCDC2\*, SPENMT2\*, TRACONEX2?, COMCODGODITM, CALTAXGOD\*, TRACONCE2?, CONNR2\*, PACGS2+)>

<!-- Node: ITINERARY -->

<IELEMENT ITI (CouOfRouCodITI1)>

<!-- Node: (DECLARANT) TRADER -->

<IELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CITDE1?, CouCodTDE1?, TRADECLNG?, TINTDE1)>

<!-- Node: (TERMS) DELIVERY -->

<IELEMENT DELTER (IncCodTDL1, ComCodTDL1?, ComInfDELTER387, ComInfDELTER387LNG?)>

<!-- Node: (DATA) TRANSACTION -->

<IELEMENT TRADAT (CurTRD1?, TotAmoInvTRD1?, ExcRatTRD1?, NatOfTraFirCodTRD1?)>

<!-- Node: (PAYMENT) DEFERRED OR POSTPONED -->

<IELEMENT DEFPOSPAY (AutRefDPP1)>

<!-- Node: (WAREHOUSE) IDENTIFICATION -->

<IELEMENT IDEWAR (WarTypWID1, AutCouWID1, WarIdeWID1)>

<!-- Node: (STATUS) REPRESENTATIVE -->

<IELEMENT STATREP385 (RepStatCodSTATREP386)>

<!-- Node: SEALS ID -->

<IELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
35. IE551 E_EXP_NRL EXPORT NO RELEASE	

```

<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, PreDocCatPREADMREF21)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, TexSPM1?, TexSPM1LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRACONEX2 (NamEX27?, StrAndNumEX222?, PosCodEX223?, CitEX224?, CouEX225?, NADLNGGTEX?,
TINEX259)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1,
NAtAddCodCMD1?)>
<!-- Node: (TAXES) CALCULATION -->
<ELEMENT CALTAXGOD (TypOfTaxCTX1, TaxBasCTX1, RatOfTaxCTX1, AmoOfTaxTCL1, MetOfPayCTX1)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
35. IE551 E_EXP_NRL EXPORT NO RELEASE	

```

<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<IELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<IELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<IELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<IELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<IELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<IELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<IELEMENT InlTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<IELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<IELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<IELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<IELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<IELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<IELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<IELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<IELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<IELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: ECS accompanying document language code -->
<IELEMENT ECSAccDocHEA601 (#PCDATA)>
<!-- Leaf: Total number of items -->
<IELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
35. IE551 E_EXP_NRL EXPORT NO RELEASE	

```

<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Declaration date -->
<IELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->
<IELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<IELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: No release motivation -->
<IELEMENT NoRelMotHEA272 (#PCDATA)>
<!-- Leaf: No release motivation LNG -->
<IELEMENT NoRelMotHEA272LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Grand total taxes amount -->
<IELEMENT GraTotTaxAmoHEA1 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<IELEMENT TypOfDecBx12HEA651 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINC159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEXT1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
35. IE551 E_EXP_NRL EXPORT NO RELEASE	

```

<!-- Leaf: Control date -->
<IELEMENT ConDatERS14 (#PCDATA)>
<!-- Leaf: Description -->
<IELEMENT DesTOC2 (#PCDATA)>
<!-- Leaf: Description LNG -->
<IELEMENT DesTOC2LNG (#PCDATA)>
<!-- Leaf: Control indicator -->
<IELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Seals number -->
<IELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<IELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<IELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<IELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<IELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<IELEMENT ProReqGDI1 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<IELEMENT PreProGDI1 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<IELEMENT ComNatProGIM1 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<IELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<IELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Country of Origin -->
<IELEMENT CouOfOriGDI1 (#PCDATA)>
<!-- Leaf: Dispatch / Production Region -->
<IELEMENT DisProRegGDI1 (#PCDATA)>
<!-- Leaf: Supplementary units -->
<IELEMENT SupUniGDI1 (#PCDATA)>
<!-- Leaf: Total item taxes amount -->
<IELEMENT TotlTeTaxAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<IELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
35. IE551 E_EXP_NRL EXPORT NO RELEASE	

```

<IELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->
<IELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<IELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<IELEMENT PreDocCatPREADMREF21 (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<IELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<IELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<IELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Text -->
<IELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<IELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<IELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<IELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<IELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<IELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<IELEMENT NATAddCodCMD1 (#PCDATA)>
<!-- Leaf: Type of tax -->
<IELEMENT TypOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Tax base -->
<IELEMENT TaxBasCTX1 (#PCDATA)>
<!-- Leaf: Rate of tax -->
<IELEMENT RatOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Amount of tax -->
<IELEMENT AmoOfTaxTCL1 (#PCDATA)>
<!-- Leaf: Method of payment -->
<IELEMENT MetOfPayCTX1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
35. IE551 E_EXP_NRL EXPORT NO RELEASE	

```

<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTDE1 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<IELEMENT IncCodTDL1 (#PCDATA)>
<!-- Leaf: Complementary code -->
<IELEMENT ComCodTDL1 (#PCDATA)>
<!-- Leaf: Complement of info -->
<IELEMENT ComInfDELTERR387 (#PCDATA)>
<!-- Leaf: Complement of info LNG -->
<IELEMENT ComInfDELTERR387LNG (#PCDATA)>
<!-- Leaf: Currency -->
<IELEMENT CurTRD1 (#PCDATA)>
<!-- Leaf: Total amount invoiced -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
35. IE551 E_EXP_NRL EXPORT NO RELEASE	

```

<IELEMENT TotAmolInvTRD1 (#PCDATA)>
<!-- Leaf: Exchange rate -->
<IELEMENT ExcRatTRD1 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<IELEMENT NatOfTraFirCodTRD1 (#PCDATA)>
<!-- Leaf: Authorisation Reference -->
<IELEMENT AutRefDPP1 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<IELEMENT WarTypWID1 (#PCDATA)>
<!-- Leaf: Authorizing country -->
<IELEMENT AutCouWID1 (#PCDATA)>
<!-- Leaf: Warehouse identification -->
<IELEMENT WarIdeWID1 (#PCDATA)>
<!-- Leaf: Representative status code -->
<IELEMENT RepStatCodSTATREP386 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
36. IE554 E_EXP_RRQ EXPORT RELEASE REQUEST	

### 36. IE554 E\_EXP\_RRQ EXPORT RELEASE REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CC554A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT, TRADEC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, RelReqHEA105, RelReqDatHEA154)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
36. IE554 E_EXP_RRQ EXPORT RELEASE REQUEST	

```

<!-- Leaf: Release requested -->
<ELEMENT RelReqHEA105 (#PCDATA)>
<!-- Leaf: Date of release request -->
<ELEMENT RelReqDatHEA154 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTDE1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
37. IE560 E_EXP_CTR EXPORT CONTROL DECISION	

### 37. IE560 E\_EXP\_CTR EXPORT CONTROL DECISION

```

<!-- Node: MESSAGE -->
<ELEMENT CC560A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT, TRADEC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfConNotHEA148)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
37. IE560 E_EXP_CTR EXPORT CONTROL DECISION	

```

<!-- Leaf: Date of control notification -->
<ELEMENT DatOfConNotHEA148 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTDE1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
38. IE561 E_EXT_CTR EXIT CONTROL DECISION NOTIFICATION	

### 38. IE561 E\_EXT\_CTR EXIT CONTROL DECISION NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC561A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXIEXT, TRAEXI)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfConNotHEA148)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: (EXIT) TRADER -->
<ELEMENT TRAEXI (NamTEX1?, StrAndNumTEX1?, PosCodTEX1?, CitTEX1?, CouCodTEX1?, TRAEXILNG?, TINTEX23)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of control notification -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
38. IE561 E_EXT_CTR EXIT CONTROL DECISION NOTIFICATION	

```

<IELEMENT DatOfConNotHEA148 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTEX1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTEX1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTEX1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTEX1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTEX1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAEXILNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTEX23 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
39. IE562 E_EXP_RRR EXPORT RELEASE REQUEST REJECTION	

### 39. IE562 E\_EXP\_RRR EXPORT RELEASE REQUEST REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC562A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DatOfRelReqRejHEA155, RelReqRejReaHEA278?, RelReqRejReaHEA278LNG?)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Date of release request rejection -->
<ELEMENT DatOfRelReqRejHEA155 (#PCDATA)>
<!-- Leaf: Release request rejection reason -->
<ELEMENT RelReqRejReaHEA278 (#PCDATA)>
<!-- Leaf: Release request rejection reason LNG -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
39. IE562 E_EXP_RRR EXPORT RELEASE REQUEST REJECTION	

<!ELEMENT RelReqRejReaHEA278LNG (#PCDATA)>

<!-- Leaf: Error type -->

<!ELEMENT ErrTypeER11 (#PCDATA)>

<!-- Leaf: Error pointer -->

<!ELEMENT ErrPoiER12 (#PCDATA)>

<!-- Leaf: Error reason -->

<!ELEMENT ErrReaER13 (#PCDATA)>

<!-- Leaf: Original attribute value -->

<!ELEMENT OriAttValER14 (#PCDATA)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
40. IE582 E_EXT_REQ REQUEST ON NON-EXITED EXPORT	

#### 40. IE582 E\_EXT\_REQ REQUEST ON NON-EXITED EXPORT

```

<!-- Node: MESSAGE -->
<ELEMENT CC582A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, CUSOFFEXPERT, TRADEC?, CUSOFFCAE)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatLimResHEA144, DatOfReqNonExiExpHEA1)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRAEXPEX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125, NADLNGEX?,
TINEX159)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Node: (COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCAE (RefNumCAC1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
40. IE582 E_EXT_REQ REQUEST ON NON-EXITED EXPORT	

```

<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date limit for response -->
<IELEMENT DatLimResHEA144 (#PCDATA)>
<!-- Leaf: Date of request on non-exited export -->
<IELEMENT DatOfReqNonExiExpHEA1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTDE1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumCAC1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
41. IE583 E_EXT_RSP INFORMATION ABOUT NON-EXITED EXPORT	

#### 41. IE583 E\_EXT\_RSP INFORMATION ABOUT NON-EXITED EXPORT

```

<!-- Node: MESSAGE -->
<ELEMENT CC583A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, ACEACE?, TRADEC?, CUSOFFCAE, FOLUP)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRAEXPEX1 (NamEX17?, StrAndNumEX122?, PosCodEX123?, CitEX124?, CouEX125?, NADLNGEX?,
TINEX159)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: (DECLARANT) TRADER -->
<ELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CiTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Node: (COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCAE (RefNumCAC1)>
<!-- Node: FOLLOW-UP -->
<ELEMENT FOLUP (InfAvaFLU1, ExiDatFLU1?, DatInfRecNonExitExpFOLUP415)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
41. IE583 E_EXT_RSP INFORMATION ABOUT NON-EXITED EXPORT	

```

<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTDE1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumCAC1 (#PCDATA)>
<!-- Leaf: Information available -->
<IELEMENT InfAvaFLU1 (#PCDATA)>
<!-- Leaf: Exit date -->
<IELEMENT ExiDatFLU1 (#PCDATA)>
<!-- Leaf: Date of information received on non-exited export -->
<IELEMENT DateInfRecNonExitExpFOLUP415 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
42. IE584 C_EXP_FUR EXPORT FOLLOW UP REQUEST	

## 42. IE584 C\_EXP\_FUR EXPORT FOLLOW UP REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD584A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFEXPERT, CUSOFFCAE, FOLUP, CUSOFFEXIREQ)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCAE (RefNumCAC1)>
<!-- Node: FOLLOW-UP -->
<ELEMENT FOLUP (ExiDatFLU1, FolUpDatFLU1)>
<!-- Node: (EXIT REQUESTED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIREQ (RefNumCXR1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
42. IE584 C_EXP_FUR EXPORT FOLLOW UP REQUEST	

```

<!ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<!ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumCAC1 (#PCDATA)>
<!-- Leaf: Exit date -->
<!ELEMENT ExiDatFLU1 (#PCDATA)>
<!-- Leaf: Follow-up date -->
<!ELEMENT FolUpDatFLU1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumCXR1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
43. IE586 C_EXP_FUN FOLLOW-UP NEGATIVE RESPONSE	

### 43. IE586 C\_EXP\_FUN FOLLOW-UP NEGATIVE RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD586A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFCAE, CUSOFFEXIREQ)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfEnqResHEA765)>
<!-- Node: (COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFCAE (RefNumCAC1)>
<!-- Node: (EXIT REQUESTED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIREQ (RefNumCXR1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of enquiry response -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
43. IE586 C_EXP_FUN FOLLOW-UP NEGATIVE RESPONSE	

<!ELEMENT DatOfEnqResHEA765 (#PCDATA)>

<!-- Leaf: Reference number -->

<!ELEMENT RefNumCAC1 (#PCDATA)>

<!-- Leaf: Reference number -->

<!ELEMENT RefNumCXR1 (#PCDATA)>

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
44. IE590 E_EXT_NOT EXIT NOTIFICATION	

#### 44. IE590 E\_EXT\_NOT EXIT NOTIFICATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC590A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE, PASEXI, LOCAUTATEXI)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5?, ManNumHEA1?)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: PASSAGE EXIT -->
<ELEMENT PASEXI (DatOfExiPSX1)>
<!-- Node: LOCAL AUTHORITY AT EXIT -->
<ELEMENT LOCAUTATEXI (RefNumLAX1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
44. IE590 E_EXT_NOT EXIT NOTIFICATION	

```

<!ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Manifest Number -->
<!ELEMENT ManNumHEA1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Date of Exit -->
<!ELEMENT DatOfExiPSX1 (#PCDATA)>
<!-- Leaf: Reference number -->
<!ELEMENT RefNumLAX1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
45. IE599 C_EXP_NTF EXPORT NOTIFICATION	

#### 45. IE599 C\_EXP\_NTF EXPORT NOTIFICATION

```

<!-- Node: MESSAGE -->
<IELEMENT CC599A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRAEXPEX1?, TRACONCE1?, CUSOFFEXPERT, CUSOFFEXIEXT, CONRESERS?,
SEAINFSLI?, GOOITEGDS+, ITI*, TRADEC, DELTER?, TRADAT?, DEFPOSPAY*, IDEWAR?, VATEXCCAPOTH1*,
STATREP385)>
<!-- Node: HEADER -->
<IELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, TypOfDecHEA24, CouOfDesCodHEA30?, AgrLocOfGooCodHEA38?,
AgrLocOfGooHEA39?, AgrLocOfGooHEA39LNG?, AutLocOfGooCodHEA41?, CouOfDisCodHEA55?, CusSubPlaHEA66?,
IniTraModHEA75?, TraModAtBorHEA76, IdeOfMeaOfTraAtDHEA78?, IdeOfMeaOfTraAtDHEA78LNG?,
IdeOfMeaOfTraCroHEA85?, IdeOfMeaOfTraCroHEA85LNG?, NatOfMeaOfTraCroHEA87?, TypOfMeaOfTraCroHEA88?,
ConIndHEA96, AccDatHEA158, IssDatHEA186, DiaLanIndAtDepHEA254?, ECSAccDocHEA601, TotNumOfIteHEA305,
TotNumOfPacHEA306?, TotGroMasHEA307?, DecDatHEA383, DecPlaHEA394, DecPlaHEA394LNG?, SpeCirIndHEA1?,
TraChaMetOfPayHEA1?, ComRefNumHEA?, ExiDatHEA1, GraTotTaxAmoHEA1?, TypOfDecBx12HEA651)>
<!-- Node: (EXPORTER) TRADER -->
<IELEMENT TRAEXPEX1 (NamEX17, StrAndNumEX122, PosCodEX123, CitEX124, CouEX125, NADLNGEX?, TINEX159)>
<!-- Node: (CONSIGNEE) TRADER -->
<IELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<IELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<IELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: CONTROL RESULT -->
<IELEMENT CONRESERS (ConResCodERS16, DatLimERS69)>
<!-- Node: SEALS INFO -->
<IELEMENT SEAINFSLI (SeaNumSLI2, SEAIDSID*)>
<!-- Node: GOODS ITEM -->
<IELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23, GooDesGDS23LNG?, GroMasGDS46?, NetMasGDS48,
CouOfDisGDS58?, CouOfDesGDS59?, MetOfPayGDI12?, ProReqGDI1, PreProGDI1, ComNatProGIM1?, StaValCurGDI1?,
StaValAmoGDI1?, CouOfOriGDI1?, DisProRegGDI1?, SupUniGDI1?, TotIteTaxAmoGDI1?, ComRefNumGIM1?,
UNDanGooCodGDI1?, PREADMREFAR2*, PRODOCDC2*, SPEMENMT2*, TRACONEX2?, COMCODGODITM,
CALTAXGOD*, TRACONCE2?, CONNR2*, PACGS2+)>
<!-- Node: ITINERARY -->
<IELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (DECLARANT) TRADER -->
<IELEMENT TRADEC (NamTDE1?, StrAndNumTDE1?, PosCodTDE1?, CitTDE1?, CouCodTDE1?, TRADECLNG?,
TINTDE1)>
<!-- Node: (TERMS) DELIVERY -->
<IELEMENT DELTER (IncCodTDL1, ComCodTDL1?, ComInfDELTER387, ComInfDELTER387LNG?)>
<!-- Node: (DATA) TRANSACTION -->
<IELEMENT TRADAT (CurTRD1?, TotAmoInvTRD1?, ExcRatTRD1?, NatOfTraFirCodTRD1?)>
<!-- Node: (PAYMENT) DEFERRED OR POSTPONED -->
<IELEMENT DEFPOSPAY (AutRefDPP1)>
<!-- Node: (WAREHOUSE) IDENTIFICATION -->
<IELEMENT IDEWAR (WarTypWID1, AutCouWID1, WarIdeWID1)>
<!-- Node: VAT OR EXCISE OR CAP OR OTHER AUTHORITIES OR OTHERS -->
<IELEMENT VATEXCCAPOTH1 (IdVECO1?, NamVECO1, StrNumVECO1, CouCodVECO1, PosCodVECO1, CitVECO1,
VATEXCCAPOTH1LNG?)>
<!-- Node: (STATUS) REPRESENTATIVE -->
<IELEMENT STATREP385 (RepStatCodSTATREP386)>
<!-- Node: SEALS ID -->
<IELEMENT SEAIDSID (SealdeSID1, SealdeSID1LNG?)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
45. IE599 C_EXP_NTF EXPORT NOTIFICATION	

```

<!-- Node: PREVIOUS ADMINISTRATIVE REFERENCES -->
<ELEMENT PREADMREFAR2 (PreDocTypAR21, PreDocRefAR26, PreDocRefLNG?, PreDocCatPREADMREF21)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: SPECIAL MENTIONS -->
<ELEMENT SPEMENMT2 (AddInfCodMT23, TexSPM1?, TexSPM1LNG?)>
<!-- Node: (EXPORTER) TRADER -->
<ELEMENT TRACONEX2 (NamEX27, StrAndNumEX222, PosCodEX223, CitEX224, CouEX225, NADLNGGTEX?,
TINEX259)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1, TARCodCMD1, TARFirAddCodCMD1, TARSecAddCodCMD1,
NAtAddCodCMD1?)>
<!-- Node: (TAXES) CALCULATION -->
<ELEMENT CALTAXGOD (TypOfTaxCTX1, TaxBasCTX1, RatOfTaxCTX1, AmoOfTaxTCL1, MetOfPayCTX1)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
45. IE599 C_EXP_NTF EXPORT NOTIFICATION	

```

<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<IELEMENT TypOfDecHEA24 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<IELEMENT CouOfDesCodHEA30 (#PCDATA)>
<!-- Leaf: Agreed location of goods, code -->
<IELEMENT AgrLocOfGooCodHEA38 (#PCDATA)>
<!-- Leaf: Agreed location of goods -->
<IELEMENT AgrLocOfGooHEA39 (#PCDATA)>
<!-- Leaf: Agreed location of goods LNG -->
<IELEMENT AgrLocOfGooHEA39LNG (#PCDATA)>
<!-- Leaf: Authorised location of goods, code -->
<IELEMENT AutLocOfGooCodHEA41 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<IELEMENT CouOfDisCodHEA55 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<IELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Inland transport mode -->
<IELEMENT InlTraModHEA75 (#PCDATA)>
<!-- Leaf: Transport mode at border -->
<IELEMENT TraModAtBorHEA76 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure (exp/trans) -->
<IELEMENT IdeOfMeaOfTraAtDHEA78 (#PCDATA)>
<!-- Leaf: Identity of means of transport at departure LNG -->
<IELEMENT IdeOfMeaOfTraAtDHEA78LNG (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border -->
<IELEMENT IdeOfMeaOfTraCroHEA85 (#PCDATA)>
<!-- Leaf: Identity of means of transport crossing border LNG -->
<IELEMENT IdeOfMeaOfTraCroHEA85LNG (#PCDATA)>
<!-- Leaf: Nationality of means of transport crossing border -->
<IELEMENT NatOfMeaOfTraCroHEA87 (#PCDATA)>
<!-- Leaf: Type of means of transport crossing border -->
<IELEMENT TypOfMeaOfTraCroHEA88 (#PCDATA)>
<!-- Leaf: Containerised indicator -->
<IELEMENT ConIndHEA96 (#PCDATA)>
<!-- Leaf: Acceptance date -->
<IELEMENT AccDatHEA158 (#PCDATA)>
<!-- Leaf: Issuing date -->
<IELEMENT IssDatHEA186 (#PCDATA)>
<!-- Leaf: Dialog language indicator at departure -->
<IELEMENT DiaLanIndAtDepHEA254 (#PCDATA)>
<!-- Leaf: ECS accompanying document language code -->
<IELEMENT ECSAccDocHEA601 (#PCDATA)>
<!-- Leaf: Total number of items -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
45. IE599 C_EXP_NTF EXPORT NOTIFICATION	

```

<IELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Declaration date -->
<IELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->
<IELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<IELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Exit date -->
<IELEMENT ExiDatHEA1 (#PCDATA)>
<!-- Leaf: Grand total taxes amount -->
<IELEMENT GraTotTaxAmoHEA1 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<IELEMENT TypOfDecBx12HEA651 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamEX17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumEX122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodEX123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitEX124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouEX125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGEX (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINEX159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumERT1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
45. IE599 C_EXP_NTF EXPORT NOTIFICATION	

```

<!-- Leaf: Reference number -->
<ELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Control result code -->
<ELEMENT ConResCodERS16 (#PCDATA)>
<!-- Leaf: Date limit -->
<ELEMENT DatLimERS69 (#PCDATA)>
<!-- Leaf: Seals number -->
<ELEMENT SeaNumSLI2 (#PCDATA)>
<!-- Leaf: Seals identity -->
<ELEMENT SealdeSID1 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdeSID1LNG (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Net mass -->
<ELEMENT NetMasGDS48 (#PCDATA)>
<!-- Leaf: Country of dispatch/export code -->
<ELEMENT CouOfDisGDS58 (#PCDATA)>
<!-- Leaf: Country of destination code -->
<ELEMENT CouOfDesGDS59 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<ELEMENT ProReqGDI1 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<ELEMENT PreProGDI1 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<ELEMENT ComNatProGIM1 (#PCDATA)>
<!-- Leaf: Statistical value currency -->
<ELEMENT StaValCurGDI1 (#PCDATA)>
<!-- Leaf: Statistical value amount -->
<ELEMENT StaValAmoGDI1 (#PCDATA)>
<!-- Leaf: Country of Origin -->
<ELEMENT CouOfOriGDI1 (#PCDATA)>
<!-- Leaf: Dispatch / Production Region -->
<ELEMENT DisProRegGDI1 (#PCDATA)>
<!-- Leaf: Supplementary units -->
<ELEMENT SupUniGDI1 (#PCDATA)>
<!-- Leaf: Total item taxes amount -->
<ELEMENT TotlItTaxAmoGDI1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTypAR21 (#PCDATA)>
<!-- Leaf: Previous document reference -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
45. IE599 C_EXP_NTF EXPORT NOTIFICATION	

```

<ELEMENT PreDocRefAR26 (#PCDATA)>
<!-- Leaf: Previous document reference LNG -->
<ELEMENT PreDocRefLNG (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<ELEMENT PreDocCatPREADMREF21 (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Additional information coded -->
<ELEMENT AddInfCodMT23 (#PCDATA)>
<!-- Leaf: Text -->
<ELEMENT TexSPM1 (#PCDATA)>
<!-- Leaf: Text LNG -->
<ELEMENT TexSPM1LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamEX27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumEX222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodEX223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitEX224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouEX225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTEX (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINEX259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<ELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: TARIC code -->
<ELEMENT TARCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC first additional code -->
<ELEMENT TARFirAddCodCMD1 (#PCDATA)>
<!-- Leaf: TARIC second additional code -->
<ELEMENT TARSecAddCodCMD1 (#PCDATA)>
<!-- Leaf: National additional code -->
<ELEMENT NAtAddCodCMD1 (#PCDATA)>
<!-- Leaf: Type of tax -->
<ELEMENT TypOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Tax base -->
<ELEMENT TaxBasCTX1 (#PCDATA)>
<!-- Leaf: Rate of tax -->
<ELEMENT RatOfTaxCTX1 (#PCDATA)>
<!-- Leaf: Amount of tax -->
<ELEMENT AmoOfTaxTCL1 (#PCDATA)>
<!-- Leaf: Method of payment -->
<ELEMENT MetOfPayCTX1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
45. IE599 C_EXP_NTF EXPORT NOTIFICATION	

```

<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CiCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTDE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTDE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTDE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CiTDE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTDE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRADECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTDE1 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<IELEMENT IncCodTDL1 (#PCDATA)>
<!-- Leaf: Complementary code -->
<IELEMENT ComCodTDL1 (#PCDATA)>
<!-- Leaf: Complement of info -->
<IELEMENT ComInfDELTER387 (#PCDATA)>
<!-- Leaf: Complement of info LNG -->
<IELEMENT ComInfDELTER387LNG (#PCDATA)>
<!-- Leaf: Currency -->
<IELEMENT CurTRD1 (#PCDATA)>
<!-- Leaf: Total amount invoiced -->
<IELEMENT TotAmolnvTRD1 (#PCDATA)>
<!-- Leaf: Exchange rate -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
45. IE599 C_EXP_NTF EXPORT NOTIFICATION	

```

<IELEMENT ExcRatTRD1 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<IELEMENT NatOfTraFirCodTRD1 (#PCDATA)>
<!-- Leaf: Authorisation Reference -->
<IELEMENT AutRefDPP1 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<IELEMENT WarTypWID1 (#PCDATA)>
<!-- Leaf: Authorizing country -->
<IELEMENT AutCouWID1 (#PCDATA)>
<!-- Leaf: Warehouse identification -->
<IELEMENT WarIdeWID1 (#PCDATA)>
<!-- Leaf: ID number -->
<IELEMENT IdVECO1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamVECO1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrNumVECO1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodVECO1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodVECO1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitVECO1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT VATEXCCAPOTH1LNG (#PCDATA)>
<!-- Leaf: Representative status code -->
<IELEMENT RepStatCodSTATREP386 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
46. IE601 C_EXS_SND EXS	

#### 46. IE601 C\_EXS\_SND EXS

<!-- Node: MESSAGE -->

<ELEMENT CD601A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6, RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?, AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20, ComAccRefMES21?, HEAHEA, TRACONCO1?, TRACONCE1?, CUSOFFEXIEXT, GOOITEGDS+, ITI\*, RISANA\*, CUSOFFLON, TRAREP?, PERLODSUMDEC, SEAI529\*)>

<!-- Node: HEADER -->

<ELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, CusSubPlaHEA66?, TotNumOfIteHEA305, TotNumOfPacHEA306?, TotGroMasHEA307?, ArrAgrLocCodHEA62?, ArrAgrLocOfGooHEA63?, ArrAgrLocOfGooHEA63LNG?, DecDatHEA383, DecPlaHEA394, DecPlaHEA394LNG?, DecSubTimHEA1, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?, DecRegDatHEA1)>

<!-- Node: (CONSIGNOR) TRADER -->

<ELEMENT TRACONCO1 (NamCO17?, StrAndNumCO122?, PosCodCO123?, CitCO124?, CouCO125?, NADLNGCO?, TINCO159?)>

<!-- Node: (CONSIGNEE) TRADER -->

<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?, TINCE159?)>

<!-- Node: (EXIT) CUSTOMS OFFICE -->

<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>

<!-- Node: GOODS ITEM -->

<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23?, GooDesGDS23LNG?, GroMasGDS46?, MetOfPayGDI12?, ComRefNumGIM1?, UNDanGooCodGDI1?, PRODOCDC2\*, TRACONCO2?, COMCODGODITM?, TRACONCE2?, CONNR2\*, PACGS2\*)>

<!-- Node: ITINERARY -->

<ELEMENT ITI (CouOfRouCodITI1)>

<!-- Node: RISK ANALYSIS -->

<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>

<!-- Node: (LODGEMENT) CUSTOMS OFFICE -->

<ELEMENT CUSOFFLON (RefNumCOL1)>

<!-- Node: (REPRESENTATIVE) TRADER -->

<ELEMENT TRAREP (NamTRE1?, StrAndNumTRE1?, PosCodTRE1?, CitTRE1?, CouCodTRE1?, TRAREPLNG?, TINTRE1)>

<!-- Node: (LODGING SUMMARY DECLARATION) PERSON -->

<ELEMENT PERLODSUMDEC (NamPLD1?, StrAndNumPLD1?, PosCodPLD1?, CitPLD1?, CouCodPLD1?, PERLODSUMDECLNG?, TINPLD1)>

<!-- Node: SEALS ID -->

<ELEMENT SEAI529 (SealdSEAI530, SealdSEAI530LNG?)>

<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->

<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>

<!-- Node: (CONSIGNOR) TRADER -->

<ELEMENT TRACONCO2 (NamCO27?, StrAndNumCO222?, PosCodCO223?, CitCO224?, CouCO225?, NADLNGGTGO?, TINCO259?)>

<!-- Node: (CODE) COMMODITY -->

<ELEMENT COMCODGODITM (ComNomCMD1)>

<!-- Node: (CONSIGNEE) TRADER -->

<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?, TINCE259?)>

<!-- Node: CONTAINERS -->

<ELEMENT CONNR2 (ConNumNR21)>

<!-- Node: PACKAGES -->

<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?, NumOfPieGS25?)>

<!-- Leaf: Syntax identifier -->

<b>DDNXA for ECS P2. Version 5.00</b>	<b>ALIGNED TO DDNA KEL 0.23</b>
<b>REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T</b>	
<b>Appendix T: Document Type Definitions</b>	
<b>46. IE601 C_EXS_SND EXS</b>	

```

<IELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<IELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<IELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<IELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<IELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<IELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<IELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<IELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<IELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<IELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<IELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<IELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<IELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<IELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<IELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<IELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<IELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Total number of items -->
<IELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Arrival agreed Location code -->
<IELEMENT ArrAgrLocCodHEA62 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods -->
<IELEMENT ArrAgrLocOfGooHEA63 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
46. IE601 C_EXS_SND EXS	

```

<!-- Leaf: Arrival agreed Location of goods LNG -->
<IELEMENT ArrAgrLocOfGooHEA63LNG (#PCDATA)>
<!-- Leaf: Declaration date -->
<IELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->
<IELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<IELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Declaration submitted time -->
<IELEMENT DecSubTimHEA1 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<IELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Declaration registration date -->
<IELEMENT DecRegDatHEA1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT IteNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
46. IE601 C_EXS_SND EXS	

```

<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTGO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<ELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
46. IE601 C_EXS_SND EXS	

```

<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodIT11 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<IELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<IELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<IELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<IELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumCOL1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTRE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAREPLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamPLD1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumPLD1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodPLD1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitPLD1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodPLD1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT PERLODSUMDECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINPLD1 (#PCDATA)>
<!-- Leaf: Seals identity -->
<IELEMENT SealdSEAID530 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdSEAID530LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
47. IE603 C_EXS_RSP EXIT SUMMARY DECLARATION RESPONSE	

#### 47. IE603 C\_EXS\_RSP EXIT SUMMARY DECLARATION RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD603A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRACONCO1?, TRACONCE1?, ACEACE, CUSOFFEXIEXT?, GOOITEGDS*, ITI*, RISANA*,
CUSOFFLON?, TRAREP?, PERLODSUMDEC?, SEAID529*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4?, DocNumHEA5, CusSubPlaHEA66?, TotNumOfIteHEA305?, TotNumOfPacHEA306?,
TotGroMasHEA307?, ArrAgrLocCodHEA62?, ArrAgrLocOfGooHEA63?, ArrAgrLocOfGooHEA63LNG?, DecDatHEA383?,
DecPlaHEA394?, DecPlaHEA394LNG?, DecSubTimHEA1?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?,
DecRegDatHEA1?, SumDecRejReaCodHEA423?, SumDecRejReaHEA422?, SumDecRejReaHEA422LNG?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17?, StrAndNumCO122?, PosCodCO123?, CitCO124?, CouCO125?, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23?, GooDesGDS23LNG?, GroMasGDS46?, MetOfPayGDI12?,
ComRefNumGIM1?, UNDanGooCodGDI1?, PRODOCDC2*, TRACONCO2?, COMCODGODITM?, TRACONCE2?, CONNR2*,
PACGS2*)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: RISK ANALYSIS -->
<ELEMENT RISANA (IteNumInvRKA1?, RisAnaResCodRKA1, RisAnaTexRKA1?, RisAnaTexRKA1LNG?)>
<!-- Node: (LODGEMENT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFLON (RefNumCOL1)>
<!-- Node: (REPRESENTATIVE) TRADER -->
<ELEMENT TRAREP (NamTRE1?, StrAndNumTRE1?, PosCodTRE1?, CitTRE1?, CouCodTRE1?, TRAREPLNG?,
TINTRE1)>
<!-- Node: (LODGING SUMMARY DECLARATION) PERSON -->
<ELEMENT PERLODSUMDEC (NamPLD1?, StrAndNumPLD1?, PosCodPLD1?, CitPLD1?, CouCodPLD1?,
PERLODSUMDECLNG?, TINPLD1)>
<!-- Node: SEALS ID -->
<ELEMENT SEAID529 (SealdSEAID530, SealdSEAID530LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27?, StrAndNumCO222?, PosCodCO223?, CitCO224?, CouCO225?, NADLNGGTGO?,
TINCO259?)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
47. IE603 C_EXS_RSP EXIT SUMMARY DECLARATION RESPONSE	

```

<!-- Leaf: Syntax identifier -->
<IELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<IELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<IELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<IELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<IELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<IELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<IELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<IELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<IELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<IELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<IELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<IELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<IELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<IELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<IELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<IELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<IELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<IELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Total number of items -->
<IELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<IELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<IELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Arrival agreed Location code -->
<IELEMENT ArrAgrLocCodHEA62 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
47. IE603 C_EXS_RSP EXIT SUMMARY DECLARATION RESPONSE	

```

<ELEMENT ArrAgrLocOfGooHEA63 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods LNG -->
<ELEMENT ArrAgrLocOfGooHEA63LNG (#PCDATA)>
<!-- Leaf: Declaration date -->
<ELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->
<ELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<ELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Declaration submitted time -->
<ELEMENT DecSubTimHEA1 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Declaration registration date -->
<ELEMENT DecRegDatHEA1 (#PCDATA)>
<!-- Leaf: Summary Declaration rejection reason code -->
<ELEMENT SumDecRejReaCodHEA423 (#PCDATA)>
<!-- Leaf: Summary Declaration rejection reason -->
<ELEMENT SumDecRejReaHEA422 (#PCDATA)>
<!-- Leaf: Summary Declaration rejection reason LNG -->
<ELEMENT SumDecRejReaHEA422LNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
47. IE603 C_EXS_RSP EXIT SUMMARY DECLARATION RESPONSE	

```

<!-- Leaf: Reference number -->
<IELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Item number -->
<IELEMENT ItNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<IELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<IELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<IELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<IELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<IELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<IELEMENT UNDanGooCodGDI1 (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<IELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<IELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<IELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
47. IE603 C_EXS_RSP EXIT SUMMARY DECLARATION RESPONSE	

```

<IELEMENT TINCE259 (#PCDATA)>
<!-- Leaf: Container number -->
<IELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<IELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<IELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<IELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<IELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<IELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<IELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Item Number involved -->
<IELEMENT IteNumInvRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis result code -->
<IELEMENT RisAnaResCodRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis text -->
<IELEMENT RisAnaTexRKA1 (#PCDATA)>
<!-- Leaf: Risk Analysis LNG -->
<IELEMENT RisAnaTexRKA1LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumCOL1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTRE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAREPLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamPLD1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumPLD1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodPLD1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitPLD1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodPLD1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT PERLODSUMDECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINPLD1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
47. IE603 C_EXS_RSP EXIT SUMMARY DECLARATION RESPONSE	

```

<!-- Leaf: Seals identity -->
<ELEMENT SealdSEAID530 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<ELEMENT SealdSEAID530LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
48. IE604 E_EXS_AAC EXIT SUMMARY DECLARATION AMENDMENT ACCEPTANCE	

#### 48. IE604 E\_EXS\_AAC EXIT SUMMARY DECLARATION AMENDMENT ACCEPTANCE

```

<!-- Node: MESSAGE -->
<ELEMENT CC604A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE, TRAREP?, PERLODSUMDEC?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, AmdDatHEA599, AmeAccDatHEA602)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: (REPRESENTATIVE) TRADER -->
<ELEMENT TRAREP (NamTRE1?, StrAndNumTRE1?, PosCodTRE1?, CitTRE1?, CouCodTRE1?, TRAREPLNG?,
TINTRE1)>
<!-- Node: (LODGING SUMMARY DECLARATION) PERSON -->
<ELEMENT PERLODSUMDEC (NamPLD1?, StrAndNumPLD1?, PosCodPLD1?, CitPLD1?, CouCodPLD1?,
PERLODSUMDECLNG?, TINPLD1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
48. IE604 E_EXS_AAC EXIT SUMMARY DECLARATION AMENDMENT ACCEPTANCE	

```

<!-- Leaf: Document/reference number -->
<IELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of amendment -->
<IELEMENT AmdDatHEA599 (#PCDATA)>
<!-- Leaf: Amendment acceptance date -->
<IELEMENT AmeAccDatHEA602 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamTRE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTRE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAREPLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamPLD1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumPLD1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodPLD1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitPLD1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodPLD1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT PERLODSUMDECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINPLD1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
49. IE605 E_EXS_ARJ EXIT SUMMARY DECLARATION AMENDMENT REJECTION	

#### 49. IE605 E\_EXS\_ARJ EXIT SUMMARY DECLARATION AMENDMENT REJECTION

```

<!-- Node: MESSAGE -->
<ELEMENT CC605A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, ACEACE?, FUNERRER1*, TRAREP?, PERLODSUMDEC?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5?, AmdDatHEA599?, AmeRejDatHEA603, AmeRejMotCodHEA604?,
AmeRejMotTexHEA605?, AmeRejMotTexHEA605LNG?)>
<!-- Node: (ACTUAL EXIT) CUSTOMS OFFICE -->
<ELEMENT ACEACE (RefNumACE1)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Node: (REPRESENTATIVE) TRADER -->
<ELEMENT TRAREP (NamTRE1?, StrAndNumTRE1?, PosCodTRE1?, CitTRE1?, CouCodTRE1?, TRAREPLNG?,
TINTRE1)>
<!-- Node: (LODGING SUMMARY DECLARATION) PERSON -->
<ELEMENT PERLODSUMDEC (NamPLD1?, StrAndNumPLD1?, PosCodPLD1?, CitPLD1?, CouCodPLD1?,
PERLODSUMDECLNG?, TINPLD1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
49. IE605 E_EXS_ARJ EXIT SUMMARY DECLARATION AMENDMENT REJECTION	

```

<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of amendment -->
<ELEMENT AmdDatHEA599 (#PCDATA)>
<!-- Leaf: Amendment rejection date -->
<ELEMENT AmeRejDatHEA603 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation code -->
<ELEMENT AmeRejMotCodHEA604 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation text -->
<ELEMENT AmeRejMotTexHEA605 (#PCDATA)>
<!-- Leaf: Amendment rejection motivation text LNG -->
<ELEMENT AmeRejMotTexHEA605LNG (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumACE1 (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypeER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamTRE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumTRE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodTRE1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitTRE1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodTRE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT TRAREPLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINTRE1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPLD1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPLD1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPLD1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPLD1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodPLD1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT PERLODSUMDECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPLD1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
50. IE613 E_EXS_AMD EXIT SUMMARY DECLARATION AMENDMENT	

## 50. IE613 E\_EXS\_AMD EXIT SUMMARY DECLARATION AMENDMENT

```

<!-- Node: MESSAGE -->
<ELEMENT CC613A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRACONCO1?, TRACONCE1?, CUSOFFEXIEXT, GOOITEGDS+, ITI*, CUSOFFLON,
TRAREP?, PERLODSUMDEC, SEAI529*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, CusSubPlaHEA66?, TotNumOfIteHEA305, TotNumOfPacHEA306?,
TotGroMasHEA307?, ArrAgrLocCodHEA62?, ArrAgrLocOfGooHEA63?, ArrAgrLocOfGooHEA63LNG?, DecDatHEA383,
DecPlaHEA394, DecPlaHEA394LNG?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17?, StrAndNumCO122?, PosCodCO123?, CitCO124?, CouCO125?, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23?, GooDesGDS23LNG?, GroMasGDS46?, MetOfPayGDI12?,
ComRefNumGIM1, UNDanGooCodGDI1?, PRODOCDC2*, TRACONCO2?, COMCODGODITM?, TRACONCE2?, CONNR2*,
PACGS2*)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (LODGEMENT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFLON (RefNumCOL1)>
<!-- Node: (REPRESENTATIVE) TRADER -->
<ELEMENT TRAREP (NamTRE1?, StrAndNumTRE1?, PosCodTRE1?, CitTRE1?, CouCodTRE1?, TRAREPLNG?,
TINTRE1)>
<!-- Node: (LODGING SUMMARY DECLARATION) PERSON -->
<ELEMENT PERLODSUMDEC (NamPLD1?, StrAndNumPLD1?, PosCodPLD1?, CitPLD1?, CouCodPLD1?,
PERLODSUMDECLNG?, TINPLD1)>
<!-- Node: SEALS ID -->
<ELEMENT SEAI529 (SealIdSEAI530, SealIdSEAI530LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27?, StrAndNumCO222?, PosCodCO223?, CitCO224?, CouCO225?, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
50. IE613 E_EXS_AMD EXIT SUMMARY DECLARATION AMENDMENT	

```

<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Arrival agreed Location code -->
<ELEMENT ArrAgrLocCodHEA62 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods -->
<ELEMENT ArrAgrLocOfGooHEA63 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods LNG -->
<ELEMENT ArrAgrLocOfGooHEA63LNG (#PCDATA)>
<!-- Leaf: Declaration date -->
<ELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
50. IE613 E_EXS_AMD EXIT SUMMARY DECLARATION AMENDMENT	

```

<ELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<ELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT ItNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
50. IE613 E_EXS_AMD EXIT SUMMARY DECLARATION AMENDMENT	

```

<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<ELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINC259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumCOL1 (#PCDATA)>
<!-- Leaf: Name -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
50. IE613 E_EXS_AMD EXIT SUMMARY DECLARATION AMENDMENT	

```

<IELEMENT NamTRE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTRE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAREPLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamPLD1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumPLD1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodPLD1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitPLD1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodPLD1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT PERLODSUMDECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINPLD1 (#PCDATA)>
<!-- Leaf: Seals identity -->
<IELEMENT SealdSEAID530 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdSEAID530LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
51. IE615 E_EXS_DAT EXIT SUMMARY DECLARATION	

## 51. IE615 E\_EXS\_DAT EXIT SUMMARY DECLARATION

```

<!-- Node: MESSAGE -->
<ELEMENT CC615A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, TRACONCO1?, TRACONCE1?, CUSOFFEXIEXT, GOOITEGDS+, ITI*, CUSOFFLON,
TRAREP?, PERLODSUMDEC, SEAI529*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, CusSubPlaHEA66?, TotNumOfIteHEA305, TotNumOfPacHEA306?,
TotGroMasHEA307?, ArrAgrLocCodHEA62?, ArrAgrLocOfGooHEA63?, ArrAgrLocOfGooHEA63LNG?, DecDatHEA383,
DecPlaHEA394, DecPlaHEA394LNG?, SpeCirIndHEA1?, TraChaMetOfPayHEA1?, ComRefNumHEA?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO1 (NamCO17?, StrAndNumCO122?, PosCodCO123?, CitCO124?, CouCO125?, NADLNGCO?,
TINCO159?)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE1 (NamCE17, StrAndNumCE122, PosCodCE123, CitCE124, CouCE125, NADLNGCE?,
TINCE159?)>
<!-- Node: (EXIT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXIEXT (RefNumEXT1)>
<!-- Node: GOODS ITEM -->
<ELEMENT GOOITEGDS (IteNumGDS7, GooDesGDS23?, GooDesGDS23LNG?, GroMasGDS46?, MetOfPayGDI12?,
ComRefNumGIM1?, UNDanGooCodGDI1?, PRODOCDC2*, TRACONCO2?, COMCODGODITM?, TRACONCE2?, CONNR2*,
PACGS2*)>
<!-- Node: ITINERARY -->
<ELEMENT ITI (CouOfRouCodITI1)>
<!-- Node: (LODGEMENT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFLON (RefNumCOL1)>
<!-- Node: (REPRESENTATIVE) TRADER -->
<ELEMENT TRAREP (NamTRE1?, StrAndNumTRE1?, PosCodTRE1?, CitTRE1?, CouCodTRE1?, TRAREPLNG?,
TINTRE1)>
<!-- Node: (LODGING SUMMARY DECLARATION) PERSON -->
<ELEMENT PERLODSUMDEC (NamPLD1?, StrAndNumPLD1?, PosCodPLD1?, CitPLD1?, CouCodPLD1?,
PERLODSUMDECLNG?, TINPLD1)>
<!-- Node: SEALS ID -->
<ELEMENT SEAI529 (SealIdSEAI530, SealIdSEAI530LNG?)>
<!-- Node: PRODUCED DOCUMENTS/CERTIFICATES -->
<ELEMENT PRODOCDC2 (DocTypDC21, DocRefDC23, DocRefDCLNG?)>
<!-- Node: (CONSIGNOR) TRADER -->
<ELEMENT TRACONCO2 (NamCO27?, StrAndNumCO222?, PosCodCO223?, CitCO224?, CouCO225?, NADLNGGTCO?,
TINCO259?)>
<!-- Node: (CODE) COMMODITY -->
<ELEMENT COMCODGODITM (ComNomCMD1)>
<!-- Node: (CONSIGNEE) TRADER -->
<ELEMENT TRACONCE2 (NamCE27, StrAndNumCE222, PosCodCE223, CitCE224, CouCE225, NADLNGGICE?,
TINCE259?)>
<!-- Node: CONTAINERS -->
<ELEMENT CONNR2 (ConNumNR21)>
<!-- Node: PACKAGES -->
<ELEMENT PACGS2 (MarNumOfPacGS21?, MarNumOfPacGS21LNG?, KinOfPacGS23, NumOfPacGS24?,
NumOfPieGS25?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>

```

<b>DDNXA for ECS P2. Version 5.00</b>	<b>ALIGNED TO DDNA KEL 0.23</b>
<b>REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T</b>	
<b>Appendix T: Document Type Definitions</b>	
<b>51. IE615 E_EXS_DAT EXIT SUMMARY DECLARATION</b>	

```

<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Customs sub place -->
<ELEMENT CusSubPlaHEA66 (#PCDATA)>
<!-- Leaf: Total number of items -->
<ELEMENT TotNumOfIteHEA305 (#PCDATA)>
<!-- Leaf: Total number of packages -->
<ELEMENT TotNumOfPacHEA306 (#PCDATA)>
<!-- Leaf: Total gross mass -->
<ELEMENT TotGroMasHEA307 (#PCDATA)>
<!-- Leaf: Arrival agreed Location code -->
<ELEMENT ArrAgrLocCodHEA62 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods -->
<ELEMENT ArrAgrLocOfGooHEA63 (#PCDATA)>
<!-- Leaf: Arrival agreed Location of goods LNG -->
<ELEMENT ArrAgrLocOfGooHEA63LNG (#PCDATA)>
<!-- Leaf: Declaration date -->
<ELEMENT DecDatHEA383 (#PCDATA)>
<!-- Leaf: Declaration place -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
51. IE615 E_EXS_DAT EXIT SUMMARY DECLARATION	

```

<ELEMENT DecPlaHEA394 (#PCDATA)>
<!-- Leaf: Declaration place LNG -->
<ELEMENT DecPlaHEA394LNG (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndHEA1 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayHEA1 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumHEA (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO159 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE17 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE122 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE123 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE124 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE125 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGCE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCE159 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEXT1 (#PCDATA)>
<!-- Leaf: Item number -->
<ELEMENT ItNumGDS7 (#PCDATA)>
<!-- Leaf: Goods description -->
<ELEMENT GooDesGDS23 (#PCDATA)>
<!-- Leaf: Goods description LNG -->
<ELEMENT GooDesGDS23LNG (#PCDATA)>
<!-- Leaf: Gross mass -->
<ELEMENT GroMasGDS46 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT MetOfPayGDI12 (#PCDATA)>
<!-- Leaf: Commercial Reference Number -->
<ELEMENT ComRefNumGIM1 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNDanGooCodGDI1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
51. IE615 E_EXS_DAT EXIT SUMMARY DECLARATION	

```

<!-- Leaf: Document type -->
<ELEMENT DocTypDC21 (#PCDATA)>
<!-- Leaf: Document reference -->
<ELEMENT DocRefDC23 (#PCDATA)>
<!-- Leaf: Document reference LNG -->
<ELEMENT DocRefDCLNG (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCO27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCO222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCO223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCO224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCO225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGTCO (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINCO259 (#PCDATA)>
<!-- Leaf: Combined Nomenclature -->
<ELEMENT ComNomCMD1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamCE27 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumCE222 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodCE223 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitCE224 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCE225 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT NADLNGGICE (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINC259 (#PCDATA)>
<!-- Leaf: Container number -->
<ELEMENT ConNumNR21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages -->
<ELEMENT MarNumOfPacGS21 (#PCDATA)>
<!-- Leaf: Marks & numbers of packages LNG -->
<ELEMENT MarNumOfPacGS21LNG (#PCDATA)>
<!-- Leaf: Kind of packages -->
<ELEMENT KinOfPacGS23 (#PCDATA)>
<!-- Leaf: Number of packages -->
<ELEMENT NumOfPacGS24 (#PCDATA)>
<!-- Leaf: Number of pieces -->
<ELEMENT NumOfPieGS25 (#PCDATA)>
<!-- Leaf: Country of routing code -->
<ELEMENT CouOfRouCodITI1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumCOL1 (#PCDATA)>
<!-- Leaf: Name -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
51. IE615 E_EXS_DAT EXIT SUMMARY DECLARATION	

```

<IELEMENT NamTRE1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumTRE1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodTRE1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitTRE1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodTRE1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT TRAREPLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINTRE1 (#PCDATA)>
<!-- Leaf: Name -->
<IELEMENT NamPLD1 (#PCDATA)>
<!-- Leaf: Street and number -->
<IELEMENT StrAndNumPLD1 (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT PosCodPLD1 (#PCDATA)>
<!-- Leaf: City -->
<IELEMENT CitPLD1 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCodPLD1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<IELEMENT PERLODSUMDECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<IELEMENT TINPLD1 (#PCDATA)>
<!-- Leaf: Seals identity -->
<IELEMENT SealdSEAID530 (#PCDATA)>
<!-- Leaf: Seals identity LNG -->
<IELEMENT SealdSEAID530LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
52. IE616 E_EXS_REJ EXIT SUMMARY DECLARATION REJECTED	

## 52. IE616 E\_EXS\_REJ EXIT SUMMARY DECLARATION REJECTED

```

<!-- Node: MESSAGE -->
<ELEMENT CC616A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, FUNERRER1*)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, DecRejDatHEA159, DecRejReaHEA252?, DecRejReaHEA252LNG?)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>
<!-- Leaf: Declaration rejection date -->
<ELEMENT DecRejDatHEA159 (#PCDATA)>
<!-- Leaf: Declaration rejection reason -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
52. IE616 E_EXS_REJ EXIT SUMMARY DECLARATION REJECTED	

```

<ELEMENT DecRejReaHEA252 (#PCDATA)>
<!-- Leaf: Declaration rejection reason LNG -->
<ELEMENT DecRejReaHEA252LNG (#PCDATA)>
<!-- Leaf: Error type -->
<ELEMENT ErrTypER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<ELEMENT OriAttValER14 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
53. IE628 E_EXS_ACK EXIT SUMMARY DECLARATION ACKNOWLEDGEMENT	

### 53. IE628 E\_EXS\_ACK EXIT SUMMARY DECLARATION ACKNOWLEDGEMENT

```

<!-- Node: MESSAGE -->
<ELEMENT CC628A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFLON, PERLODSUMDEC)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (RefNumHEA4, DocNumHEA5, DecRegDatHEA1)>
<!-- Node: (LODGEMENT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFLON (RefNumCOL1)>
<!-- Node: (LODGING SUMMARY DECLARATION) PERSON -->
<ELEMENT PERLODSUMDEC (NamPLD1?, StrAndNumPLD1?, PosCodPLD1?, CitPLD1?, CouCodPLD1?,
PERLODSUMDECLNG?, TINPLD1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumHEA4 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
53. IE628 E_EXS_ACK EXIT SUMMARY DECLARATION ACKNOWLEDGEMENT	

```

<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Declaration registration date -->
<ELEMENT DecRegDatHEA1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumCOL1 (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT NamPLD1 (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNumPLD1 (#PCDATA)>
<!-- Leaf: Postal code -->
<ELEMENT PosCodPLD1 (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT CitPLD1 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCodPLD1 (#PCDATA)>
<!-- Leaf: NAD LNG -->
<ELEMENT PERLODSUMDECLNG (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TINPLD1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
54. IE901 C_CAN_ACK CANCELLATION ACKNOWLEDGEMENT	

## 54. IE901 C\_CAN\_ACK CANCELLATION ACKNOWLEDGEMENT

```

<!-- Node: MESSAGE -->
<ELEMENT CD901B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA, CUSOFFDEPEPT?, CUSOFFEXPERT?, CUSOFFTRADECCOF*, CUSOFFEXTDECEDC?,
CUSOFFDESDECDDC?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, DatOfCanHEA145)>
<!-- Node: (DEPARTURE) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDEPEPT (RefNumEPT1)>
<!-- Node: (EXPORT) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXPERT (RefNumERT1)>
<!-- Node: (TRANSIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFTRADECCOF (RefNumCOF1)>
<!-- Node: (EXIT DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFEXTDECEDC (RefNumEDC11)>
<!-- Node: (DESTINATION DECLARED) CUSTOMS OFFICE -->
<ELEMENT CUSOFFDESDECDDC (RefNumDDC1)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
54. IE901 C_CAN_ACK CANCELLATION ACKNOWLEDGEMENT	

```

<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Date of cancellation -->
<ELEMENT DatOfCanHEA145 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEPT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumERT1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumCOF1 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumEDC11 (#PCDATA)>
<!-- Leaf: Reference number -->
<ELEMENT RefNumDDC1 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
55. IE904 C STD_REQ STATUS REQUEST	

## 55. IE904 C STD\_REQ STATUS REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD904A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, StaHEA379?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Status -->
<ELEMENT StaHEA379 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
56. IE905 C_STD_RSP STATUS RESPONSE	

## 56. IE905 C\_STD\_RSP STATUS RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD905A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, HEAHEA)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5, StaHEA379)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Status -->
<ELEMENT StaHEA379 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
57. IE906 C_FUN_NCK FUNCTIONAL NACK	

## 57. IE906 C\_FUN\_NCK FUNCTIONAL NACK

```

<!-- Node: MESSAGE -->
<ELEMENT CD906A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, OriMesIdeMES22, HEAHEA?, FUNERRER1+)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (DocNumHEA5)>
<!-- Node: FUNCTIONAL ERROR -->
<ELEMENT FUNERRER1 (ErrTypER11, ErrPoiER12, ErrReaER13?, OriAttValER14?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>
<!-- Leaf: Original message identification -->
<ELEMENT OriMesIdeMES22 (#PCDATA)>
<!-- Leaf: Document/reference number -->
<ELEMENT DocNumHEA5 (#PCDATA)>
<!-- Leaf: Error type -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
57. IE906 C_FUN_NCK FUNCTIONAL NACK	

```

<!ELEMENT ErrTypeER11 (#PCDATA)>
<!-- Leaf: Error pointer -->
<!ELEMENT ErrPoiER12 (#PCDATA)>
<!-- Leaf: Error reason -->
<!ELEMENT ErrReaER13 (#PCDATA)>
<!-- Leaf: Original attribute value -->
<!ELEMENT OriAttValER14 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
58. IE907 C EDI NCK EDIFACT NACK	

## 58. IE907 C EDI NCK EDIFACT NACK

```

<!-- Node: MESSAGE -->
<ELEMENT CD907A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
AppRefMES14?, PriMES15?, AckReqMES16?, ComAgrIdMES17?, TesIndMES18?, MesIdeMES19, MesTypMES20,
ComAccRefMES21?, INTERERRORS, MSGERRS*)>
<!-- Node: INTERCHANGE ERRORS -->
<ELEMENT INTERERRORS (IntConRefINT2, MesSenINT4, MesRecINT5, ActRecINT1, ErrTypINT6?, IntSegTagINT3?,
PosElmntINT7?, PosCompINT8?)>
<!-- Node: MESSAGE ERRORS -->
<ELEMENT MSGERRS (MesIdeMER1, MesTypMER2, MesVerMER3, MesRelNoMER4, MesContAgMER5, AssCodMER6,
ActRecMER7, ErrTypMER8?, MesSegMER9?, PosElmntMER10?, PosCompMER11?, MSGERRSEGGERR*)>
<!-- Node: SEGMENT ERRORS -->
<ELEMENT MSGERRSEGGERR (SegPosSER1, ErrTypSER2?, MSGERRSEGGDATERR*)>
<!-- Node: DATA ELEMENT ERRORS -->
<ELEMENT MSGERRSEGGDATERR (ErrTypDER1, PosElmntDER2, PosCompDER3?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Application reference -->
<ELEMENT AppRefMES14 (#PCDATA)>
<!-- Leaf: Priority -->
<ELEMENT PriMES15 (#PCDATA)>
<!-- Leaf: Acknowledgement request -->
<ELEMENT AckReqMES16 (#PCDATA)>
<!-- Leaf: Communications agreement id -->
<ELEMENT ComAgrIdMES17 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Common access reference -->
<ELEMENT ComAccRefMES21 (#PCDATA)>

```

<b>DDNXA for ECS P2. Version 5.00</b>	<b>ALIGNED TO DDNA KEL 0.23</b>
<b>REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T</b>	
<b>Appendix T: Document Type Definitions</b>	
<b>58. IE907 C EDI NCK EDIFACT NACK</b>	

```

<!-- Leaf: Interchange control reference -->
<IELEMENT IntConRefINT2 (#PCDATA)>
<!-- Leaf: Message sender -->
<IELEMENT MesSenINT4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<IELEMENT MesRecINT5 (#PCDATA)>
<!-- Leaf: Action taken by recipient -->
<IELEMENT ActRecINT1 (#PCDATA)>
<!-- Leaf: Syntax error -->
<IELEMENT ErrTypINT6 (#PCDATA)>
<!-- Leaf: Interchange service segment -->
<IELEMENT IntSegTagINT3 (#PCDATA)>
<!-- Leaf: Position of erroneous data element -->
<IELEMENT PosElmntINT7 (#PCDATA)>
<!-- Leaf: Position of erroneous data component -->
<IELEMENT PosCompINT8 (#PCDATA)>
<!-- Leaf: Message identification -->
<IELEMENT MesIdeMER1 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMER2 (#PCDATA)>
<!-- Leaf: Message version -->
<IELEMENT MesVerMER3 (#PCDATA)>
<!-- Leaf: Message release number -->
<IELEMENT MesRelNoMER4 (#PCDATA)>
<!-- Leaf: Controlling agency -->
<IELEMENT MesContAgMER5 (#PCDATA)>
<!-- Leaf: Association assigned code -->
<IELEMENT AssCodMER6 (#PCDATA)>
<!-- Leaf: Action taken by recipient -->
<IELEMENT ActRecMER7 (#PCDATA)>
<!-- Leaf: Error -->
<IELEMENT ErrTypMER8 (#PCDATA)>
<!-- Leaf: Message service segment -->
<IELEMENT MesSegMER9 (#PCDATA)>
<!-- Leaf: Position of erroneous data element -->
<IELEMENT PosElmntMER10 (#PCDATA)>
<!-- Leaf: Position of erroneous data component -->
<IELEMENT PosCompMER11 (#PCDATA)>
<!-- Leaf: Segment position in message -->
<IELEMENT SegPosSER1 (#PCDATA)>
<!-- Leaf: Error -->
<IELEMENT ErrTypSER2 (#PCDATA)>
<!-- Leaf: Error -->
<IELEMENT ErrTypDER1 (#PCDATA)>
<!-- Leaf: Position of erroneous data element -->
<IELEMENT PosElmntDER2 (#PCDATA)>
<!-- Leaf: Position of erroneous data component -->
<IELEMENT PosCompDER3 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
59. IE912 C_AVL_MTX AVAILABILITY MATRIX	

## 59. IE912 C\_AVL\_MTX AVAILABILITY MATRIX

```

<!-- Node: MESSAGE -->
<ELEMENT CD912A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, COU441)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, COUNAVMAT, COSYSUNAV+)>
<!-- Node: UNAVAILABILITY MATRIX -->
<ELEMENT COUNAVMAT (CouUnaMatFrom670, CouUnaMatTo671)>
<!-- Node: SYSTEM UNAVAILABILITY -->
<ELEMENT COSYSUNAV (CouSysUNABusFunCSU660, CouSysUNADowFrmCSU661, CouSysUNATypCSU662,
CouSysUNADowToCSU663?, CouSysUNAEspCSU664?, CouSysUNAEspCSU664LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: Time from -->
<ELEMENT CouUnaMatFrom670 (#PCDATA)>
<!-- Leaf: Time to -->
<ELEMENT CouUnaMatTo671 (#PCDATA)>
<!-- Leaf: Business functionality -->
<ELEMENT CouSysUNABusFunCSU660 (#PCDATA)>
<!-- Leaf: Downtime from -->
<ELEMENT CouSysUNADowFrmCSU661 (#PCDATA)>
<!-- Leaf: System unavailability type -->
<ELEMENT CouSysUNATypCSU662 (#PCDATA)>
<!-- Leaf: Downtime to -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
59. IE912 C_AVL_MTX AVAILABILITY MATRIX	

```

<!ELEMENT CouSysUNaDowToCSU663 (#PCDATA)>
<!-- Leaf: Explanation -->
<!ELEMENT CouSysUNaExpCSU664 (#PCDATA)>
<!-- Leaf: Explanation LNG -->
<!ELEMENT CouSysUNaExpCSU664LNG (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
60. IE913 C_UPL_RSP UPLOAD PARSING RESPONSE	

## 60. IE913 C\_UPL\_RSP UPLOAD PARSING RESPONSE

```

<!-- Node: MESSAGE -->
<ELEMENT CD913A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, UPRUPR, UPEUPE*)>
<!-- Node: UPL RESPONSE -->
<ELEMENT UPRUPR (OrMesIdUPR1, StatUPR2, DescUPR3?)>
<!-- Node: UPL ERROR -->
<ELEMENT UPEUPE (ActIdUPE1, AttPatUPE2?, CodUPE3, DescUPE4?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Original message identification -->
<ELEMENT OrMesIdUPR1 (#PCDATA)>
<!-- Leaf: Status -->
<ELEMENT StatUPR2 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DescUPR3 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActIdUPE1 (#PCDATA)>
<!-- Leaf: Attribute path -->
<ELEMENT AttPatUPE2 (#PCDATA)>
<!-- Leaf: Code -->
<ELEMENT CodUPE3 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT DescUPE4 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
61. IE914 C_COL_REQ COL REQUEST	

## 61. IE914 C\_COL\_REQ COL REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD914A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, HEAHEA?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (PerFrDatHEA980?, PerToDatHEA981?, ExtrHEA982?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Period from date -->
<ELEMENT PerFrDatHEA980 (#PCDATA)>
<!-- Leaf: Period to date -->
<ELEMENT PerToDatHEA981 (#PCDATA)>
<!-- Leaf: Extraction -->
<ELEMENT ExtrHEA982 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
62. IE916 C_REF_REQ COMMON RD REQUEST	

## 62. IE916 C\_REF\_REQ COMMON RD REQUEST

```

<!-- Node: MESSAGE -->
<ELEMENT CD916A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, HEAHEA?)>
<!-- Node: HEADER -->
<ELEMENT HEAHEA (PerFrDatHEA980?, PerToDatHEA981?, ExtrHEA982?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Period from date -->
<ELEMENT PerFrDatHEA980 (#PCDATA)>
<!-- Leaf: Period to date -->
<ELEMENT PerToDatHEA981 (#PCDATA)>
<!-- Leaf: Extraction -->
<ELEMENT ExtrHEA982 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
63. IE931 C_COL_DAT COL DATA	

### 63. IE931 C\_COL\_DAT COL DATA

```

<!-- Node: MESSAGE -->
<ELEMENT CD931B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, CUSOFFINF105*, COU113*, COUHOL118*)>
<!-- Node: CUSTOMS OFFICE INFORMATION -->
<ELEMENT CUSOFFINF105 (RefNum18, RefNumMaiOff104?, RefNumHigAut19?, RefNumTak20?,
RefNumCAEnqCUSOFFINF131?, RefNumCARecCUSOFFINF132?, CouCod21, UNLId22?, RegCod24?, NCTEntDat25?,
NeaOff26?, NeaOff26LNG?, Pos28, PhoNum29?, FaxNum30?, TelNum31?, EmaAdd32?, GeoInfCod33?, TraDed34, ACT119,
TRADED106*, COICOSN*, CUSOFFLSD109+, CUSOFFTIM110*)>
<!-- Node: COUNTRY/REGION -->
<ELEMENT COU113 (CouCod73, CouCod74, ACT119, COULSD115+, COUHOL116*)>
<!-- Node: COUNTRY HOLIDAYS -->
<ELEMENT COUHOL118 (CouCod92, ACT119, COUHOLDAT120+)>
<!-- Node: ACTION -->
<ELEMENT ACT119 (Ope288, ValDat103?, ModSub144?, ActId)>
<!-- Node: (DEDICATED) TRADER -->
<ELEMENT TRADED106 (Nam36, LanCod37, TIN38?)>
<!-- Node: CUSTOMS OFFICE SPECIFIC NOTES -->
<ELEMENT COICOSN (SpecNotCodCN634)>
<!-- Node: CUSTOMS OFFICE LSD -->
<ELEMENT CUSOFFLSD109 (LanCod44, CusOffUsuNam45, CusOffUsuNam45LNG?, StrAndNum47, StrAndNum47LNG?,
Cit49, Cit49LNG?, PreLev51?, PreFla52, PreNam53?, PreNam53LNG?, Spa55)>
<!-- Node: CUSTOMS OFFICE TIMETABLE -->
<ELEMENT CUSOFFTIM110 (SeaCod57, SeaNam58?, SeaNam58LNG?, SeaStaDat60, SeaEndDat61,
CUSOFFTIMLIN111+)>
<!-- Node: COUNTRY/REGION LSD -->
<ELEMENT COULSD115 (LanCod80, CouNam81, CouNam81LNG?)>
<!-- Node: COUNTRY/REGION HOLIDAYS -->
<ELEMENT COUHOL116 (CouHolVarHolDat, Day84, Mon85, Yea86?, COUHOLLSD117+)>
<!-- Node: COUNTRY HOLIDAYS DATA -->
<ELEMENT COUHOLDAT120 (VarHolCouHolDat, Day98, Mon99, Yea100?, COUHOLDATLSD121+)>
<!-- Node: CUSTOMS OFFICE TIMETABLE LINE -->
<ELEMENT CUSOFFTIMLIN111 (DayInTheWeeBEGDA63, OpeHouTimFirPerF64, OpeHouTimFirPerT65,
DayInTheWeeENDDA66, OpeHouTimSecPerF67?, OpeHouTimSecPerT68?, CUSOFFROLCOM112+)>
<!-- Node: COUNTRY/REGION HOLIDAYS LSD -->
<ELEMENT COUHOLLSD117 (LanCod88, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: COUNTRY HOLIDAYS DATA LSD -->
<ELEMENT COUHOLDATLSD121 (LanCod102, PubHolNam89, PubHolNam89LNG?)>
<!-- Node: CUSTOMS OFFICE ROLE / TRAFFIC COMPETENCE -->
<ELEMENT CUSOFFROLCOM112 (Rol70, TraTyp71)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
63. IE931 C COL_DAT COL DATA	

```

<IELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<IELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<IELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<IELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<IELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<IELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<IELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<IELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Reference number -->
<IELEMENT RefNum18 (#PCDATA)>
<!-- Leaf: Reference number main office -->
<IELEMENT RefNumMaiOff104 (#PCDATA)>
<!-- Leaf: Reference number higher authority -->
<IELEMENT RefNumHigAut19 (#PCDATA)>
<!-- Leaf: Reference number take-over -->
<IELEMENT RefNumTak20 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Enquiry -->
<IELEMENT RefNumCAEnqCUSOFFINF131 (#PCDATA)>
<!-- Leaf: Reference number Competent Authority of Recovery -->
<IELEMENT RefNumCARecCUSOFFINF132 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCod21 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<IELEMENT UNLIid22 (#PCDATA)>
<!-- Leaf: Region code -->
<IELEMENT RegCod24 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<IELEMENT NCTEntDat25 (#PCDATA)>
<!-- Leaf: Nearest office -->
<IELEMENT NeaOff26 (#PCDATA)>
<!-- Leaf: Nearest office LNG -->
<IELEMENT NeaOff26LNG (#PCDATA)>
<!-- Leaf: Postal code -->
<IELEMENT Pos28 (#PCDATA)>
<!-- Leaf: Phone number -->
<IELEMENT PhoNum29 (#PCDATA)>
<!-- Leaf: Fax number -->
<IELEMENT FaxNum30 (#PCDATA)>
<!-- Leaf: Telex number -->
<IELEMENT TelNum31 (#PCDATA)>
<!-- Leaf: E-mail address -->
<IELEMENT EmaAdd32 (#PCDATA)>
<!-- Leaf: Geo info code -->
<IELEMENT GeoInfCod33 (#PCDATA)>
<!-- Leaf: Trader dedicated -->
<IELEMENT TraDed34 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
63. IE931 C COL_DAT COL DATA	

```

<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<ELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<ELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Action identification -->
<ELEMENT ActId (#PCDATA)>
<!-- Leaf: Name -->
<ELEMENT Nam36 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod37 (#PCDATA)>
<!-- Leaf: TIN -->
<ELEMENT TIN38 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<ELEMENT SpecNotCodCN634 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod44 (#PCDATA)>
<!-- Leaf: Customs office usual name -->
<ELEMENT CusOffUsuNam45 (#PCDATA)>
<!-- Leaf: Customs office usual name LNG -->
<ELEMENT CusOffUsuNam45LNG (#PCDATA)>
<!-- Leaf: Street and number -->
<ELEMENT StrAndNum47 (#PCDATA)>
<!-- Leaf: Street and number LNG -->
<ELEMENT StrAndNum47LNG (#PCDATA)>
<!-- Leaf: City -->
<ELEMENT Cit49 (#PCDATA)>
<!-- Leaf: City LNG -->
<ELEMENT Cit49LNG (#PCDATA)>
<!-- Leaf: Prefix-suffix level -->
<ELEMENT PreLev51 (#PCDATA)>
<!-- Leaf: Prefix-suffix flag -->
<ELEMENT PreFla52 (#PCDATA)>
<!-- Leaf: Prefix-suffix name -->
<ELEMENT PreNam53 (#PCDATA)>
<!-- Leaf: Prefix-suffix name LNG -->
<ELEMENT PreNam53LNG (#PCDATA)>
<!-- Leaf: Space to add -->
<ELEMENT Spa55 (#PCDATA)>
<!-- Leaf: Season code -->
<ELEMENT SeaCod57 (#PCDATA)>
<!-- Leaf: Season name -->
<ELEMENT SeaNam58 (#PCDATA)>
<!-- Leaf: Season name LNG -->
<ELEMENT SeaNam58LNG (#PCDATA)>
<!-- Leaf: Season start date -->
<ELEMENT SeaStaDat60 (#PCDATA)>
<!-- Leaf: Season end date -->
<ELEMENT SeaEndDat61 (#PCDATA)>
<!-- Leaf: Day in the week (begin day) -->
<ELEMENT DayInTheWeeBEGDA63 (#PCDATA)>
<!-- Leaf: Opening hours time first period from -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
63. IE931 C COL DAT COL DATA	

```

<ELEMENT OpeHouTimFirPerF64 (#PCDATA)>
<!-- Leaf: Opening hours time first period to -->
<ELEMENT OpeHouTimFirPerT65 (#PCDATA)>
<!-- Leaf: Day in the week (end day) -->
<ELEMENT DayInTheWeeENDDA66 (#PCDATA)>
<!-- Leaf: Opening hours time second period from -->
<ELEMENT OpeHouTimSecPerF67 (#PCDATA)>
<!-- Leaf: Opening hours time second period to -->
<ELEMENT OpeHouTimSecPerT68 (#PCDATA)>
<!-- Leaf: Role -->
<ELEMENT Rol70 (#PCDATA)>
<!-- Leaf: Traffic type -->
<ELEMENT TraTyp71 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod73 (#PCDATA)>
<!-- Leaf: Country/region code -->
<ELEMENT CouCod74 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod80 (#PCDATA)>
<!-- Leaf: Country/region name -->
<ELEMENT CouNam81 (#PCDATA)>
<!-- Leaf: Country/region name LNG -->
<ELEMENT CouNam81LNG (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT CouHolVarHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day84 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon85 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea86 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod88 (#PCDATA)>
<!-- Leaf: Public holiday name -->
<ELEMENT PubHolNam89 (#PCDATA)>
<!-- Leaf: Public holiday name LNG -->
<ELEMENT PubHolNam89LNG (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod92 (#PCDATA)>
<!-- Leaf: Variable holiday date -->
<ELEMENT VarHolCouHolDat (#PCDATA)>
<!-- Leaf: Day -->
<ELEMENT Day98 (#PCDATA)>
<!-- Leaf: Month -->
<ELEMENT Mon99 (#PCDATA)>
<!-- Leaf: Year -->
<ELEMENT Yea100 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod102 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
64. IE932 C_REF_DAT COMMON RD DATA	

## 64. IE932 C\_REF\_DAT COMMON RD DATA

```

<!-- Node: MESSAGE -->
<ELEMENT CD932B (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, RESOFCOD534*, AMEREJMOT429*, AARREJREA432*, ATRREJREA435*,
CONRESCOD438*, COU441*, COUREG444*, CUSOFFGEOINF447*, CURCOD450*, DISSOLNOT456*, DIVREJREA459*,
DOCTYP462*, GUATYP472*, GUAMON475*, INVGUAREA478*, LANCOD481*, PACCOD484*, ROL490*,
SENGOOCOD493*, SPEMENCOD496*, STATYP499*, TRATYP502*, CUSOPESTATYP505*, UNIOFMEA508*, UNL511*,
TRAMOD513*, QUEONGUATYP516*, SPENOTCODSNC2*, COMCOD389*, EXPQUEREACOD402*, INCCOD425*,
NATTRANCOD451*, PROREQ490*, PREPRO477*, REPSTACOD503*, RISANARESCOD382*, SPECCIRIND384*,
SUMDECREJREACOD544*, TYOFTAX570*, WARTYP595*, UNDANGOOCOD583*, COMNATPRO106*,
PREVDOCCAT464*, METHOPPAY367*, TRACHAMETOPPAY557*, DECTYP453*, DECTYPBX2*, INF359*,
PREDOCTYP463*, REQINF690*, ITENUMREJREACOD440*, CUSINT632*, INF359*, RESCOD*)>
<!-- Node: RESULTS OF CONTROL -->
<ELEMENT RESOFCOD534 (ConInd424, LANSPEDAT515+, ACT517)>
<!-- Node: AMENDMENT REJECTION MOTIVATION -->
<ELEMENT AMEREJMOT429 (AmeRejMotCod31, LANSPEDAT515+, ACT517)>
<!-- Node: AAR/AER REJECTION REASON -->
<ELEMENT AARREJREA432 (AARRejReaCod44, LANSPEDAT515+, ACT517)>
<!-- Node: ATR REJECTION REASON -->
<ELEMENT ATRREJREA435 (ATRRejReaCod57, LANSPEDAT515+, ACT517)>
<!-- Node: CONTROL RESULT CODE -->
<ELEMENT CONRESCOD438 (ConResCod70, ACT517, LANSPEDAT515+)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, TCCEntDat84, NCTEntDat85, GeoCod86?, CouRegCod87, ACT517, LANSPEDAT515+)>
<!-- Node: COUNTRY REGIME -->
<ELEMENT COUREG444 (CouRegCod100, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS OFFICE GEO INFO -->
<ELEMENT CUSOFFGEOINF447 (CusOffGeoInfCod113, ACT517, LANSPEDAT515+)>
<!-- Node: CURRENCY CODE -->
<ELEMENT CURCOD450 (Cur126, RatVal127, ACT517, LANSPEDAT515+)>
<!-- Node: DISCREPANCIES SOLVED NOTIFICATION -->
<ELEMENT DISSOLNOT456 (DisSolNotCod153, LANSPEDAT515+, ACT517)>
<!-- Node: DIVERSION REJECTION REASON -->
<ELEMENT DIVREJREA459 (DivRejReaCod166, LANSPEDAT515+, ACT517)>
<!-- Node: DOCUMENT TYPE -->
<ELEMENT DOCTYP462 (DocTyp179, TraDoc199, ACT517, LANSPEDAT515+)>
<!-- Node: GUARANTEE TYPE -->
<ELEMENT GUATYP472 (GuaTypCod217, ACT517, LANSPEDAT515+)>
<!-- Node: GUARANTEE MONITORING -->
<ELEMENT GUAMON475 (GuaMonCod230, ACT517, LANSPEDAT515+)>
<!-- Node: INVALID GUARANTEE REASON -->
<ELEMENT INVGUAREA478 (InvGuaReaCod243, ACT517, LANSPEDAT515+)>
<!-- Node: LANGUAGE CODE -->
<ELEMENT LANCOD481 (LanCod256, ACT517, LANSPEDAT515+)>
<!-- Node: PACKAGING CODE -->
<ELEMENT PACCOD484 (PacCod269, ACT517, LANSPEDAT515+)>
<!-- Node: ROLE -->
<ELEMENT ROL490 (Rol295, ACT517, LANSPEDAT515+)>
<!-- Node: SENSITIVE GOODS CODE -->
<ELEMENT SENGOOCOD493 (ComCod308, SenGooCod309?, RefQua310?, UniOfMea311?, EECTerLim312, ACT517,
LANSPEDAT515+)>
<!-- Node: SPECIAL MENTION CODE -->
<ELEMENT SPEMENCOD496 (SpeMenCod325, ACT517, LANSPEDAT515+)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
64. IE932 C_REF_DAT COMMON RD DATA	

```

<!-- Node: STATISTICS TYPE -->
<IELEMENT STATYP499 (StaTyp338, ACT517, LANSPEDAT515+)>
<!-- Node: TRAFFIC TYPE -->
<IELEMENT TRATYP502 (TraTyp351, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS OPERATION STATE TYPE -->
<IELEMENT CUSOPESTATYP505 (CusOpeStaTyp364, ACT517, LANSPEDAT515+)>
<!-- Node: UNIT OF MEASURE -->
<IELEMENT UNIOFMEA508 (UniOfMeaCod377, ACT517, LANSPEDAT515+)>
<!-- Node: UN/LOCODE -->
<IELEMENT UNL511 (CouCod390, UNL391, UNLName392, ACT517)>
<!-- Node: TRANSPORT MODE -->
<IELEMENT TRAMOD513 (TraMod401, ACT517, LANSPEDAT515+)>
<!-- Node: QUERY ON GUARANTEE TYPE -->
<IELEMENT QUEONGUATYP516 (QueIde414, ACT517, LANSPEDAT515+)>
<!-- Node: SPECIFIC NOTES CODE -->
<IELEMENT SPENOTCODSNC2 (SpeNotCod644, ACT517, LANSPEDAT515+)>
<!-- Node: COMPLEMENTARY CODE -->
<IELEMENT COMCOD389 (ComCodCOMCOD401, LANSPEDAT515+, ACT517)>
<!-- Node: EXPORT QUERY REASON CODE -->
<IELEMENT EXPQUEREACOD402 (ExpQueReaCodEXPQUEREACOD414, LANSPEDAT515+, ACT517)>
<!-- Node: INCOTERM CODE -->
<IELEMENT INCCOD425 (IncCodINCCOD652, LANSPEDAT515+, ACT517)>
<!-- Node: NATURE OF TRANSACTION CODE -->
<IELEMENT NATTRANCOD451 (NatTranCodNATTRACOD463, LANSPEDAT515+, ACT517)>
<!-- Node: PROCEDURE REQUESTED -->
<IELEMENT PROREQ490 (ProReqPROREQ502, LANSPEDAT515+, ACT517)>
<!-- Node: PREVIOUS PROCEDURE -->
<IELEMENT PREPRO477 (PreProPREPRO489, LANSPEDAT515+, ACT517)>
<!-- Node: REPRESENTATIVE STATUS CODE -->
<IELEMENT REPSTACOD503 (RepStatCodREPSTATCOD516, LANSPEDAT515+, ACT517)>
<!-- Node: RISK ANALYSIS RESULT CODE -->
<IELEMENT RISANARESCOD382 (RisAnaResCodRISANARESCOD528, ACT517, LANSPEDAT515+)>
<!-- Node: SPECIFIC CIRCUMSTANCE INDICATOR -->
<IELEMENT SPECCIRIND384 (SpeCirIndSPECIRIND543, LANSPEDAT515+, ACT517)>
<!-- Node: SUMMARY DECLARATION REJECTION REASON CODE -->
<IELEMENT SUMDECREJREACOD544 (SumDecRejReaCodSUMDECREJREACOD556, ACT517, LANSPEDAT515+)>
<!-- Node: TYPE OF TAX -->
<IELEMENT TYPOFTAX570 (TypOfTaxTYPOFTAX582, LANSPEDAT515+, ACT517)>
<!-- Node: WAREHOUSE TYPE -->
<IELEMENT WARTYP595 (WarTypWARTYP607, ACT517, LANSPEDAT515+)>
<!-- Node: UN DANGEROUS GOODS CODE -->
<IELEMENT UNDANGOOCOD583 (UNDangoocodUNDANGOOCOD594, LANSPEDAT515+, ACT517)>
<!-- Node: COMMUNITY NATIONAL PROCEDURE -->
<IELEMENT COMNATPRO106 (ComNatProCOM613, LANSPEDAT515+, ACT517)>
<!-- Node: PREVIOUS DOCUMENT CATEGORY -->
<IELEMENT PREVDOCCAT464 (PreDocCatPREDOCCAT476, LANSPEDAT515+, ACT517)>
<!-- Node: METHOD OF PAYMENT -->
<IELEMENT METHOFPAY367 (MethofPayMETHOFPAY450, ACT517, LANSPEDAT515+)>
<!-- Node: TRANSPORT CHARGES METHOD OF PAYMENT -->
<IELEMENT TRACHAMETOPAY557 (TraChaMetOfPayTRACHAMETOPAY569, ACT517, LANSPEDAT515+)>
<!-- Node: DECLARATION TYPE -->
<IELEMENT DECTYP453 (DecTyp140, ACT517, LANSPEDAT515+)>
<!-- Node: DECLARATION TYPE (BOX 1.2) -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
64. IE932 C_REF_DAT COMMON RD DATA	

```

<ELEMENT DECTYPBX2 (TypOfDecBx2DEC626, ACT517, LANSPEDAT515+)>
<!-- Node: INFORMATION -->
<ELEMENT INF359 (InfCodINF045, ACT517, LANSPEDAT515+)>
<!-- Node: PREVIOUS DOCUMENT TYPE -->
<ELEMENT PREDOCTYP463 (PreDocTyp180, ACT517, LANSPEDAT515+)>
<!-- Node: REQUESTED INFORMATION -->
<ELEMENT REQINF690 (ReqInfCodREQINF546, LANSPEDAT515+, ACT517)>
<!-- Node: ITEM NUMBER REJECTION REASON CODE -->
<ELEMENT ITENUMREJREACOD440 (ItemNumRejReaCodITENUMREJREACOD444, ACT517, LANSPEDAT515+)>
<!-- Node: CUSTOMS INTERVENTION -->
<ELEMENT CUSINT632 (CusIntCodCUSINT665, ACT517, LANSPEDAT515+)>
<!-- Node: INFORMATION TYPE -->
<ELEMENT INFTYP432 (InfTypINFTYP433, ACT517, LANSPEDAT515+)>
<!-- Node: RESPONSE CODE -->
<ELEMENT RESCOD (ResCodRESCOD569, LANSPEDAT515+, ACT517)>
<!-- Node: LANGUAGE SPECIFIC DATA -->
<ELEMENT LANSPEDAT515 (LanCod347, Des110, LANSPEDAT515LNG?)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288, ValDat103?, ModSub144?, LegRef197?, ResDatMan302?, ActId)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Control indicator -->
<ELEMENT ConInd424 (#PCDATA)>
<!-- Leaf: Language code -->
<ELEMENT LanCod347 (#PCDATA)>
<!-- Leaf: Description -->
<ELEMENT Des110 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
64. IE932 C_REF_DAT COMMON RD DATA	

```

<!-- Leaf: Language specific data LNG -->
<IELEMENT LANSPEDAT515LNG (#PCDATA)>
<!-- Leaf: Operation -->
<IELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Validity date -->
<IELEMENT ValDat103 (#PCDATA)>
<!-- Leaf: Modification subtype -->
<IELEMENT ModSub144 (#PCDATA)>
<!-- Leaf: Legal references -->
<IELEMENT LegRef197 (#PCDATA)>
<!-- Leaf: Responsible data manager -->
<IELEMENT ResDatMan302 (#PCDATA)>
<!-- Leaf: Action identification -->
<IELEMENT ActId (#PCDATA)>
<!-- Leaf: Amendment rejection motivation code -->
<IELEMENT AmeRejMotCod31 (#PCDATA)>
<!-- Leaf: AAR/AER rejection reason code -->
<IELEMENT AARRejReaCod44 (#PCDATA)>
<!-- Leaf: ATR rejection reason code -->
<IELEMENT ATRRejReaCod57 (#PCDATA)>
<!-- Leaf: Control result code -->
<IELEMENT ConResCod70 (#PCDATA)>
<!-- Leaf: Country code -->
<IELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: TCC entry date -->
<IELEMENT TCCEntDat84 (#PCDATA)>
<!-- Leaf: NCTS entry date -->
<IELEMENT NCTEntDat85 (#PCDATA)>
<!-- Leaf: Geo-nomenclature code -->
<IELEMENT GeoCod86 (#PCDATA)>
<!-- Leaf: Country regime code -->
<IELEMENT CouRegCod87 (#PCDATA)>
<!-- Leaf: Country regime code -->
<IELEMENT CouRegCod100 (#PCDATA)>
<!-- Leaf: Geo info code -->
<IELEMENT CusOffGeoInfCod113 (#PCDATA)>
<!-- Leaf: Currency -->
<IELEMENT Cur126 (#PCDATA)>
<!-- Leaf: Rate value -->
<IELEMENT RatVal127 (#PCDATA)>
<!-- Leaf: Discrepancies solved notification code -->
<IELEMENT DisSolNotCod153 (#PCDATA)>
<!-- Leaf: Diversion rejection reason code -->
<IELEMENT DivRejReaCod166 (#PCDATA)>
<!-- Leaf: Document type -->
<IELEMENT DocTyp179 (#PCDATA)>
<!-- Leaf: Transport document -->
<IELEMENT TraDoc199 (#PCDATA)>
<!-- Leaf: Guarantee type -->
<IELEMENT GuaTypCod217 (#PCDATA)>
<!-- Leaf: Guarantee monitoring code -->
<IELEMENT GuaMonCod230 (#PCDATA)>
<!-- Leaf: Invalid guarantee reason code -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
64. IE932 C_REF_DAT COMMON RD DATA	

```

<!ELEMENT InvGuaReaCod243 (#PCDATA)>
<!-- Leaf: Language code -->
<!ELEMENT LanCod256 (#PCDATA)>
<!-- Leaf: Kind of packages -->
<!ELEMENT PacCod269 (#PCDATA)>
<!-- Leaf: Role -->
<!ELEMENT Rol295 (#PCDATA)>
<!-- Leaf: Commodity code (taric code) -->
<!ELEMENT ComCod308 (#PCDATA)>
<!-- Leaf: Sensitive goods code -->
<!ELEMENT SenGooCod309 (#PCDATA)>
<!-- Leaf: Reference quantity -->
<!ELEMENT RefQua310 (#PCDATA)>
<!-- Leaf: Unit of measure code -->
<!ELEMENT UniOfMea311 (#PCDATA)>
<!-- Leaf: EEC territory limitation -->
<!ELEMENT EECterLim312 (#PCDATA)>
<!-- Leaf: Additional information coded -->
<!ELEMENT SpeMenCod325 (#PCDATA)>
<!-- Leaf: Statistics type -->
<!ELEMENT StaTyp338 (#PCDATA)>
<!-- Leaf: Traffic type -->
<!ELEMENT TraTyp351 (#PCDATA)>
<!-- Leaf: Customs Operation State Types -->
<!ELEMENT CusOpeStaTyp364 (#PCDATA)>
<!-- Leaf: Unit of measure code -->
<!ELEMENT UniOfMeaCod377 (#PCDATA)>
<!-- Leaf: Country code -->
<!ELEMENT CouCod390 (#PCDATA)>
<!-- Leaf: UN/LOCODE id -->
<!ELEMENT UNL391 (#PCDATA)>
<!-- Leaf: UN/LOCODE name -->
<!ELEMENT UNLNam392 (#PCDATA)>
<!-- Leaf: Transport mode -->
<!ELEMENT TraMod401 (#PCDATA)>
<!-- Leaf: Query identifier -->
<!ELEMENT Quelde414 (#PCDATA)>
<!-- Leaf: Specific notes code -->
<!ELEMENT SpeNotCod644 (#PCDATA)>
<!-- Leaf: Complementary code -->
<!ELEMENT ComCodCOMCOD401 (#PCDATA)>
<!-- Leaf: Export_Query Reason Code -->
<!ELEMENT ExpQueReaCodEXPQUEREACOD414 (#PCDATA)>
<!-- Leaf: Incoterm Code -->
<!ELEMENT IncCodINCCOD652 (#PCDATA)>
<!-- Leaf: Nature of transaction code -->
<!ELEMENT NatTranCodNATTRACOD463 (#PCDATA)>
<!-- Leaf: Procedure requested -->
<!ELEMENT ProReqPROREQ502 (#PCDATA)>
<!-- Leaf: Previous Procedure -->
<!ELEMENT PreProPREPRO489 (#PCDATA)>
<!-- Leaf: Representative status code -->
<!ELEMENT RepStatCodREPSTATCOD516 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
64. IE932 C_REF_DAT COMMON RD DATA	

```

<!-- Leaf: Risk Analysis result code -->
<ELEMENT RisAnaResCodRISANARESCOD528 (#PCDATA)>
<!-- Leaf: Specific Circumstance Indicator -->
<ELEMENT SpeCirIndSPECIRIND543 (#PCDATA)>
<!-- Leaf: Summary Declaration rejection reason code -->
<ELEMENT SumDecRejReaCodSUMDECREJREACOD556 (#PCDATA)>
<!-- Leaf: Type of tax -->
<ELEMENT TypOfTaxTYPOFTAX582 (#PCDATA)>
<!-- Leaf: Warehouse type -->
<ELEMENT WarTypWARTYP607 (#PCDATA)>
<!-- Leaf: UN dangerous goods code -->
<ELEMENT UNdangooCodUNDANGOOCOD594 (#PCDATA)>
<!-- Leaf: Community / National Procedure -->
<ELEMENT ComNatProCOM613 (#PCDATA)>
<!-- Leaf: Previous Document Category -->
<ELEMENT PreDocCatPREDOCCAT476 (#PCDATA)>
<!-- Leaf: Method of payment -->
<ELEMENT MethofPayMETHOFPAY450 (#PCDATA)>
<!-- Leaf: Transport charges/ Method of Payment -->
<ELEMENT TraChaMetOfPayTRACHAMETOPAY569 (#PCDATA)>
<!-- Leaf: Type of declaration -->
<ELEMENT DecTyp140 (#PCDATA)>
<!-- Leaf: Type of declaration (Box 1.2) -->
<ELEMENT TypOfDecBx2DEC626 (#PCDATA)>
<!-- Leaf: Information Code -->
<ELEMENT InfCodINF045 (#PCDATA)>
<!-- Leaf: Previous document type -->
<ELEMENT PreDocTyp180 (#PCDATA)>
<!-- Leaf: Requested Information Code -->
<ELEMENT ReqInfCodREQINF546 (#PCDATA)>
<!-- Leaf: Item number rejection reason code -->
<ELEMENT ItemNumRejReaCodITENUMREJREACOD444 (#PCDATA)>
<!-- Leaf: Customs Intervention code -->
<ELEMENT CusIntCodCUSINT665 (#PCDATA)>
<!-- Leaf: Information type -->
<ELEMENT InfTypINFTYP433 (#PCDATA)>
<!-- Leaf: Response Code -->
<ELEMENT ResCodRESCOD569 (#PCDATA)>

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
65. IE971 C_UNA_DAT FULL UNAVAILABILITY SCHEDULE	

## 65. IE971 C\_UNA\_DAT FULL UNAVAILABILITY SCHEDULE

```

<!-- Node: MESSAGE -->
<ELEMENT CD971A (SynIdeMES1, SynVerNumMES2, MesSenMES3, SenIdeCodQuaMES4?, MesRecMES6,
RecIdeCodQuaMES7?, DatOfPreMES9, TimOfPreMES10, IntConRefMES11, RecRefMES12?, RecRefQuaMES13?,
TesIndMES18?, MesIdeMES19, MesTypMES20, COU441*)>
<!-- Node: COUNTRY -->
<ELEMENT COU441 (CouCod83, ACT517+, COSYSUNAV+)>
<!-- Node: ACTION -->
<ELEMENT ACT517 (Ope288)>
<!-- Node: SYSTEM UNAVAILABILITY -->
<ELEMENT COSYSUNAV (CouSysUNABusFunCSU660, CouSysUNADowFrmCSU661, CouSysUNATypCSU662,
CouSysUNADowToCSU663?, CouSysUNAEExpCSU664?, CouSysUNAEExpCSU664LNG?)>
<!-- Leaf: Syntax identifier -->
<ELEMENT SynIdeMES1 (#PCDATA)>
<!-- Leaf: Syntax version number -->
<ELEMENT SynVerNumMES2 (#PCDATA)>
<!-- Leaf: Message sender -->
<ELEMENT MesSenMES3 (#PCDATA)>
<!-- Leaf: Sender identification code qualifier -->
<ELEMENT SenIdeCodQuaMES4 (#PCDATA)>
<!-- Leaf: Message recipient -->
<ELEMENT MesRecMES6 (#PCDATA)>
<!-- Leaf: Recipient identification code qualifier -->
<ELEMENT RecIdeCodQuaMES7 (#PCDATA)>
<!-- Leaf: Date of preparation -->
<ELEMENT DatOfPreMES9 (#PCDATA)>
<!-- Leaf: Time of preparation -->
<ELEMENT TimOfPreMES10 (#PCDATA)>
<!-- Leaf: Interchange control reference -->
<ELEMENT IntConRefMES11 (#PCDATA)>
<!-- Leaf: Recipient's reference/password -->
<ELEMENT RecRefMES12 (#PCDATA)>
<!-- Leaf: Recipient's reference/password qualifier -->
<ELEMENT RecRefQuaMES13 (#PCDATA)>
<!-- Leaf: Test indicator -->
<ELEMENT TesIndMES18 (#PCDATA)>
<!-- Leaf: Message identification -->
<ELEMENT MesIdeMES19 (#PCDATA)>
<!-- Leaf: Message type -->
<ELEMENT MesTypMES20 (#PCDATA)>
<!-- Leaf: Country code -->
<ELEMENT CouCod83 (#PCDATA)>
<!-- Leaf: Operation -->
<ELEMENT Ope288 (#PCDATA)>
<!-- Leaf: Business functionality -->
<ELEMENT CouSysUNABusFunCSU660 (#PCDATA)>
<!-- Leaf: Downtime from -->
<ELEMENT CouSysUNADowFrmCSU661 (#PCDATA)>
<!-- Leaf: System unavailability type -->
<ELEMENT CouSysUNATypCSU662 (#PCDATA)>
<!-- Leaf: Downtime to -->
<ELEMENT CouSysUNADowToCSU663 (#PCDATA)>
<!-- Leaf: Explanation -->

```

DDNXA for ECS P2. Version 5.00	ALIGNED TO DDNA KEL 0.23
REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_T	
Appendix T: Document Type Definitions	
65. IE971 C_UNA_DAT FULL UNAVAILABILITY SCHEDULE	

<!ELEMENT CouSysUNaExpCSU664 (#PCDATA)>  
 <!-- Leaf: Explanation LNG -->  
 <!ELEMENT CouSysUNaExpCSU664LNG (#PCDATA)>