

|  |   |                                |
|--|---|--------------------------------|
| <b>Owner:</b><br><b>DG TAXUD</b>   | <b>Issue Date:</b><br><b>28/02/2011</b> | <b>Version:</b><br><b>5.00</b> |
| <p><b>TAXATION AND CUSTOMS UNION DG</b></p> <p><b>CUST-DEV2 - FC TAXUD/2010/CC/100 - SC 04</b></p> <p><b>SUBJECT:</b></p> <p><b>DDNXA for ECS P2</b></p> <p><b>Appendix H: EDIFACT Segment Descriptions</b></p> <p><b>(CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H)</b></p> |   |                                |
| <p><b>FRAMEWORK CONTRACT TAXUD/2010/CC/100</b></p> <p><b>SPECIFIC CONTRACT 04</b></p>  |   |                                |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 1. Introduction                                    |                          |

## 1. Introduction

This document presents the EDIFACT Segment Descriptions for the messages.

## DDNA KEL Alignment

The specific Appendix is aligned to DDNA KEL V0.23

## Symbolism used

## Definitions

Segment descriptions contain the detailed specification of how each EDIFACT segment is used for each message.

## Components

For each occurrence of a segment, the table given shows the following:

| Position          | Content  |
|-------------------|--|
| Heading, column 1 | The segment tag and its position in the EDIFACT message in brackets. They are in bold. The position number for the UNB segment is 0 as it is the interchange header and part of all messages. The position number is the position within the entire UNSM. The segment tables appear in position number order.<br>The position number is followed by the segment name, segment usage (M=mandatory; C=conditional) and the segment occurrence (the maximum number of times it can be used in the transaction).                           |
| Heading, column 2 | Data group from the FMS that contains the data items carried in the segment. Several data groups can be mapped to the same segment, depending on the segment occurrence (column 1).  |
| Body, column 1    | TAG of the composite, component data element and/or simple data element;<br>Name of the composite, component data element (upper case) and/or simple data element (lower case);<br>Usage specified in the UNSM (M=mandatory; C=conditional);<br>Format specified in the UNSM (a=alpha only, n=numeric only, an = alpha-numeric, followed by maximum number of characters allowed. Formats containing ".." (e.g. an..35) signify that the size can be less than or equal to the number of characters shown. Otherwise, size is constant |
| Body, column 2    | Qualifier value to be used (shown between apostrophes, e.g. "14") qualifier description (in brackets); OR attribute name from FMS, followed by format in brackets  |
| Body, column 3    | The ECS P2 Code list applicable.   |

*Table 1: Segment Description Content*

The FMS Usage codes included in previous versions of Appendix H have been removed.

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 2. Changes   |                          |

## 2. Changes

The following adjustments have been done to the UN Standard Messages.

### Format changes

| UNSM   | Position             | Change             | Reason   |
|--------|----------------------|--------------------|--|
| BANSTA | MOA[19]              | Repeat factor 5    | This segment is used to map FMS data fields that are repeated more than one times.   |
| BANSTA | FII[24]              | Repeat factor 999  | This segment is used to map FMS data fields that are repeated more than one times.   |
| BANSTA | NAD[10]              | Repeat factor 5    | This segment is used to map FMS data fields that are repeated more than three times.   |
| BANSTA | DTM[18]              | Repeat factor 5    | This segment is used to map FMS data fields that are repeated more than two times.   |
| BANSTA | COM[26].C076.3155    | Status from M to C | Goods description LNG (O)  |
| BANSTA | NAD[27]              | Repeat factor 99   | This segment is used to map FMS data fields that are repeated more than 1 time. MESSAGE - GUARANTOR - GUARANTOR OTHER ADDRESSES(99x)   |
| BANSTA | DTM[3]               | Status from M to C | Not Used   |
| BANSTA | SEQ[16]              | Repeat factor 99   | This segment is used to map FMS data fields that are repeated more than 9 times. MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY (1x) MESSAGE - GUARANTEE REFERENCE - USAGE(9999x) |
| BANSTA | FII[24].C088.3433    | an..11 to an..22   | Commodity Code in IE037  |
| BANSTA | GIS[17]              | Repeat factor 9    | This segment is used to map FMS data fields that are repeated more than one time.  |
| CUSDEC | PAC[14].C402.7077    | an..3 to an..4     | Guarantee Access Code and Seals Number   |
| CUSDEC | PAC[99]              | Repeat factor 99   | GOODS ITEM - PACKAGES (99x)  |
| CUSDEC | GIR[131].C206#1      | Status from M to C | SGI CODES.Sensitive quantity   |
| CUSDEC | PAC[14]              | Repeat factor 99   | GUARANTEE - GUARANTEE REFERENCE (99x)  |
| CUSDEC | PAC[14].C402.7077    | an..3 to an..4     | Seals Number   |
| CUSDEC | PAC[14].C402.7077    | Status from M to C | Guarantee Access Code  |
| CUSDEC | PCI[15].C210.7102    | Status from M to C | Endorsement Date   |
| CUSDEC | PAC[14&99].C402.7064 | Status from M to C | Number of Packages Guarantee reference number  |
| CUSDEC | CST[92].C246.7361    | an..18 to an..22   | Commodity Code   |
| CUSDEC | FTX[11&93].C108.4440 | Status from M to C | Pointer to the attribute   |
| CUSDEC | TOD[115]             | Repeat factor 99   | GOODS ITEM - SPECIAL MENTIONS (99x)  |
| CUSDEC | CST[92]              | Repeat factor 999  | Mapping of GOODS ITEM (999)  |
| CUSDEC | CST.FTX[93]          | Repeat factor 999  | Mapping of GOODS ITEM - RESULTS OF CONTROLS (199)  |
| CUSDEC | DOC[111]             | Repeat factor 999  | GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES (9x)<br>- PRODUCED DOCUMENTS/CERTIFICATES (99x)<br>- PRODUCED DOCUMENTS/CERTIFICATES (495x)  |
| CUSRES | FTX[4].C107.4441     | Status from C to O | ENQUIRY.Delivery date TC11   |
| CUSRES | FTX[4]               | Repeat factor 9999 | FUNCTIONAL ERROR (999x)<br>HEADER.Cancellation justification<br>HEADER.Release request rejection   |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 2. Changes   |                          |

|        |                           |                         |   |
|--------|---------------------------|-------------------------|---|
| CUSRES | FTX[48]                   | Repeat factor 999       | This segment is used to map FMS data fields that are repeated more than 99 times.   |
| FINSTA | DTM[3]                    | Status from M to C      | Not Used  |
| FINSTA | RFF[19]                   | Status from M to C      | Not Used.   |
| FINSTA | FII[13]                   | Status from M to C      | The optionality of segment FII.   |
| FINSTA | MOA[16]                   | Status from M to C      | Reference amount , Percentage of reference amount.  |
| FINSTA | DTM[20]                   | Status from M to C      | The optionality of segment DTM.   |
| FINSTA | BUS[21]                   | Status from M to C      | Not Used  |
| FINSTA | RFF[14]                   | Status from M to C.     | The optionality of segment RFF.   |
| FINSTA | MOA[22]                   | Status from M to C      | Not Used  |
| GENRAL | LOC[14]                   | Repeat factor 9         | This segment is used to map FMS data fields that are repeated more than one times.  |
| GESMES | FTX.C108.4440             | Status from M to C      | Validity Date (D)   |
| GESMES | VLI[10]                   | Repeat factor 99999     | UN/LOCODE (9999x) plus others of (999x).  |
| GESMES | DSI[32].ARR[37].C770.9424 | 9424 Added 2 more times | In UNSM appears only once - used three times for transit  |
| PARTIN | CTA[20]                   | Repeat factor 99        | CUSTOMS OFFICE INFORMATION -TRADER DEDICATED (99x)  |
| PARTIN | DTM[3]                    | Status from M to C      | Not used  |
| PARTIN | TOD[24]                   | Repeat factor 999       | CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE TIMETABLE (9x)<br>- CUSTOMS OFFICE LSD (9x)<br>- COUNTRY HOLIDAYS DATA (99x)<br>- COUNTRY/REGION HOLIDAYS (99x) |
| PARTIN | FTX.C108.4440             | Status from M to C      | Validity Date (D)   |
| PARTIN | FTX[27]                   | Inserted                | COI-COT-COTL - CUSTOMS OFFICE ROLE/TRAFFIC COMPETENCE   |
| PARTIN | FTX[15]                   | Inserted                | COUNTRY/REGION HOLIDAYS -ACTION (1x)various - LANGUAGE SPECIFIC DATA (99x)  |
| PARTIN | LOC[26]                   | Repeat factor 99        | CUSTOMS OFFICE INFORMATION-CUSTOMS OFFICE TIMETABLE (9x)COUNTRY HOLIDAYS -COUNTRY HOLIDAYS DATA (9x)COUNTRY/REGION-COUNTRY/REGION HOLIDAYS (9x)             |
| PARTIN | BGM[2]                    | Status from M to C      | Message Identification re-mapped to UNH for consistency with other Message Types.   |
| PARTIN | DTM[25]                   | Inserted                | CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE TIMETABLE.Season start/end date   |
| SANCRT | FTX[48]                   | Repeat factor 999       | This segment is used to map FMS data fields that are repeated more than 99 time.  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 3. Stuffing  |                          |

### 3. Stuffing

In a number of cases, there is no proper segment or qualifier for mapping functional requirements. In these cases, another segment is selected for exchanging the functional message structures. This is called 'stuffing'. Basic reasons are the difference in hierarchy between FMS and UN/EDIFACT UNSMs and missing segments/data elements to represent the semantics of the FMS. Stuffing to D96B CUSDEC concerns the mapping of the 'En route event' and the 'Guarantee' groups.

A requirement in the SAM Mapping Guideline has been to not use the DMS group of D96B CUSDEC. Therefore, alignment to the SAM Mapping Guideline required mapping of these groups to other groups in D96B CUSDEC.

This concerns the following major mappings:

| Message | Element                       | Segment | Position |
|---------|-------------------------------|---------|----------|
| CUSDEC  | INCIDENT                      | FTX     | 16       |
| CUSDEC  | EN ROUTE EVENT                | PAC     | 14       |
| CUSDEC  | TRANSHIPMENT                  | PCI     | 15       |
| CUSDEC  | TRANSHIPMENT                  | FTX     | 16       |
| CUSDEC  | CONTAINERS                    | PCI     | 15       |
| CUSDEC  | INCIDENT                      | PCI     | 15       |
| GSMES   | LANGUAGE SPECIFIC DATA        | DTM     | 15       |
| GSMES   | ACTION                        | FTX     | 12       |
| PARTTC  | COUNTRY HOLIDAYS DATA LSD     | LOC     | 26       |
| PARTTC  | COUNTRY/REGION HOLIDAYS LSD   | LOC     | 26       |
| PARTTC  | CUSTOMS OFFICE LSD            | LOC     | 26       |
| PARTTC  | CUSTOMS OFFICE TIMETABLE LINE | LOC     | 26       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## 4. EDIFACT

### BANSTA

UNB[0],INTERCHANGE HEADER,M,1x

### MESSAGE

Codelist

|      |  |   |        |   |  |    |
|------|--|---|--------|---|--|----|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |  |    |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          |  | 21 |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      |  | 22 |
| S002 | INTERCHANGE SENDER                       | M |        |   |  |    |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |  |    |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |  |    |
| 0008 | Address for reverse routing              | C | an..14 |   |  |    |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |  |    |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |  |    |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |  |    |
| 0014 | Routing address                          | C | an..14 |   |  |    |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |  |    |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |  |    |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |  |    |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |  |    |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |  |    |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |  |    |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |  |    |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |  |    |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |  |    |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    |  | 27 |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |  |    |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             |  | 27 |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                         | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14)  |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                 |          |
| 0065                       | Message type              | M | an..6  | 'BANSTA'                        |          |
| 0052                       | Message version number    | M | an..3  | 'D'                             |          |
| 0054                       | Message release number    | M | an..3  | '96B'                           |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                            |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)             | 60       |
| 0068                       | Common Access Reference   | C | an..35 | Common access reference(an..35) |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                 |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                 |          |
| 0073                       | First and last transfer   | C | a1     |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| BGM[2],BEGINNING OF MESSAGE,M,1x |                                     |   |        | MESSAGE                                 | Codelist |
|----------------------------------|-------------------------------------|---|--------|---|----------|
| C002                             | DOCUMENT/MESSAGE NAME               | C |        |   |          |
| 1001                             | Document/message name, coded        | C | an..3  |   |          |
| 1131                             | Code list qualifier                 | C | an..3  |   |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |   |          |
| 1000                             | Document/message name               | C | an..35 |   |          |
| C106                             | DOCUMENT/MESSAGE IDENTIFICATION     | C |        |   |          |
| 1004                             | Document/message number             | C | an..35 | Original message identification(an..14) |          |
| 1056                             | Version                             | C | an..9  |   |          |
| 1060                             | Revision number                     | C | an..6  |   |          |
| 1225                             | Message function, coded             | C | an..3  | '13'                                    |          |
| 4343                             | Response type, coded                | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[10],NAME AND ADDRESS,C,5x |                                     |   |        | MESSAGE - (REQUESTER) CUSTOMS OFFICE | Codelist |
|-------------------------------|-------------------------------------|---|--------|--------------------------------------|----------|
| 3035                          | Party qualifier                     | M | an..3  | 'CM'                                 |          |
| C082                          | PARTY IDENTIFICATION DETAILS        | C |        |                                      |          |
| 3039                          | Party id. identification            | M | an..35 | Reference number(an8)                |          |
| 1131                          | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                          | Code list responsible agency, coded | C | an..3  |                                      |          |
| C058                          | NAME AND ADDRESS                    | C |        |                                      |          |
| 3124                          | Name and address line               | M | an..35 |                                      |          |
| 3124                          | Name and address line               | C | an..35 |                                      |          |
| 3124                          | Name and address line               | C | an..35 |                                      |          |
| 3124                          | Name and address line               | C | an..35 |                                      |          |
| 3124                          | Name and address line               | C | an..35 |                                      |          |
| C080                          | PARTY NAME                          | C |        |                                      |          |
| 3036                          | Party name                          | M | an..35 |                                      |          |
| 3036                          | Party name                          | C | an..35 |                                      |          |
| 3036                          | Party name                          | C | an..35 |                                      |          |
| 3036                          | Party name                          | C | an..35 |                                      |          |
| 3036                          | Party name                          | C | an..35 |                                      |          |
| 3045                          | Party name format, coded            | C | an..3  |                                      |          |
| C059                          | STREET                              | C |        |                                      |          |
| 3042                          | Street and number/p.o. box          | M | an..35 |                                      |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |                                      |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |                                      |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |                                      |          |
| 3164                          | City name                           | C | an..35 |                                      |          |
| 3229                          | Country sub-entity identification   | C | an..9  |                                      |          |
| 3251                          | Postcode identification             | C | an..9  |                                      |          |
| 3207                          | Country, coded                      | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[33],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                   | Codelist |
|------------------------------|-----------------------------------|---|--------|---|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message --' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNZ[34],INTERCHANGE TRAILER,M,1x |                               |   |        | MESSAGE                               | Codelist |
|----------------------------------|-------------------------------|---|--------|---------------------------------------|----------|
| 0036                             | Interchange control count     | M | n..6   | '-- Interchange control count --'     |          |
| 0020                             | Interchange control reference | M | an..14 | Interchange control reference(an..14) |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## CONTRL

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |          |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |          |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    | 27       |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                         | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14)  |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                 |          |
| 0065                       | Message type              | M | an..6  | 'CONTRL'                        |          |
| 0052                       | Message version number    | M | an..3  | 'D'                             |          |
| 0054                       | Message release number    | M | an..3  | '3'                             |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                            |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)             | 60       |
| 0068                       | Common Access Reference   | C | an..35 | Common access reference(an..35) |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                 |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                 |          |
| 0073                       | First and last transfer   | C | a1     |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UCI[2],INTERCHANGE RESPONSE,M,1x |  |   |        | MESSAGE - INTERCHANGE ERRORS                      | Codelist |
|----------------------------------|--|---|--------|---|----------|
| 0020                             | Interchange control reference                | M | an..14 | <i>Interchange control reference(an..14)</i>      |          |
| S002                             | INTERCHANGE SENDER                           | M |        |   |          |
| 0004                             | Sender identification                        | M | an..35 | <i>Message sender(an..35)</i>                     |          |
| 0007                             | Identification code qualifier                | C | an..4  |   |          |
| 0008                             | Address for reverse routing                  | C | an..14 |   |          |
| S003                             | INTERCHANGE RECIPIENT                        | M |        |   |          |
| 0010                             | Recipient identification                     | M | an..35 | <i>Message recipient(an..35)</i>                  |          |
| 0007                             | Identification code qualifier                | C | an..4  |   |          |
| 0014                             | Routing address                              | C | an..14 |   |          |
| 0083                             | Action, coded                                | M | an..3  | <i>Action taken by recipient(an..3)</i>           | 32       |
| 0085                             | Syntax error, coded                          | C | an..3  | <i>Syntax error(n..2)</i>                         | 23       |
| 0013                             | Service segment tag, coded                   | C | a3     | <i>Interchange service segment(a3)</i>            | 33       |
| S011                             | DATA ELEMENT IDENTIFICATION                  | C |        |   |          |
| 0098                             | Erroneous data element position in segment   | M | n..3   | <i>Position of erroneous data element(n..3)</i>   |          |
| 0104                             | Erroneous component data element in position | C | n..3   | <i>Position of erroneous data component(n..3)</i> |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UCM[3],MESSAGE RESPONSE,C,99999x |  |   |        | MESSAGE - MESSAGE ERRORS                   | Codelist |
|----------------------------------|--|---|--------|--|----------|
| 0062                             | Message reference number                     | M | an..14 | Message identification(an..14)             |          |
| S009                             | MESSAGE IDENTIFIER                           | M |        |  |          |
| 0065                             | Message type                                 | M | an..6  | Message type(an..6)                        | 1        |
| 0052                             | Message version number                       | M | an..3  | Message version(an..3)                     | 35       |
| 0054                             | Message release number                       | M | an..3  | Message release number(an..3)              | 36       |
| 0051                             | Controlling agency                           | M | an..2  | Controlling agency(an..2)                  | 37       |
| 0057                             | Association assigned code                    | C | an..6  | Association assigned code(an..6)           |          |
| 0083                             | Action, coded                                | M | an..3  | Action taken by recipient(an..3)           | 32       |
| 0085                             | Syntax error, coded                          | C | an..3  | Error(n..2)                                | 23       |
| 0013                             | Service segment tag, coded                   | C | a3     | Message service segment(a3)                | 34       |
| S011                             | DATA ELEMENT IDENTIFICATION                  | C |        |  |          |
| 0098                             | Erroneous data element position in segment   | M | n..3   | Position of erroneous data element(n..3)   |          |
| 0104                             | Erroneous component data element in position | C | n..3   | Position of erroneous data component(n..3) |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UCS[4],SEGMENT ERROR DESCRIPTION,C,999x |                         |   |       | MESSAGE - MESSAGE ERRORS - SEGMENT ERRORS | Codelist |
|---|-------------------------|---|-------|---|----------|
| 0096                                    | Segment position in tag | M | n..6  | <i>Segment position in message(n..6)</i>  |          |
| 0085                                    | Syntax error, coded     | C | an..3 | <i>Error(n..2)</i>                        | 23       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UCD[5],DATA ELEMENT ERROR INDICATION,C,99x |  |   |       | MESSAGE - MESSAGE ERRORS - SEGMENT<br>ERRORS - DATA ELEMENT ERRORS | Codelist |
|--|--|---|-------|--|----------|
| 0085                                       | Syntax error, coded                          | M | an..3 | <i>Error(n..2)</i>   | 23       |
| S011                                       | DATA ELEMENT IDENTIFICATION                  | M |       |  |          |
| 0098                                       | Erroneous data element position in segment   | M | n..3  | <i>Position of erroneous data element(n..3)</i>                    |          |
| 0104                                       | Erroneous component data element in position | C | n..3  | <i>Position of erroneous data component(n..3)</i>                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[10],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                | Codelist |
|------------------------------|-----------------------------------|---|--------|--|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### UNZ[11],INTERCHANGE TRAILER,M,1x

|      |                               |   |        |                                       |
|------|-------------------------------|---|--------|---------------------------------------|
| 0036 | Interchange control count     | M | n..6   | '-- Interchange control count'        |
| 0020 | Interchange control reference | M | an..14 | Interchange control reference(an..14) |

#### MESSAGE

Codelist

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## CUSDEC

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |          |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |          |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    | 27       |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                         | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14)  |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                 |          |
| 0065                       | Message type              | M | an..6  | 'CUSDEC'                        |          |
| 0052                       | Message version number    | M | an..3  | 'D'                             |          |
| 0054                       | Message release number    | M | an..3  | '96B'                           |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                            |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)             | 60       |
| 0068                       | Common Access Reference   | C | an..35 | Common access reference(an..35) |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                 |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                 |          |
| 0073                       | First and last transfer   | C | a1     |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| BGM[2],BEGINNING OF MESSAGE,M,1x |                                     |   |        | MESSAGE - HEADER                  | Codelist |
|----------------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| C002                             | DOCUMENT/MESSAGE NAME               | C |        |                                   |          |
| 1001                             | Document/message name, coded        | C | an..3  |                                   |          |
| 1131                             | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |                                   |          |
| 1000                             | Document/message name               | C | an..35 | Type of declaration(an..9)        | 31       |
| C106                             | DOCUMENT/MESSAGE IDENTIFICATION     | C |        |                                   |          |
| 1004                             | Document/message number             | C | an..35 | Document/reference number(an..21) |          |
| 1056                             | Version                             | C | an..9  |                                   |          |
| 1060                             | Revision number                     | C | an..6  |                                   |          |
| 1225                             | Message function, coded             | C | an..3  |                                   |          |
| 4343                             | Response type, coded                | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - (DESTINATION DECLARED) CUSTOMS Codelist OFFICE

|      |   |   |        |                       |
|------|---|---|--------|-----------------------|
| 3227 | Place/location qualifier                  | M | an..3  | '122'                 |
| C517 | LOCATION IDENTIFICATION                   | C |        |                       |
| 3225 | Place/location identification             | C | an..25 | Reference number(an8) |
| 1131 | Code list qualifier                       | C | an..3  |                       |
| 3055 | Code list responsible agency, coded       | C | an..3  |                       |
| 3224 | Place/location                            | C | an..70 |                       |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |                       |
| 3223 | Related place/location one identification | C | an..25 |                       |
| 1131 | Code list qualifier                       | C | an..3  |                       |
| 3055 | Code list responsible agency, coded       | C | an..3  |                       |
| 3222 | Related place/location one                | C | an..70 |                       |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |                       |
| 3233 | Related place/location two identification | C | an..25 |                       |
| 1131 | Code list qualifier                       | C | an..3  |                       |
| 3055 | Code list responsible agency, coded       | C | an..3  |                       |
| 3232 | Related place/location two                | C | an..70 |                       |
| 5479 | Relation, coded                           | C | an..3  |                       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                                  | Codelist |
|--|---|---|--------|---|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '14'  |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |   |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Agreed location of goods, code(an..17)</i>     |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3224                                       | Place/location                            | C | an..70 | <i>Agreed location of goods(an..35)</i>           |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |   |          |
| 3223                                       | Related place/location one identification | C | an..25 | <i>Authorised location of goods, code(an..17)</i> |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3222                                       | Related place/location one                | C | an..70 |   |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |   |          |
| 3233                                       | Related place/location two identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3232                                       | Related place/location two                | C | an..70 |   |          |
| 5479                                       | Relation, coded                           | C | an..3  | <i>Agreed location of goods LNG(a2)</i>           | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                                | Codelist |
|--|---|---|--------|---|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '20'  |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |   |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Arrival agreed Location code(an..17)</i>     |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3224                                       | Place/location                            | C | an..70 | <i>Arrival agreed Location of goods(an..35)</i> |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |   |          |
| 3223                                       | Related place/location one identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3222                                       | Related place/location one                | C | an..70 |   |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |   |          |
| 3233                                       | Related place/location two identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3232                                       | Related place/location two                | C | an..70 |   |          |
| 5479                                       | Relation, coded                           | C | an..3  | <i>Arrival agreed Location of goods LNG(a2)</i> | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                 | Codelist |
|--|---|---|--------|----------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '26'                             |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                  |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Customs sub place(an..17)</i> |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                  |          |
| 3224                                       | Place/location                            | C | an..70 |                                  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                  |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                  |          |
| 3222                                       | Related place/location one                | C | an..70 |                                  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                  |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                  |          |
| 3232                                       | Related place/location two                | C | an..70 |                                  |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                           | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '35'                                       |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Country of dispatch/export code(a2)</i> | 8        |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                       | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '36'                                   |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Country of destination code(a2)</i> | 8        |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER | Codelist |
|--|---|---|--------|------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '5'              |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                  |          |
| 3225                                       | Place/location identification             | C | an..25 |                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                  |          |
| 3224                                       | Place/location                            | C | an..70 |                  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                  |          |
| 3223                                       | Related place/location one identification | C | an..25 |                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                  |          |
| 3222                                       | Related place/location one                | C | an..70 |                  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                  |          |
| 3233                                       | Related place/location two identification | C | an..25 |                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                  |          |
| 3232                                       | Related place/location two                | C | an..70 |                  |          |
| 5479                                       | Relation, coded                           | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                   | Codelist |
|--|---|---|--------|------------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '60'                               |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                    |          |
| 3225                                       | Place/location identification             | C | an..25 |                                    |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                    |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                    |          |
| 3224                                       | Place/location                            | C | an..70 | Arrival notification place(an..35) |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                    |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                    |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                    |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                    |          |
| 3222                                       | Related place/location one                | C | an..70 |                                    |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                    |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                    |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                    |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                    |          |
| 3232                                       | Related place/location two                | C | an..70 |                                    |          |
| 5479                                       | Relation, coded                           | C | an..3  | Arrival notification place LNG(a2) | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                             | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '84'   |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | Arrival authorised location of goods(an..17) |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER | Codelist |
|--|---|---|--------|------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '9'              |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                  |          |
| 3225                                       | Place/location identification             | C | an..25 |                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                  |          |
| 3224                                       | Place/location                            | C | an..70 |                  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                  |          |
| 3223                                       | Related place/location one identification | C | an..25 |                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                  |          |
| 3222                                       | Related place/location one                | C | an..70 |                  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                  |          |
| 3233                                       | Related place/location two identification | C | an..25 |                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                  |          |
| 3232                                       | Related place/location two                | C | an..70 |                  |          |
| 5479                                       | Relation, coded                           | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                 | Codelist |
|--|---|---|--------|----------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '91'                             |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                  |          |
| 3225                                       | Place/location identification             | C | an..25 |                                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                  |          |
| 3224                                       | Place/location                            | C | an..70 | <i>Declaration place(an..35)</i> |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                  |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                  |          |
| 3222                                       | Related place/location one                | C | an..70 |                                  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                  |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                  |          |
| 3232                                       | Related place/location two                | C | an..70 |                                  |          |
| 5479                                       | Relation, coded                           | C | an..3  | <i>Declaration place LNG(a2)</i> | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER               | Codelist |
|--|---|---|--------|--------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '112'                          |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                |          |
| 3225                                       | Place/location identification             | C | an..25 |                                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                |          |
| 3224                                       | Place/location                            | C | an..70 | <i>Amendment place(an..35)</i> |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                |          |
| 3222                                       | Related place/location one                | C | an..70 |                                |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                |          |
| 3232                                       | Related place/location two                | C | an..70 |                                |          |
| 5479                                       | Relation, coded                           | C | an..3  | <i>Amendment place LNG(a2)</i> | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE

Codelist

|      |   |   |        |
|------|---|---|--------|
| 3227 | Place/location qualifier                  | M | an..3  |
| C517 | LOCATION IDENTIFICATION                   | C |        |
| 3225 | Place/location identification             | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3224 | Place/location                            | C | an..70 |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |
| 3223 | Related place/location one identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3222 | Related place/location one                | C | an..70 |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |
| 3233 | Related place/location two identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3232 | Related place/location two                | C | an..70 |
| 5479 | Relation, coded                           | C | an..3  |

'120'

*Reference number(an8)*

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (REQUESTED) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--------------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '96'                                 |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                      |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3224                                       | Place/location                            | C | an..70 |                                      |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                      |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3222                                       | Related place/location one                | C | an..70 |                                      |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                      |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3232                                       | Related place/location two                | C | an..70 |                                      |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (EXPORT) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|-----------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '116'                             |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                   |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)             |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3224                                       | Place/location                            | C | an..70 |                                   |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                   |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3222                                       | Related place/location one                | C | an..70 |                                   |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                   |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3232                                       | Related place/location two                | C | an..70 |                                   |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (ACTUAL EXIT) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '22'                                   |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Reference number(an8)</i>           |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (EXIT) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|---------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '43'                            |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                 |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)           |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                 |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                 |          |
| 3224                                       | Place/location                            | C | an..70 |                                 |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                 |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                 |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                 |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                 |          |
| 3222                                       | Related place/location one                | C | an..70 |                                 |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                 |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                 |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                 |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                 |          |
| 3232                                       | Related place/location two                | C | an..70 |                                 |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (EXIT DECLARED) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '115'                                    |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                    |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER           | Codelist |
|--|---|---|--------|----------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '5'                        |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                            |          |
| 3225                                       | Place/location identification             | C | an..25 | Country of export code(a2) | 10       |
| 1131                                       | Code list qualifier                       | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                            |          |
| 3224                                       | Place/location                            | C | an..70 |                            |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                            |          |
| 3223                                       | Related place/location one identification | C | an..25 |                            |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                            |          |
| 3222                                       | Related place/location one                | C | an..70 |                            |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                            |          |
| 3233                                       | Related place/location two identification | C | an..25 |                            |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                            |          |
| 3232                                       | Related place/location two                | C | an..70 |                            |          |
| 5479                                       | Relation, coded                           | C | an..3  |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (LODGEMENT) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--------------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '162'                                |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                      |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3224                                       | Place/location                            | C | an..70 |                                      |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                      |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3222                                       | Related place/location one                | C | an..70 |                                      |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                      |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3232                                       | Related place/location two                | C | an..70 |                                      |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '170'  |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                                    |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

|      |   |   |        |
|------|---|---|--------|
| 3227 | Place/location qualifier                  | M | an..3  |
| C517 | LOCATION IDENTIFICATION                   | C |        |
| 3225 | Place/location identification             | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3224 | Place/location                            | C | an..70 |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |
| 3223 | Related place/location one identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3222 | Related place/location one                | C | an..70 |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |
| 3233 | Related place/location two identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3232 | Related place/location two                | C | an..70 |
| 5479 | Relation, coded                           | C | an..3  |

#### MESSAGE - (EXIT REQUESTED) CUSTOMS OFFICE Codelist

'176'  
  
Reference number(an8)

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (DEPARTURE) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--------------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '118'                                |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                      |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3224                                       | Place/location                            | C | an..70 |                                      |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                      |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3222                                       | Related place/location one                | C | an..70 |                                      |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                      |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3232                                       | Related place/location two                | C | an..70 |                                      |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - HEADER                        | Codelist |
|--|---|---|--------|---|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '58'                                    |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |   |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Place of unloading LNG(a2)</i>       | 12       |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3224                                       | Place/location                            | C | an..70 | <i>Place of unloading, code(an..35)</i> |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |   |          |
| 3223                                       | Related place/location one identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3222                                       | Related place/location one                | C | an..70 |   |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |   |          |
| 3233                                       | Related place/location two identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3232                                       | Related place/location two                | C | an..70 |   |          |
| 5479                                       | Relation, coded                           | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (PAYMENT) DEFERRED OR POSTPONED | Codelist |
|--|---|---|--------|---|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '166'                                     |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |   |          |
| 3225                                       | Place/location identification             | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3224                                       | Place/location                            | C | an..70 | Authorisation Reference(an..35)           |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |   |          |
| 3223                                       | Related place/location one identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3222                                       | Related place/location one                | C | an..70 |   |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |   |          |
| 3233                                       | Related place/location two identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3232                                       | Related place/location two                | C | an..70 |   |          |
| 5479                                       | Relation, coded                           | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (TRANSIT DECLARED) CUSTOMS<br>OFFICE | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '52'   |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Reference number(an8)</i>                   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (REQUESTER) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--------------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '95'                                 |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                      |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3224                                       | Place/location                            | C | an..70 |                                      |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                      |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3222                                       | Related place/location one                | C | an..70 |                                      |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                      |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3232                                       | Related place/location two                | C | an..70 |                                      |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[4],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - (COMPETENT AUTHORITY FOR RECOVERY) CUSTOMS OFFICE

Codelist

|      |   |   |        |
|------|---|---|--------|
| 3227 | Place/location qualifier                  | M | an..3  |
| C517 | LOCATION IDENTIFICATION                   | C |        |
| 3225 | Place/location identification             | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3224 | Place/location                            | C | an..70 |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |
| 3223 | Related place/location one identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3222 | Related place/location one                | C | an..70 |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |
| 3233 | Related place/location two identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3232 | Related place/location two                | C | an..70 |
| 5479 | Relation, coded                           | C | an..3  |

'158'

*Reference number(an8)*

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER              | Codelist |
|-------------------------------|-----------------------------------|---|--------|-------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                               |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '132'                         |          |
| 2380                          | Date/time/period                  | C | an..35 | Arrival notification date(n8) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER     | Codelist |
|-------------------------------|-----------------------------------|---|--------|----------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                      |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '137'                |          |
| 2380                          | Date/time/period                  | C | an..35 | Declaration date(n8) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER    | Codelist |
|-------------------------------|-----------------------------------|---|--------|---------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                     |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '148'               |          |
| 2380                          | Date/time/period                  | C | an..35 | Acceptance date(n8) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '182'            |          |
| 2380                          | Date/time/period                  | C | an..35 | Issuing date(n8) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER                   | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                                    |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '261'                              |          |
| 2380                          | Date/time/period                  | C | an..35 | <i>Date of release request(n8)</i> |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER              | Codelist |
|-------------------------------|-----------------------------------|---|--------|-------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                               |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '184'                         |          |
| 2380                          | Date/time/period                  | C | an..35 | Amendment acceptance date(n8) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - CONTROL RESULT | Codelist |
|-------------------------------|-----------------------------------|---|--------|--------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                          |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '268'                    |          |
| 2380                          | Date/time/period                  | C | an..35 | <i>Date limit(n8)</i>    |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |  |   | MESSAGE - HEADER | Codelist                         |
|-------------------------------|-----------------------------------|--|---|------------------|----------------------------------|
| C507                          | DATE/TIME/PERIOD                  |  | M |                  |                                  |
| 2005                          | Date/time/period qualifier        |  | M | an..3            | '318'                            |
| 2380                          | Date/time/period                  |  | C | an..35           | Date of cancellation request(n8) |
| 2379                          | Date/time/period format qualifier |  | C | an..3            |                                  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER                | Codelist |
|-------------------------------|-----------------------------------|---|--------|---------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                                 |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '46'                            |          |
| 2380                          | Date/time/period                  | C | an..35 | <i>Date of cancellation(n8)</i> |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - CONTROL RESULT | Codelist |
|-------------------------------|-----------------------------------|---|--------|--------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                          |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '9'                      |          |
| 2380                          | Date/time/period                  | C | an..35 | Control date(n8)         |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '89'             |          |
| 2380                          | Date/time/period                  | C | an..35 |                  |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |  |   | MESSAGE - HEADER | Codelist                            |
|-------------------------------|-----------------------------------|--|---|------------------|-------------------------------------|
| C507                          | DATE/TIME/PERIOD                  |  | M |                  |                                     |
| 2005                          | Date/time/period qualifier        |  | M | an..3            | '226'                               |
| 2380                          | Date/time/period                  |  | C | an..35           | Discrepancies notification date(n8) |
| 2379                          | Date/time/period format qualifier |  | C | an..3            |                                     |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '218'            |          |
| 2380                          | Date/time/period                  | C | an..35 |                  |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER             | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                              |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '317'                        |          |
| 2380                          | Date/time/period                  | C | an..35 | Amendment rejection date(n8) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER             | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                              |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '318'                        |          |
| 2380                          | Date/time/period                  | C | an..35 | <i>Date of amendment(n8)</i> |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '265'            |          |
| 2380                          | Date/time/period                  | C | an..35 |                  |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '204'            |          |
| 2380                          | Date/time/period                  | C | an..35 |                  |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '153'            |          |
| 2380                          | Date/time/period                  | C | an..35 |                  |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER           | Codelist |
|-------------------------------|-----------------------------------|---|--------|----------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                            |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '296'                      |          |
| 2380                          | Date/time/period                  | C | an..35 | <i>Date of release(n8)</i> |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER                            | Codelist |
|-------------------------------|-----------------------------------|---|--------|---|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |   |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '153'                                       |          |
| 2380                          | Date/time/period                  | C | an..35 | Date of request on non-arrived movement(n8) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER                   | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                                    |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '2'                                |          |
| 2380                          | Date/time/period                  | C | an..35 | <i>Date limit for response(n8)</i> |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '46'             |          |
| 2380                          | Date/time/period                  | C | an..35 |                  |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '178'            |          |
| 2380                          | Date/time/period                  | C | an..35 | Arrival date(n8) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - EXIT CONTROL RESULT | Codelist |
|-------------------------------|-----------------------------------|---|--------|-------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                               |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '9'                           |          |
| 2380                          | Date/time/period                  | C | an..35 | Exit date(n8)                 |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - EXIT CONTROL RESULT | Codelist |
|-------------------------------|-----------------------------------|---|--------|-------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                               |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '10'                          |          |
| 2380                          | Date/time/period                  | C | an..35 | Exit stopped date(n8)         |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - EXIT CONTROL RESULT | Codelist |
|-------------------------------|-----------------------------------|---|--------|-------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                               |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '268'                         |          |
| 2380                          | Date/time/period                  | C | an..35 | <i>Date limit(n8)</i>         |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER                | Codelist |
|-------------------------------|-----------------------------------|---|--------|---------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                                 |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '150'                           |          |
| 2380                          | Date/time/period                  | C | an..35 | Declaration submitted time(n12) |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - FOLLOW-UP | Codelist |
|-------------------------------|-----------------------------------|---|--------|---------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                     |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '382'               |          |
| 2380                          | Date/time/period                  | C | an..35 | Exit date(n8)       |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - FOLLOW-UP | Codelist |
|-------------------------------|-----------------------------------|---|--------|---------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                     |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '383'               |          |
| 2380                          | Date/time/period                  | C | an..35 | Follow-up date(n8)  |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER                         | Codelist |
|-------------------------------|-----------------------------------|---|--------|--|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '221'                                    |          |
| 2380                          | Date/time/period                  | C | an..35 | <i>Declaration registration date(n8)</i> |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[5],DATE/TIME/PERIOD,C,15x |                                   |   |        | MESSAGE - HEADER | Codelist |
|-------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '312'            |          |
| 2380                          | Date/time/period                  | C | an..35 | Exit date(n8)    |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - HEADER                   | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                                    |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>Containerised indicator(n1)</i> | 27       |
| 1131                           | Code list qualifier                 | C | an..3  | '109'                              |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                                    |          |
| 7187                           | Process type identification         | C | an..17 |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - HEADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                  |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                  |          |
| 1131                           | Code list qualifier                 | C | an..3  | '119'            |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                  |          |
| 7187                           | Process type identification         | C | an..17 |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - CONTROL RESULT | Codelist |
|--------------------------------|-------------------------------------|---|--------|--------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                          |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                          |          |
| 1131                           | Code list qualifier                 | C | an..3  | '128'                    |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                          |          |
| 7187                           | Process type identification         | C | an..17 |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - CTL_CONTROL          | Codelist |
|--------------------------------|-------------------------------------|---|--------|--------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                                |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>Amendment type flag(n1)</i> | 27       |
| 1131                           | Code list qualifier                 | C | an..3  | '165'                          |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                                |          |
| 7187                           | Process type identification         | C | an..17 |                                |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - CONTROL RESULT     | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                              |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>State of seals ok(n1)</i> | 27       |
| 1131                           | Code list qualifier                 | C | an..3  | '131'                        |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                              |          |
| 7187                           | Process type identification         | C | an..17 |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - HEADER             | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                              |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>Release requested(n1)</i> | 27       |
| 1131                           | Code list qualifier                 | C | an..3  | '148'                        |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                              |          |
| 7187                           | Process type identification         | C | an..17 |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - HEADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                  |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                  |          |
| 1131                           | Code list qualifier                 | C | an..3  | '62'             |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                  |          |
| 7187                           | Process type identification         | C | an..17 |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - CTL_CONTROL         | Codelist |
|--------------------------------|-------------------------------------|---|--------|-------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                               |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>Continue unloading(n1)</i> |          |
| 1131                           | Code list qualifier                 | C | an..3  | '63'                          |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                               |          |
| 7187                           | Process type identification         | C | an..17 |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - CTL_CONTROL | Codelist |
|--------------------------------|-------------------------------------|---|--------|-----------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                       |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                       |          |
| 1131                           | Code list qualifier                 | C | an..3  | '64'                  |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                       |          |
| 7187                           | Process type identification         | C | an..17 |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - CTL_CONTROL | Codelist |
|--------------------------------|-------------------------------------|---|--------|-----------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                       |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                       |          |
| 1131                           | Code list qualifier                 | C | an..3  | '5'                   |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                       |          |
| 7187                           | Process type identification         | C | an..17 |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - HEADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                  |          |
| 7365                           | Processing indicator, coded         | M | an..3  | Status(an3)      | 58       |
| 1131                           | Code list qualifier                 | C | an..3  | '120'            |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                  |          |
| 7187                           | Process type identification         | C | an..17 |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - EXIT CONTROL RESULT | Codelist |
|--------------------------------|-------------------------------------|---|--------|-------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                               |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                               |          |
| 1131                           | Code list qualifier                 | C | an..3  | '128'                         |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                               |          |
| 7187                           | Process type identification         | C | an..17 |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - EXIT CONTROL RESULT | Codelist |
|--------------------------------|-------------------------------------|---|--------|-------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                               |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>State of seals ok(n1)</i>  | 27       |
| 1131                           | Code list qualifier                 | C | an..3  | '131'                         |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                               |          |
| 7187                           | Process type identification         | C | an..17 |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - HEADER                       | Codelist |
|--------------------------------|-------------------------------------|---|--------|--|----------|
| C529                           | PROCESSING INDICATOR                | M |        |  |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>Export_Query Reason Code(an..3)</i> | 89       |
| 1131                           | Code list qualifier                 | C | an..3  | '22'                                   |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |  |          |
| 7187                           | Process type identification         | C | an..17 |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - CONTROL RESULT | Codelist |
|--------------------------------|-------------------------------------|---|--------|--------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                          |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                          |          |
| 1131                           | Code list qualifier                 | C | an..3  | '128'                    |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                          |          |
| 7187                           | Process type identification         | C | an..17 |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[6],GENERAL INDICATOR,C,25x |                                     |   |        | MESSAGE - HEADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                  |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                  |          |
| 1131                           | Code list qualifier                 | C | an..3  | '187'            |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                  |          |
| 7187                           | Process type identification         | C | an..17 |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FII[7],FINANCIAL INSTITUTION INFORMATION,C,1x |                                     |   |         | MESSAGE - HEADER                    | Codelist |
|---|-------------------------------------|---|---------|-------------------------------------|----------|
| 3035  | Party qualifier                     | M | an..3   | 'XX'                                |          |
| C078  | ACCOUNT IDENTIFICATION              | C |         |                                     |          |
| 3194  | Account holder number               | C | an..35  |                                     |          |
| 3192  | Account holder name                 | C | an..35  |                                     |          |
| 3192  | Account holder name                 | C | an..35  |                                     |          |
| 6345  | Currency, coded                     | C | an..3   |                                     |          |
| C088  | INSTITUTION IDENTIFICATION          | C |         |                                     |          |
| 3433  | Institution name identification     | C | an..11  |                                     |          |
| 1131  | Code list qualifier                 | C | an..3   |                                     |          |
| 3055  | Code list responsible agency, coded | C | an..3   |                                     |          |
| 3434  | Institution branch number           | C | an..17  |                                     |          |
| 1131  | Code list qualifier                 | C | an..3   |                                     |          |
| 3055  | Code list responsible agency, coded | C | an..3   |                                     |          |
| 3432  | Institution name                    | C | an..350 |                                     |          |
| 3436  | Institution branch place            | C | an..70  | Commercial Reference Number(an..70) |          |
| 3207  | Country, coded                      | C | an..3   |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| MEA[8],MEASUREMENTS,C,5x |                                      |   |        | MESSAGE - HEADER          | Codelist |
|--------------------------|--------------------------------------|---|--------|---------------------------|----------|
| 6311                     | Measurement application qualifier    | M | an..3  | 'WT'                      |          |
| C502                     | MEASUREMENT DETAILS                  | C |        |                           |          |
| 6313                     | Measurement dimension, coded         | C | an..3  | 'AAD'                     |          |
| 6321                     | Measurement significance, coded      | C | an..3  |                           |          |
| 6155                     | Measurement attribute identification | C | an..17 |                           |          |
| 6154                     | Measurement attribute                | C | an..70 |                           |          |
| C174                     | VALUE/RANGE                          | C |        |                           |          |
| 6411                     | Measure unit qualifier               | M | an..3  | 'KGM'                     |          |
| 6314                     | Measurement value                    | C | an..18 | Total gross mass(n..11,3) |          |
| 6162                     | Range minimum                        | C | n..18  |                           |          |
| 6152                     | Range maximum                        | C | n..18  |                           |          |
| 6432                     | Significant digits                   | C | n..2   |                           |          |
| 7383                     | Surface/layer indicator, coded       | C | an..3  |                           |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| EQD[9],EQUIPMENT DETAILS,C,999x |  |   |        | MESSAGE - ITINERARY         | Codelist |
|---------------------------------|--|---|--------|-----------------------------|----------|
| 8053                            | Equipment qualifier                    | M | an..3  | 'CH'                        |          |
| C237                            | EQUIPMENT IDENTIFICATION               | C |        |                             |          |
| 8260                            | Equipment identification number        | C | an..17 |                             |          |
| 1131                            | Code list qualifier                    | C | an..3  |                             |          |
| 3055                            | Code list responsible agency, coded    | C | an..3  |                             |          |
| 3207                            | Country, coded                         | C | an..3  | Country of routing code(a2) | 8        |
| C224                            | EQUIPMENT SIZE AND TYPE                | C |        |                             |          |
| 8155                            | Equipment size and type identification | C | an..10 |                             |          |
| 1131                            | Code list qualifier                    | C | an..3  |                             |          |
| 3055                            | Code list responsible agency, coded    | C | an..3  |                             |          |
| 8154                            | Equipment size and type                | C | an..35 |                             |          |
| 8077                            | Equipment supplier, coded              | C | an..3  |                             |          |
| 8249                            | Equipment status, coded                | C | an..3  |                             |          |
| 8169                            | Full/empty indicator, coded            | C | an..3  |                             |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| SEL[10],SEAL NUMBER,C,999x |                                     |   |        | MESSAGE - SEALS INFO - SEALS ID | Codelist |
|----------------------------|-------------------------------------|---|--------|---------------------------------|----------|
| 9308                       | Seal number                         | M | an..10 | '0'                             |          |
| C215                       | SEAL ISSUER                         | C |        |                                 |          |
| 9303                       | Sealing party, coded                | C | an..3  |                                 |          |
| 1131                       | Code list qualifier                 | C | an..3  |                                 |          |
| 3055                       | Code list responsible agency, coded | C | an..3  |                                 |          |
| 9302                       | Sealing party                       | C | an..35 | <i>Seals identity(an..20)</i>   |          |
| 4517                       | Seal condition, coded               | C | an..3  | <i>Seals identity LNG(a2)</i>   | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| SEL[10],SEAL NUMBER,C,999x |                                     |   |        | MESSAGE - SEALS ID            | Codelist |
|----------------------------|-------------------------------------|---|--------|-------------------------------|----------|
| 9308                       | Seal number                         | M | an..10 | '5'                           |          |
| C215                       | SEAL ISSUER                         | C |        |                               |          |
| 9303                       | Sealing party, coded                | C | an..3  |                               |          |
| 1131                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 9302                       | Sealing party                       | C | an..35 | <i>Seals identity(an..20)</i> |          |
| 4517                       | Seal condition, coded               | C | an..3  | <i>Seals identity LNG(a2)</i> | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - CTL_CONTROL                              | Codelist |
|-------------------------|-------------------------------------|---|--------|--|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'AAP'  |          |
| 4453                    | Text function, coded                | C | an..3  |  |          |
| C107                    | TEXT REFERENCE                      | C |        |  |          |
| 4441                    | Free text identification            | M | an..17 | <i>Incident notified(n1)</i>                       | 27       |
| 1131                    | Code list qualifier                 | C | an..3  |  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  | <i>Transshipment notified(n1)</i>                  | 27       |
| C108                    | TEXT LITERAL                        | C |        |  |          |
| 4440                    | Free text                           | C | an..70 | <i>Other movement information request(an..350)</i> |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                               |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                               |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                               |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                               |          |
| 3453                    | Language, coded                     | C | an..3  | <i>Other movement information request LNG(a2)</i>  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - CTL_CONTROL                        | Codelist |
|-------------------------|-------------------------------------|---|--------|--|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'AAP'  |          |
| 4453                    | Text function, coded                | C | an..3  |  |          |
| C107                    | TEXT REFERENCE                      | C |        |  |          |
| 4441                    | Free text identification            | M | an..17 |  |          |
| 1131                    | Code list qualifier                 | C | an..3  |  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |  |          |
| C108                    | TEXT LITERAL                        | C |        |  |          |
| 4440                    | Free text                           | C | an..70 | Other movement information response(an..350) |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 3453                    | Language, coded                     | C | an..3  | Other movement information response LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER             | Codelist |
|-------------------------|-------------------------------------|---|--------|------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ABL'                        |          |
| 4453                    | Text function, coded                | C | an..3  |                              |          |
| C107                    | TEXT REFERENCE                      | C |        |                              |          |
| 4441                    | Free text identification            | M | an..17 |                              |          |
| 1131                    | Code list qualifier                 | C | an..3  |                              |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                              |          |
| C108                    | TEXT LITERAL                        | C |        |                              |          |
| 4440                    | Free text                           | C | an..70 | <i>Binding itinerary(n1)</i> | 27       |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 4440                    | Free text                           | C | an..70 |                              |          |
| 4440                    | Free text                           | C | an..70 |                              |          |
| 4440                    | Free text                           | C | an..70 |                              |          |
| 3453                    | Language, coded                     | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER               | Codelist |
|-------------------------|-------------------------------------|---|--------|--------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ABQ'                          |          |
| 4453                    | Text function, coded                | C | an..3  |                                |          |
| C107                    | TEXT REFERENCE                      | C |        |                                |          |
| 4441                    | Free text identification            | M | an..17 |                                |          |
| 1131                    | Code list qualifier                 | C | an..3  |                                |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                                |          |
| C108                    | TEXT LITERAL                        | C |        |                                |          |
| 4440                    | Free text                           | C | an..70 | No release motivation(an..350) |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'           |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'           |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'           |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'           |          |
| 3453                    | Language, coded                     | C | an..3  | No release motivation LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - RESULTS OF CONTROL     | Codelist |
|-------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ABV'                            |          |
| 4453                    | Text function, coded                | C | an..3  |                                  |          |
| C107                    | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                    | Free text identification            | M | an..17 | Control indicator(an2)           | 41       |
| 1131                    | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                    | TEXT LITERAL                        | C |        |                                  |          |
| 4440                    | Free text                           | C | an..70 | Pointer to the attribute(an..35) |          |
| 4440                    | Free text                           | C | an..70 | Description(an..140)             |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'             |          |
| 4440                    | Free text                           | C | an..70 | Corrected value(an..27)          |          |
| 4440                    | Free text                           | C | an..70 |                                  |          |
| 3453                    | Language, coded                     | C | an..3  | Description LNG(a2)              | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                                  | Codelist |
|-------------------------|-------------------------------------|---|--------|---|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACB'   |          |
| 4453                    | Text function, coded                | C | an..3  |   |          |
| C107                    | TEXT REFERENCE                      | C |        |   |          |
| 4441                    | Free text identification            | M | an..17 |   |          |
| 1131                    | Code list qualifier                 | C | an..3  |   |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |   |          |
| C108                    | TEXT LITERAL                        | C |        |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 3453                    | Language, coded                     | C | an..3  | <i>Dialog language indicator at departure(a2)</i> | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                                    | Codelist |
|-------------------------|-------------------------------------|---|--------|---|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACB'   |          |
| 4453                    | Text function, coded                | C | an..3  |   |          |
| C107                    | TEXT REFERENCE                      | C |        |   |          |
| 4441                    | Free text identification            | M | an..17 |   |          |
| 1131                    | Code list qualifier                 | C | an..3  |   |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |   |          |
| C108                    | TEXT LITERAL                        | C |        |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 3453                    | Language, coded                     | C | an..3  | <i>Dialog language indicator at destination(a2)</i> | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER     | Codelist |
|-------------------------|-------------------------------------|---|--------|----------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACD'                |          |
| 4453                    | Text function, coded                | C | an..3  |                      |          |
| C107                    | TEXT REFERENCE                      | C |        |                      |          |
| 4441                    | Free text identification            | M | an..17 |                      |          |
| 1131                    | Code list qualifier                 | C | an..3  |                      |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                      |          |
| C108                    | TEXT LITERAL                        | C |        |                      |          |
| 4440                    | Free text                           | C | an..70 |                      |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 3453                    | Language, coded                     | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER             | Codelist |
|-------------------------|-------------------------------------|---|--------|------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACD'                        |          |
| 4453                    | Text function, coded                | C | an..3  |                              |          |
| C107                    | TEXT REFERENCE                      | C |        |                              |          |
| 4441                    | Free text identification            | M | an..17 |                              |          |
| 1131                    | Code list qualifier                 | C | an..3  |                              |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                              |          |
| C108                    | TEXT LITERAL                        | C |        |                              |          |
| 4440                    | Free text                           | C | an..70 | Cancellation reason(an..350) |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 3453                    | Language, coded                     | C | an..3  | Cancellation reason LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                             | Codelist |
|-------------------------|-------------------------------------|---|--------|--|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACD'  |          |
| 4453                    | Text function, coded                | C | an..3  |  |          |
| C107                    | TEXT REFERENCE                      | C |        |  |          |
| 4441                    | Free text identification            | M | an..17 | Amendment rejection motivation code(n1)      | 45       |
| 1131                    | Code list qualifier                 | C | an..3  |  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |  |          |
| C108                    | TEXT LITERAL                        | C |        |  |          |
| 4440                    | Free text                           | C | an..70 | Amendment rejection motivation text(an..350) |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 3453                    | Language, coded                     | C | an..3  | Amendment rejection motivation text LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER     | Codelist |
|-------------------------|-------------------------------------|---|--------|----------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACD'                |          |
| 4453                    | Text function, coded                | C | an..3  |                      |          |
| C107                    | TEXT REFERENCE                      | C |        |                      |          |
| 4441                    | Free text identification            | M | an..17 |                      |          |
| 1131                    | Code list qualifier                 | C | an..3  |                      |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                      |          |
| C108                    | TEXT LITERAL                        | C |        |                      |          |
| 4440                    | Free text                           | C | an..70 |                      |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 3453                    | Language, coded                     | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER     | Codelist |
|-------------------------|-------------------------------------|---|--------|----------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ABX'                |          |
| 4453                    | Text function, coded                | C | an..3  |                      |          |
| C107                    | TEXT REFERENCE                      | C |        |                      |          |
| 4441                    | Free text identification            | M | an..17 |                      |          |
| 1131                    | Code list qualifier                 | C | an..3  |                      |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                      |          |
| C108                    | TEXT LITERAL                        | C |        |                      |          |
| 4440                    | Free text                           | C | an..70 |                      |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 3453                    | Language, coded                     | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                                | Codelist |
|-------------------------|-------------------------------------|---|--------|---|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ABO'   |          |
| 4453                    | Text function, coded                | C | an..3  |   |          |
| C107                    | TEXT REFERENCE                      | C |        |   |          |
| 4441                    | Free text identification            | M | an..17 |   |          |
| 1131                    | Code list qualifier                 | C | an..3  |   |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |   |          |
| C108                    | TEXT LITERAL                        | C |        |   |          |
| 4440                    | Free text                           | C | an..70 | <i>Discrepancies notification text(an..350)</i> |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                            |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                            |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                            |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                            |          |
| 3453                    | Language, coded                     | C | an..3  | <i>Discrepancies notification text LNG(a2)</i>  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER     | Codelist |
|-------------------------|-------------------------------------|---|--------|----------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ABO'                |          |
| 4453                    | Text function, coded                | C | an..3  |                      |          |
| C107                    | TEXT REFERENCE                      | C |        |                      |          |
| 4441                    | Free text identification            | M | an..17 |                      |          |
| 1131                    | Code list qualifier                 | C | an..3  |                      |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                      |          |
| C108                    | TEXT LITERAL                        | C |        |                      |          |
| 4440                    | Free text                           | C | an..70 |                      |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 3453                    | Language, coded                     | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                         | Codelist |
|-------------------------|-------------------------------------|---|--------|--|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACD'                                    |          |
| 4453                    | Text function, coded                | C | an..3  |  |          |
| C107                    | TEXT REFERENCE                      | C |        |  |          |
| 4441                    | Free text identification            | M | an..17 | <i>Diversion rejection code(n..2)</i>    | 46       |
| 1131                    | Code list qualifier                 | C | an..3  |  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |  |          |
| C108                    | TEXT LITERAL                        | C |        |  |          |
| 4440                    | Free text                           | C | an..70 | <i>Diversion rejection text(an..350)</i> |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                     |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                     |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                     |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                     |          |
| 3453                    | Language, coded                     | C | an..3  | <i>Diversion rejection text LNG(a2)</i>  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER     | Codelist |
|-------------------------|-------------------------------------|---|--------|----------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'AAG'                |          |
| 4453                    | Text function, coded                | C | an..3  |                      |          |
| C107                    | TEXT REFERENCE                      | C |        |                      |          |
| 4441                    | Free text identification            | M | an..17 |                      |          |
| 1131                    | Code list qualifier                 | C | an..3  |                      |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                      |          |
| C108                    | TEXT LITERAL                        | C |        |                      |          |
| 4440                    | Free text                           | C | an..70 |                      |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 3453                    | Language, coded                     | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - CONTROL RESULT | Codelist |
|-------------------------|-------------------------------------|---|--------|--------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ADO'                    |          |
| 4453                    | Text function, coded                | C | an..3  |                          |          |
| C107                    | TEXT REFERENCE                      | C |        |                          |          |
| 4441                    | Free text identification            | M | an..17 | Control result code(an2) | 47       |
| 1131                    | Code list qualifier                 | C | an..3  |                          |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                          |          |
| C108                    | TEXT LITERAL                        | C |        |                          |          |
| 4440                    | Free text                           | C | an..70 |                          |          |
| 4440                    | Free text                           | C | an..70 |                          |          |
| 4440                    | Free text                           | C | an..70 |                          |          |
| 4440                    | Free text                           | C | an..70 |                          |          |
| 4440                    | Free text                           | C | an..70 |                          |          |
| 3453                    | Language, coded                     | C | an..3  |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER | Codelist |
|-------------------------|-------------------------------------|---|--------|------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ALL'            |          |
| 4453                    | Text function, coded                | C | an..3  |                  |          |
| C107                    | TEXT REFERENCE                      | C |        |                  |          |
| 4441                    | Free text identification            | M | an..17 |                  |          |
| 1131                    | Code list qualifier                 | C | an..3  |                  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                  |          |
| C108                    | TEXT LITERAL                        | C |        |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 3453                    | Language, coded                     | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - CONTROL RESULT | Codelist |
|-------------------------|-------------------------------------|---|--------|--------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'CUR'                    |          |
| 4453                    | Text function, coded                | C | an..3  |                          |          |
| C107                    | TEXT REFERENCE                      | C |        |                          |          |
| 4441                    | Free text identification            | M | an..17 |                          |          |
| 1131                    | Code list qualifier                 | C | an..3  |                          |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                          |          |
| C108                    | TEXT LITERAL                        | C |        |                          |          |
| 4440                    | Free text                           | C | an..70 | Remark(an..350)          |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'     |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'     |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'     |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'     |          |
| 3453                    | Language, coded                     | C | an..3  | Remark LNG(a2)           | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER     | Codelist |
|-------------------------|-------------------------------------|---|--------|----------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ABG'                |          |
| 4453                    | Text function, coded                | C | an..3  |                      |          |
| C107                    | TEXT REFERENCE                      | C |        |                      |          |
| 4441                    | Free text identification            | M | an..17 |                      |          |
| 1131                    | Code list qualifier                 | C | an..3  |                      |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                      |          |
| C108                    | TEXT LITERAL                        | C |        |                      |          |
| 4440                    | Free text                           | C | an..70 |                      |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 3453                    | Language, coded                     | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                            | Codelist |
|-------------------------|-------------------------------------|---|--------|---|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'AAL'                                       |          |
| 4453                    | Text function, coded                | C | an..3  |   |          |
| C107                    | TEXT REFERENCE                      | C |        |   |          |
| 4441                    | Free text identification            | M | an..17 |   |          |
| 1131                    | Code list qualifier                 | C | an..3  |   |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |   |          |
| C108                    | TEXT LITERAL                        | C |        |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 3453                    | Language, coded                     | C | an..3  | ECS accompanying document language code(a2) | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                       | Codelist |
|-------------------------|-------------------------------------|---|--------|--|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACD'                                  |          |
| 4453                    | Text function, coded                | C | an..3  |  |          |
| C107                    | TEXT REFERENCE                      | C |        |  |          |
| 4441                    | Free text identification            | M | an..17 | <i>AER rejection reason code(n..2)</i> | 43       |
| 1131                    | Code list qualifier                 | C | an..3  |  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |  |          |
| C108                    | TEXT LITERAL                        | C |        |  |          |
| 4440                    | Free text                           | C | an..70 | <i>AER rejection reason(an..350)</i>   |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                   |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                   |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                   |          |
| 4440                    | Free text                           | C | an..70 | '-- Continued 70 --'                   |          |
| 3453                    | Language, coded                     | C | an..3  | <i>AER rejection reason LNG(a2)</i>    | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - EXIT CONTROL RESULT | Codelist |
|-------------------------|-------------------------------------|---|--------|-------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ADO'                         |          |
| 4453                    | Text function, coded                | C | an..3  |                               |          |
| C107                    | TEXT REFERENCE                      | C |        |                               |          |
| 4441                    | Free text identification            | M | an..17 | Control result code(an2)      | 47       |
| 1131                    | Code list qualifier                 | C | an..3  |                               |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                               |          |
| C108                    | TEXT LITERAL                        | C |        |                               |          |
| 4440                    | Free text                           | C | an..70 |                               |          |
| 4440                    | Free text                           | C | an..70 |                               |          |
| 4440                    | Free text                           | C | an..70 |                               |          |
| 4440                    | Free text                           | C | an..70 |                               |          |
| 4440                    | Free text                           | C | an..70 |                               |          |
| 3453                    | Language, coded                     | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - CTL_CONTROL              | Codelist |
|-------------------------|-------------------------------------|---|--------|------------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'AAP'                              | 58       |
| 4453                    | Text function, coded                | C | an..3  | Export Operation State Type(an..3) |          |
| C107                    | TEXT REFERENCE                      | C |        |                                    |          |
| 4441                    | Free text identification            | M | an..17 |                                    |          |
| 1131                    | Code list qualifier                 | C | an..3  |                                    |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                                    |          |
| C108                    | TEXT LITERAL                        | C |        |                                    |          |
| 4440                    | Free text                           | C | an..70 |                                    |          |
| 4440                    | Free text                           | C | an..70 |                                    |          |
| 4440                    | Free text                           | C | an..70 |                                    |          |
| 4440                    | Free text                           | C | an..70 |                                    |          |
| 4440                    | Free text                           | C | an..70 |                                    |          |
| 3453                    | Language, coded                     | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                                | Codelist |
|-------------------------|-------------------------------------|---|--------|---|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACG'   |          |
| 4453                    | Text function, coded                | C | an..3  |   |          |
| C107                    | TEXT REFERENCE                      | C |        |   |          |
| 4441                    | Free text identification            | M | an..17 | Summary Declaration rejection reason code(n..2) | 97       |
| 1131                    | Code list qualifier                 | C | an..3  |   |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |   |          |
| C108                    | TEXT LITERAL                        | C |        |   |          |
| 4440                    | Free text                           | C | an..70 | Summary Declaration rejection reason(an..350)   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 3453                    | Language, coded                     | C | an..3  | Summary Declaration rejection reason LNG(a2)    | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER | Codelist |
|-------------------------|-------------------------------------|---|--------|------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ADM'            |          |
| 4453                    | Text function, coded                | C | an..3  |                  |          |
| C107                    | TEXT REFERENCE                      | C |        |                  |          |
| 4441                    | Free text identification            | M | an..17 |                  |          |
| 1131                    | Code list qualifier                 | C | an..3  |                  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                  |          |
| C108                    | TEXT LITERAL                        | C |        |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 3453                    | Language, coded                     | C | an..3  | Transit(n1)      | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER                         | Codelist |
|-------------------------|-------------------------------------|---|--------|--|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'PAI'                                    |          |
| 4453                    | Text function, coded                | C | an..3  | Transport charges/ Method of Payment(a1) | 116      |
| C107                    | TEXT REFERENCE                      | C |        |  |          |
| 4441                    | Free text identification            | M | an..17 |  |          |
| 1131                    | Code list qualifier                 | C | an..3  |  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |  |          |
| C108                    | TEXT LITERAL                        | C |        |  |          |
| 4440                    | Free text                           | C | an..70 |  |          |
| 4440                    | Free text                           | C | an..70 |  |          |
| 4440                    | Free text                           | C | an..70 |  |          |
| 4440                    | Free text                           | C | an..70 |  |          |
| 4440                    | Free text                           | C | an..70 |  |          |
| 3453                    | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER | Codelist |
|-------------------------|-------------------------------------|---|--------|------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACR'            |          |
| 4453                    | Text function, coded                | C | an..3  |                  |          |
| C107                    | TEXT REFERENCE                      | C |        |                  |          |
| 4441                    | Free text identification            | M | an..17 |                  |          |
| 1131                    | Code list qualifier                 | C | an..3  |                  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                  |          |
| C108                    | TEXT LITERAL                        | C |        |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 3453                    | Language, coded                     | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - INFORMATION | Codelist |
|-------------------------|-------------------------------------|---|--------|-----------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'OSI'                 |          |
| 4453                    | Text function, coded                | C | an..3  |                       |          |
| C107                    | TEXT REFERENCE                      | C |        |                       |          |
| 4441                    | Free text identification            | M | an..17 |                       |          |
| 1131                    | Code list qualifier                 | C | an..3  |                       |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                       |          |
| C108                    | TEXT LITERAL                        | C |        |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 3453                    | Language, coded                     | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - HEADER | Codelist |
|-------------------------|-------------------------------------|---|--------|------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACD'            |          |
| 4453                    | Text function, coded                | C | an..3  |                  |          |
| C107                    | TEXT REFERENCE                      | C |        |                  |          |
| 4441                    | Free text identification            | M | an..17 |                  |          |
| 1131                    | Code list qualifier                 | C | an..3  |                  |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                  |          |
| C108                    | TEXT LITERAL                        | C |        |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 4440                    | Free text                           | C | an..70 |                  |          |
| 3453                    | Language, coded                     | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - INFORMATION | Codelist |
|-------------------------|-------------------------------------|---|--------|-----------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'IND'                 |          |
| 4453                    | Text function, coded                | C | an..3  |                       |          |
| C107                    | TEXT REFERENCE                      | C |        |                       |          |
| 4441                    | Free text identification            | M | an..17 |                       |          |
| 1131                    | Code list qualifier                 | C | an..3  |                       |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                       |          |
| C108                    | TEXT LITERAL                        | C |        |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 4440                    | Free text                           | C | an..70 |                       |          |
| 3453                    | Language, coded                     | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - (DEPARTURE) CUSTOMS OFFICE | Codelist |
|-------------------------|-------------------------------------|---|--------|--------------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'SPH'                                |          |
| 4453                    | Text function, coded                | C | an..3  |                                      |          |
| C107                    | TEXT REFERENCE                      | C |        |                                      |          |
| 4441                    | Free text identification            | M | an..17 |                                      |          |
| 1131                    | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                                      |          |
| C108                    | TEXT LITERAL                        | C |        |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 3453                    | Language, coded                     | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[11],FREE TEXT,C,99x |                                     |   |        | MESSAGE - (DEPARTURE) CUSTOMS OFFICE | Codelist |
|-------------------------|-------------------------------------|---|--------|--------------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'SSR'                                |          |
| 4453                    | Text function, coded                | C | an..3  |                                      |          |
| C107                    | TEXT REFERENCE                      | C |        |                                      |          |
| 4441                    | Free text identification            | M | an..17 |                                      |          |
| 1131                    | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                                      |          |
| C108                    | TEXT LITERAL                        | C |        |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 4440                    | Free text                           | C | an..70 |                                      |          |
| 3453                    | Language, coded                     | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### FTX[11],FREE TEXT,C,99x

#### MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE

Codelist

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| 4451 | Text subject qualifier              | M | an..3  |
| 4453 | Text function, coded                | C | an..3  |
| C107 | TEXT REFERENCE                      | C |        |
| 4441 | Free text identification            | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| C108 | TEXT LITERAL                        | C |        |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 3453 | Language, coded                     | C | an..3  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### FTX[11],FREE TEXT,C,99x

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| 4451 | Text subject qualifier              | M | an..3  |
| 4453 | Text function, coded                | C | an..3  |
| C107 | TEXT REFERENCE                      | C |        |
| 4441 | Free text identification            | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| C108 | TEXT LITERAL                        | C |        |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 3453 | Language, coded                     | C | an..3  |

**MESSAGE - (COMPETENT AUTHORITY OF  
DEPARTURE) CUSTOMS OFFICE**  
'CHG'

Codelist

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[12],REFERENCE,C,99x |                          |   |        | MESSAGE - HEADER         | Codelist |
|-------------------------|--------------------------|---|--------|--------------------------|----------|
| C506                    | REFERENCE                | M |        |                          |          |
| 1153                    | Reference qualifier      | M | an..3  | 'ABE'                    |          |
| 1154                    | Reference number         | C | an..35 | Reference number(an..22) |          |
| 1156                    | Line number              | C | an..6  |                          |          |
| 4000                    | Reference version number | C | an..35 |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[12],REFERENCE,C,99x |                          |   |        | MESSAGE - HEADER         | Codelist |
|-------------------------|--------------------------|---|--------|--------------------------|----------|
| C506                    | REFERENCE                | M |        |                          |          |
| 1153                    | Reference qualifier      | M | an..3  | 'LAN'                    |          |
| 1154                    | Reference number         | C | an..35 | Authorisation id(an..17) |          |
| 1156                    | Line number              | C | an..6  |                          |          |
| 4000                    | Reference version number | C | an..35 |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[12],REFERENCE,C,99x |                          |   |        | MESSAGE - HEADER                  | Codelist |
|-------------------------|--------------------------|---|--------|-----------------------------------|----------|
| C506                    | REFERENCE                | M |        |                                   |          |
| 1153                    | Reference qualifier      | M | an..3  | 'AAT'                             |          |
| 1154                    | Reference number         | C | an..35 | Type of declaration (Box 1.2)(a1) | 87       |
| 1156                    | Line number              | C | an..6  |                                   |          |
| 4000                    | Reference version number | C | an..35 |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[12],REFERENCE,C,99x |                          |   |        | MESSAGE - HEADER                           | Codelist |
|-------------------------|--------------------------|---|--------|--|----------|
| C506                    | REFERENCE                | M |        |  |          |
| 1153                    | Reference qualifier      | M | an..3  | 'AMJ'                                      |          |
| 1154                    | Reference number         | C | an..35 | <i>Specific Circumstance Indicator(a1)</i> | 96       |
| 1156                    | Line number              | C | an..6  |  |          |
| 4000                    | Reference version number | C | an..35 |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[12],REFERENCE,C,99x |                          |   |        | MESSAGE - HEADER     | Codelist |
|-------------------------|--------------------------|---|--------|----------------------|----------|
| C506                    | REFERENCE                | M |        |                      |          |
| 1153                    | Reference qualifier      | M | an..3  | 'ABP'                |          |
| 1154                    | Reference number         | C | an..35 | Security code(an..8) |          |
| 1156                    | Line number              | C | an..6  |                      |          |
| 4000                    | Reference version number | C | an..35 |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TDT[17],DETAILS OF TRANSPORT,C,5x |   |   |        | MESSAGE - HEADER                   | Codelist |
|-----------------------------------|---|---|--------|------------------------------------|----------|
| 8051                              | Transport stage qualifier                   | M | an..3  | '1'                                |          |
| 8028                              | Conveyance reference number                 | C | an..17 |                                    |          |
| C220                              | MODE OF TRANSPORT                           | C |        |                                    |          |
| 8067                              | Mode of transport, coded                    | C | an..3  | <i>Inland transport mode(n..2)</i> | 18       |
| 8066                              | Mode of transport                           | C | an..17 |                                    |          |
| C228                              | TRANSPORT MEANS                             | C |        |                                    |          |
| 8179                              | Type of means of transport identification   | C | an..8  |                                    |          |
| 8178                              | Type of means of transport                  | C | an..17 |                                    |          |
| C040                              | CARRIER                                     | C |        |                                    |          |
| 3127                              | Carrier identification                      | C | an..17 |                                    |          |
| 1131                              | Code list qualifier                         | C | an..3  |                                    |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |                                    |          |
| 3128                              | Carrier name                                | C | an..35 |                                    |          |
| 8101                              | Transit direction, coded                    | C | an..3  |                                    |          |
| C401                              | EXCESS TRANSPORTATION INFORMATION           | C |        |                                    |          |
| 8457                              | Excess transportation reason, coded         | M | an..3  |                                    |          |
| 8459                              | Excess transportation responsibility, coded | M | an..3  |                                    |          |
| 7130                              | Customer authorization number               | C | an..17 |                                    |          |
| C222                              | TRANSPORT IDENTIFICATION                    | C |        |                                    |          |
| 8213                              | Id. of means of transport identification    | C | an..9  |                                    |          |
| 1131                              | Code list qualifier                         | C | an..3  |                                    |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |                                    |          |
| 8212                              | Id. of the means of transport               | C | an..35 |                                    |          |
| 8453                              | Nationality of means of transport, coded    | C | an..3  |                                    |          |
| 8281                              | Transport ownership, coded                  | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TDT[17],DETAILS OF TRANSPORT,C,5x |   |   |        | MESSAGE - HEADER                                       | Codelist |
|-----------------------------------|---|---|--------|--|----------|
| 8051                              | Transport stage qualifier                   | M | an..3  | '11'   |          |
| 8028                              | Conveyance reference number                 | C | an..17 |  |          |
| C220                              | MODE OF TRANSPORT                           | C |        |  |          |
| 8067                              | Mode of transport, coded                    | C | an..3  | Transport mode at border(n..2)                         | 18       |
| 8066                              | Mode of transport                           | C | an..17 |  |          |
| C228                              | TRANSPORT MEANS                             | C |        |  |          |
| 8179                              | Type of means of transport identification   | C | an..8  | Type of means of transport crossing border(n..2)       |          |
| 8178                              | Type of means of transport                  | C | an..17 |  |          |
| C040                              | CARRIER                                     | C |        |  |          |
| 3127                              | Carrier identification                      | C | an..17 |  |          |
| 1131                              | Code list qualifier                         | C | an..3  |  |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |  |          |
| 3128                              | Carrier name                                | C | an..35 |  |          |
| 8101                              | Transit direction, coded                    | C | an..3  |  |          |
| C401                              | EXCESS TRANSPORTATION INFORMATION           | C |        |  |          |
| 8457                              | Excess transportation reason, coded         | M | an..3  |  |          |
| 8459                              | Excess transportation responsibility, coded | M | an..3  |  |          |
| 7130                              | Customer authorization number               | C | an..17 |  |          |
| C222                              | TRANSPORT IDENTIFICATION                    | C |        |  |          |
| 8213                              | Id. of means of transport identification    | C | an..9  |  |          |
| 1131                              | Code list qualifier                         | C | an..3  |  |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |  |          |
| 8212                              | Id. of the means of transport               | C | an..35 | Identity of means of transport crossing border(an..27) |          |
| 8453                              | Nationality of means of transport, coded    | C | an..3  | Nationality of means of transport crossing border(a2)  | 8        |
| 8281                              | Transport ownership, coded                  | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TDT[17],DETAILS OF TRANSPORT,C,5x |   |   |        | MESSAGE - HEADER  | Codelist |
|-----------------------------------|---|---|--------|---|----------|
| 8051                              | Transport stage qualifier                   | M | an..3  | '12'  |          |
| 8028                              | Conveyance reference number                 | C | an..17 |   |          |
| C220                              | MODE OF TRANSPORT                           | C |        |   |          |
| 8067                              | Mode of transport, coded                    | C | an..3  |   |          |
| 8066                              | Mode of transport                           | C | an..17 |   |          |
| C228                              | TRANSPORT MEANS                             | C |        |   |          |
| 8179                              | Type of means of transport identification   | C | an..8  |   |          |
| 8178                              | Type of means of transport                  | C | an..17 |   |          |
| C040                              | CARRIER                                     | C |        |   |          |
| 3127                              | Carrier identification                      | C | an..17 |   |          |
| 1131                              | Code list qualifier                         | C | an..3  |   |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |   |          |
| 3128                              | Carrier name                                | C | an..35 |   |          |
| 8101                              | Transit direction, coded                    | C | an..3  |   |          |
| C401                              | EXCESS TRANSPORTATION INFORMATION           | C |        |   |          |
| 8457                              | Excess transportation reason, coded         | M | an..3  |   |          |
| 8459                              | Excess transportation responsibility, coded | M | an..3  |   |          |
| 7130                              | Customer authorization number               | C | an..17 |   |          |
| C222                              | TRANSPORT IDENTIFICATION                    | C |        |   |          |
| 8213                              | Id. of means of transport identification    | C | an..9  |   |          |
| 1131                              | Code list qualifier                         | C | an..3  |   |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |   |          |
| 8212                              | Id. of the means of transport               | C | an..35 | Identity of means of transport at departure (exp/trans)(an..27) |          |
| 8453                              | Nationality of means of transport, coded    | C | an..3  |   |          |
| 8281                              | Transport ownership, coded                  | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TDT[17],DETAILS OF TRANSPORT,C,5x |   |   |        | MESSAGE - HEADER | Codelist |
|-----------------------------------|---|---|--------|------------------|----------|
| 8051                              | Transport stage qualifier                   | M | an..3  | '12'             |          |
| 8028                              | Conveyance reference number                 | C | an..17 |                  |          |
| C220                              | MODE OF TRANSPORT                           | C |        |                  |          |
| 8067                              | Mode of transport, coded                    | C | an..3  |                  |          |
| 8066                              | Mode of transport                           | C | an..17 |                  |          |
| C228                              | TRANSPORT MEANS                             | C |        |                  |          |
| 8179                              | Type of means of transport identification   | C | an..8  |                  |          |
| 8178                              | Type of means of transport                  | C | an..17 |                  |          |
| C040                              | CARRIER                                     | C |        |                  |          |
| 3127                              | Carrier identification                      | C | an..17 |                  |          |
| 1131                              | Code list qualifier                         | C | an..3  |                  |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |                  |          |
| 3128                              | Carrier name                                | C | an..35 |                  |          |
| 8101                              | Transit direction, coded                    | C | an..3  |                  |          |
| C401                              | EXCESS TRANSPORTATION INFORMATION           | C |        |                  |          |
| 8457                              | Excess transportation reason, coded         | M | an..3  |                  |          |
| 8459                              | Excess transportation responsibility, coded | M | an..3  |                  |          |
| 7130                              | Customer authorization number               | C | an..17 |                  |          |
| C222                              | TRANSPORT IDENTIFICATION                    | C |        |                  |          |
| 8213                              | Id. of means of transport identification    | C | an..9  |                  |          |
| 1131                              | Code list qualifier                         | C | an..3  |                  |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |                  |          |
| 8212                              | Id. of the means of transport               | C | an..35 |                  |          |
| 8453                              | Nationality of means of transport, coded    | C | an..3  |                  |          |
| 8281                              | Transport ownership, coded                  | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TPL[18],TRANSPORT PLACEMENT,C,1x |  |   |        | MESSAGE - HEADER  | Codelist |
|----------------------------------|--|---|--------|---|----------|
| C222                             | TRANSPORT IDENTIFICATION                 | M |        |   |          |
| 8213                             | Id. of means of transport identification | C | an..9  |   |          |
| 1131                             | Code list qualifier                      | C | an..3  |   |          |
| 3055                             | Code list responsible agency, coded      | C | an..3  |   |          |
| 8212                             | Id. of the means of transport            | C | an..35 |   |          |
| 8453                             | Nationality of means of transport, coded | C | an..3  | <i>Identity of means of transport crossing border LNG(a2)</i> | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TPL[18],TRANSPORT PLACEMENT,C,1x |  |   |        | MESSAGE - HEADER   | Codelist |
|----------------------------------|--|---|--------|--|----------|
| C222                             | TRANSPORT IDENTIFICATION                 | M |        |  |          |
| 8213                             | Id. of means of transport identification | C | an..9  |  |          |
| 1131                             | Code list qualifier                      | C | an..3  |  |          |
| 3055                             | Code list responsible agency, coded      | C | an..3  |  |          |
| 8212                             | Id. of the means of transport            | C | an..35 |  |          |
| 8453                             | Nationality of means of transport, coded | C | an..3  | <i>Identity of means of transport at departure LNG(a2)</i> | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - (CONSIGNEE) TRADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------------------|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'CN'                         |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |                              |          |
| 3039                           | Party id. identification            | M | an..35 | TIN(an..17)                  |          |
| 1131                           | Code list qualifier                 | C | an..3  |                              |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                              |          |
| C058                           | NAME AND ADDRESS                    | C |        |                              |          |
| 3124                           | Name and address line               | M | an..35 |                              |          |
| 3124                           | Name and address line               | C | an..35 |                              |          |
| 3124                           | Name and address line               | C | an..35 |                              |          |
| 3124                           | Name and address line               | C | an..35 |                              |          |
| 3124                           | Name and address line               | C | an..35 |                              |          |
| C080                           | PARTY NAME                          | C |        |                              |          |
| 3036                           | Party name                          | M | an..35 | Name(an..35)                 |          |
| 3036                           | Party name                          | C | an..35 |                              |          |
| 3036                           | Party name                          | C | an..35 |                              |          |
| 3036                           | Party name                          | C | an..35 |                              |          |
| 3036                           | Party name                          | C | an..35 |                              |          |
| 3045                           | Party name format, coded            | C | an..3  |                              |          |
| C059                           | STREET                              | C |        |                              |          |
| 3042                           | Street and number/p.o. box          | M | an..35 | Street and number(an..35)    |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                              |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                              |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                              |          |
| 3164                           | City name                           | C | an..35 | City(an..35)                 |          |
| 3229                           | Country sub-entity identification   | C | an..9  | NAD LNG(a2)                  | 12       |
| 3251                           | Postcode identification             | C | an..9  | Postal code(an..9)           |          |
| 3207                           | Country, coded                      | C | an..3  | Country code(a2)             | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - (CONSIGNOR) TRADER     | Codelist |
|--------------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'CZ'                             |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |                                  |          |
| 3039                           | Party id. identification            | M | an..35 | <i>TIN(an..17)</i>               |          |
| 1131                           | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                                  |          |
| C058                           | NAME AND ADDRESS                    | C |        |                                  |          |
| 3124                           | Name and address line               | M | an..35 |                                  |          |
| 3124                           | Name and address line               | C | an..35 |                                  |          |
| 3124                           | Name and address line               | C | an..35 |                                  |          |
| 3124                           | Name and address line               | C | an..35 |                                  |          |
| 3124                           | Name and address line               | C | an..35 |                                  |          |
| C080                           | PARTY NAME                          | C |        |                                  |          |
| 3036                           | Party name                          | M | an..35 | <i>Name(an..35)</i>              |          |
| 3036                           | Party name                          | C | an..35 |                                  |          |
| 3036                           | Party name                          | C | an..35 |                                  |          |
| 3036                           | Party name                          | C | an..35 |                                  |          |
| 3036                           | Party name                          | C | an..35 |                                  |          |
| 3045                           | Party name format, coded            | C | an..3  |                                  |          |
| C059                           | STREET                              | C |        |                                  |          |
| 3042                           | Street and number/p.o. box          | M | an..35 | <i>Street and number(an..35)</i> |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                  |          |
| 3164                           | City name                           | C | an..35 | <i>City(an..35)</i>              |          |
| 3229                           | Country sub-entity identification   | C | an..9  | <i>NAD LNG(a2)</i>               | 12       |
| 3251                           | Postcode identification             | C | an..9  | <i>Postal code(an..9)</i>        |          |
| 3207                           | Country, coded                      | C | an..3  | <i>Country code(a2)</i>          | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - CONTROL RESULT | Codelist |
|--------------------------------|-------------------------------------|---|--------|--------------------------|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'EI'                     |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |                          |          |
| 3039                           | Party id. identification            | M | an..35 | Controlled by(an..35)    |          |
| 1131                           | Code list qualifier                 | C | an..3  |                          |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                          |          |
| C058                           | NAME AND ADDRESS                    | C |        |                          |          |
| 3124                           | Name and address line               | M | an..35 |                          |          |
| 3124                           | Name and address line               | C | an..35 |                          |          |
| 3124                           | Name and address line               | C | an..35 |                          |          |
| 3124                           | Name and address line               | C | an..35 |                          |          |
| 3124                           | Name and address line               | C | an..35 |                          |          |
| C080                           | PARTY NAME                          | C |        |                          |          |
| 3036                           | Party name                          | M | an..35 |                          |          |
| 3036                           | Party name                          | C | an..35 |                          |          |
| 3036                           | Party name                          | C | an..35 |                          |          |
| 3036                           | Party name                          | C | an..35 |                          |          |
| 3036                           | Party name                          | C | an..35 |                          |          |
| 3045                           | Party name format, coded            | C | an..3  |                          |          |
| C059                           | STREET                              | C |        |                          |          |
| 3042                           | Street and number/p.o. box          | M | an..35 |                          |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                          |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                          |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                          |          |
| 3164                           | City name                           | C | an..35 |                          |          |
| 3229                           | Country sub-entity identification   | C | an..9  |                          |          |
| 3251                           | Postcode identification             | C | an..9  |                          |          |
| 3207                           | Country, coded                      | C | an..3  | Controlled by LNG(a2)    | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - (EXPORTER) TRADER      | Codelist |
|--------------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'CZ'                             |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |                                  |          |
| 3039                           | Party id. identification            | M | an..35 | <i>TIN(an..17)</i>               |          |
| 1131                           | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                                  |          |
| C058                           | NAME AND ADDRESS                    | C |        |                                  |          |
| 3124                           | Name and address line               | M | an..35 |                                  |          |
| 3124                           | Name and address line               | C | an..35 |                                  |          |
| 3124                           | Name and address line               | C | an..35 |                                  |          |
| 3124                           | Name and address line               | C | an..35 |                                  |          |
| 3124                           | Name and address line               | C | an..35 |                                  |          |
| C080                           | PARTY NAME                          | C |        |                                  |          |
| 3036                           | Party name                          | M | an..35 | <i>Name(an..35)</i>              |          |
| 3036                           | Party name                          | C | an..35 |                                  |          |
| 3036                           | Party name                          | C | an..35 |                                  |          |
| 3036                           | Party name                          | C | an..35 |                                  |          |
| 3036                           | Party name                          | C | an..35 |                                  |          |
| 3045                           | Party name format, coded            | C | an..3  |                                  |          |
| C059                           | STREET                              | C |        |                                  |          |
| 3042                           | Street and number/p.o. box          | M | an..35 | <i>Street and number(an..35)</i> |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                  |          |
| 3164                           | City name                           | C | an..35 | <i>City(an..35)</i>              |          |
| 3229                           | Country sub-entity identification   | C | an..9  | <i>NAD LNG(a2)</i>               | 12       |
| 3251                           | Postcode identification             | C | an..9  | <i>Postal code(an..9)</i>        |          |
| 3207                           | Country, coded                      | C | an..3  | <i>Country code(a2)</i>          | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - (LODGING SUMMARY DECLARATION) PERSON | Codelist |
|--------------------------------|-------------------------------------|---|--------|--|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'AX'   |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                           | Party id. identification            | M | an..35 | TIN(an..17)                                    |          |
| 1131                           | Code list qualifier                 | C | an..3  |  |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |  |          |
| C058                           | NAME AND ADDRESS                    | C |        |  |          |
| 3124                           | Name and address line               | M | an..35 |  |          |
| 3124                           | Name and address line               | C | an..35 |  |          |
| 3124                           | Name and address line               | C | an..35 |  |          |
| 3124                           | Name and address line               | C | an..35 |  |          |
| 3124                           | Name and address line               | C | an..35 |  |          |
| C080                           | PARTY NAME                          | C |        |  |          |
| 3036                           | Party name                          | M | an..35 | Name(an..35)                                   |          |
| 3036                           | Party name                          | C | an..35 |  |          |
| 3036                           | Party name                          | C | an..35 |  |          |
| 3036                           | Party name                          | C | an..35 |  |          |
| 3036                           | Party name                          | C | an..35 |  |          |
| 3045                           | Party name format, coded            | C | an..3  |  |          |
| C059                           | STREET                              | C |        |  |          |
| 3042                           | Street and number/p.o. box          | M | an..35 | Street and number(an..35)                      |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |  |          |
| 3164                           | City name                           | C | an..35 | City(an..35)                                   |          |
| 3229                           | Country sub-entity identification   | C | an..9  | NAD LNG(a2)                                    | 12       |
| 3251                           | Postcode identification             | C | an..9  | Postal code(an..9)                             |          |
| 3207                           | Country, coded                      | C | an..3  | Country code(a2)                               | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - (REPRESENTATIVE) TRADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'AR'                              |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |                                   |          |
| 3039                           | Party id. identification            | M | an..35 | TIN(an..17)                       |          |
| 1131                           | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                                   |          |
| C058                           | NAME AND ADDRESS                    | C |        |                                   |          |
| 3124                           | Name and address line               | M | an..35 |                                   |          |
| 3124                           | Name and address line               | C | an..35 |                                   |          |
| 3124                           | Name and address line               | C | an..35 |                                   |          |
| 3124                           | Name and address line               | C | an..35 |                                   |          |
| 3124                           | Name and address line               | C | an..35 |                                   |          |
| C080                           | PARTY NAME                          | C |        |                                   |          |
| 3036                           | Party name                          | M | an..35 | Name(an..35)                      |          |
| 3036                           | Party name                          | C | an..35 |                                   |          |
| 3036                           | Party name                          | C | an..35 |                                   |          |
| 3036                           | Party name                          | C | an..35 |                                   |          |
| 3036                           | Party name                          | C | an..35 |                                   |          |
| 3045                           | Party name format, coded            | C | an..3  |                                   |          |
| C059                           | STREET                              | C |        |                                   |          |
| 3042                           | Street and number/p.o. box          | M | an..35 | Street and number(an..35)         |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                   |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                   |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                   |          |
| 3164                           | City name                           | C | an..35 | City(an..35)                      |          |
| 3229                           | Country sub-entity identification   | C | an..9  | NAD LNG(a2)                       | 12       |
| 3251                           | Postcode identification             | C | an..9  | Postal code(an..9)                |          |
| 3207                           | Country, coded                      | C | an..3  | Country code(a2)                  | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - VAT OR EXCISE OR CAP OR OTHER<br>AUTHORITIES OR OTHERS | Codelist |
|--------------------------------|-------------------------------------|---|--------|--|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'MA'   |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                           | Party id. identification            | M | an..35 | ID number(an..17)  |          |
| 1131                           | Code list qualifier                 | C | an..3  |  |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |  |          |
| C058                           | NAME AND ADDRESS                    | C |        |  |          |
| 3124                           | Name and address line               | M | an..35 |  |          |
| 3124                           | Name and address line               | C | an..35 |  |          |
| 3124                           | Name and address line               | C | an..35 |  |          |
| 3124                           | Name and address line               | C | an..35 |  |          |
| 3124                           | Name and address line               | C | an..35 |  |          |
| C080                           | PARTY NAME                          | C |        |  |          |
| 3036                           | Party name                          | M | an..35 | Name(an..35)   |          |
| 3036                           | Party name                          | C | an..35 |  |          |
| 3036                           | Party name                          | C | an..35 |  |          |
| 3036                           | Party name                          | C | an..35 |  |          |
| 3036                           | Party name                          | C | an..35 |  |          |
| 3045                           | Party name format, coded            | C | an..3  |  |          |
| C059                           | STREET                              | C |        |  |          |
| 3042                           | Street and number/p.o. box          | M | an..35 | Street and number(an..35)  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |  |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |  |          |
| 3164                           | City name                           | C | an..35 | City(an..35)   |          |
| 3229                           | Country sub-entity identification   | C | an..9  | NAD LNG(a2)  | 12       |
| 3251                           | Postcode identification             | C | an..9  | Postal code(an..9)   |          |
| 3207                           | Country, coded                      | C | an..3  | Country code(a2)   | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - (DECLARANT) TRADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------------------|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'DT'                         |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |                              |          |
| 3039                           | Party id. identification            | M | an..35 | TIN(an..17)                  |          |
| 1131                           | Code list qualifier                 | C | an..3  |                              |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                              |          |
| C058                           | NAME AND ADDRESS                    | C |        |                              |          |
| 3124                           | Name and address line               | M | an..35 |                              |          |
| 3124                           | Name and address line               | C | an..35 |                              |          |
| 3124                           | Name and address line               | C | an..35 |                              |          |
| 3124                           | Name and address line               | C | an..35 |                              |          |
| 3124                           | Name and address line               | C | an..35 |                              |          |
| C080                           | PARTY NAME                          | C |        |                              |          |
| 3036                           | Party name                          | M | an..35 | Name(an..35)                 |          |
| 3036                           | Party name                          | C | an..35 |                              |          |
| 3036                           | Party name                          | C | an..35 |                              |          |
| 3036                           | Party name                          | C | an..35 |                              |          |
| 3036                           | Party name                          | C | an..35 |                              |          |
| 3045                           | Party name format, coded            | C | an..3  |                              |          |
| C059                           | STREET                              | C |        |                              |          |
| 3042                           | Street and number/p.o. box          | M | an..35 | Street and number(an..35)    |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                              |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                              |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                              |          |
| 3164                           | City name                           | C | an..35 | City(an..35)                 |          |
| 3229                           | Country sub-entity identification   | C | an..9  | NAD LNG(a2)                  | 12       |
| 3251                           | Postcode identification             | C | an..9  | Postal code(an..9)           |          |
| 3207                           | Country, coded                      | C | an..3  | Country code(a2)             | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[22],NAME AND ADDRESS,C,10x |                                     |   |        | MESSAGE - (STATUS) REPRESENTATIVE     | Codelist |
|--------------------------------|-------------------------------------|---|--------|---------------------------------------|----------|
| 3035                           | Party qualifier                     | M | an..3  | 'GS'                                  |          |
| C082                           | PARTY IDENTIFICATION DETAILS        | C |        |                                       |          |
| 3039                           | Party id. identification            | M | an..35 | <i>Representative status code(n1)</i> | 94       |
| 1131                           | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                                       |          |
| C058                           | NAME AND ADDRESS                    | C |        |                                       |          |
| 3124                           | Name and address line               | M | an..35 |                                       |          |
| 3124                           | Name and address line               | C | an..35 |                                       |          |
| 3124                           | Name and address line               | C | an..35 |                                       |          |
| 3124                           | Name and address line               | C | an..35 |                                       |          |
| 3124                           | Name and address line               | C | an..35 |                                       |          |
| C080                           | PARTY NAME                          | C |        |                                       |          |
| 3036                           | Party name                          | M | an..35 |                                       |          |
| 3036                           | Party name                          | C | an..35 |                                       |          |
| 3036                           | Party name                          | C | an..35 |                                       |          |
| 3036                           | Party name                          | C | an..35 |                                       |          |
| 3036                           | Party name                          | C | an..35 |                                       |          |
| 3045                           | Party name format, coded            | C | an..3  |                                       |          |
| C059                           | STREET                              | C |        |                                       |          |
| 3042                           | Street and number/p.o. box          | M | an..35 |                                       |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                       |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                       |          |
| 3042                           | Street and number/p.o. box          | C | an..35 |                                       |          |
| 3164                           | City name                           | C | an..35 |                                       |          |
| 3229                           | Country sub-entity identification   | C | an..9  |                                       |          |
| 3251                           | Postcode identification             | C | an..9  |                                       |          |
| 3207                           | Country, coded                      | C | an..3  |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TOD[26],TERMS OF DELIVERY OR TRANSPORT,C,1x |  |   |        | MESSAGE - UNLOADING REMARK | Codelist |
|---|--|---|--------|----------------------------|----------|
| 4055  | Terms of delivery or transport function, coded | D | an..3  | '5'                        |          |
| 4215  | Transport charges method of payment, coded     | C | an..3  |                            |          |
| C100  | TERMS OF DELIVERY OR TRANSPORT                 | C |        |                            |          |
| 4053  | Terms of delivery or transport, coded          | C | an..3  |                            |          |
| 1131  | Code list qualifier                            | C | an..3  |                            |          |
| 3055  | Code list responsible agency, coded            | C | an..3  |                            |          |
| 4052  | Terms of delivery or transport                 | C | an..70 |                            |          |
| 4052  | Terms of delivery or transport                 | C | an..70 |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[28],FREE TEXT,C,1x |                                     |   |        | MESSAGE - UNLOADING REMARK   | Codelist |
|------------------------|-------------------------------------|---|--------|------------------------------|----------|
| 4451                   | Text subject qualifier              | M | an..3  | 'CLR'                        |          |
| 4453                   | Text function, coded                | C | an..3  |                              |          |
| C107                   | TEXT REFERENCE                      | C |        |                              |          |
| 4441                   | Free text identification            | M | an..17 | <i>State of seals ok(n1)</i> | 27       |
| 1131                   | Code list qualifier                 | C | an..3  |                              |          |
| 3055                   | Code list responsible agency, coded | C | an..3  |                              |          |
| C108                   | TEXT LITERAL                        | C |        |                              |          |
| 4440                   | Free text                           | C | an..70 |                              |          |
| 4440                   | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 4440                   | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 4440                   | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 4440                   | Free text                           | C | an..70 | '-- Continued 70 --'         |          |
| 3453                   | Language, coded                     | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| MOA[29],MONETARY AMOUNT,C,25x |                                |  |   | MESSAGE - HEADER | Codelist                          |
|-------------------------------|--------------------------------|--|---|------------------|-----------------------------------|
| C516                          | MONETARY AMOUNT                |  | M |                  |                                   |
| 5025                          | Monetary amount type qualifier |  | M | an..3            | '39'                              |
| 5004                          | Monetary amount                |  | C | n..18            | Grand total taxes amount(n..15,2) |
| 6345                          | Currency, coded                |  | C | an..3            |                                   |
| 6343                          | Currency qualifier             |  | C | an..3            |                                   |
| 4405                          | Status, coded                  |  | C | an..3            |                                   |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x |                              |   |        | MESSAGE - RISK ANALYSIS           | Codelist |
|---|------------------------------|---|--------|-----------------------------------|----------|
| 1004                                    | Document/message number      | C | an..35 | '1'                               |          |
| 1001                                    | Document/message name, coded | C | an..3  |                                   |          |
| 7240                                    | Total number of items        | C | n..15  | <i>Item Number involved(n..5)</i> |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x |                              |   |        | MESSAGE - RISK ANALYSIS | Codelist |
|---|------------------------------|---|--------|-------------------------|----------|
| 1004                                    | Document/message number      | C | an..35 |                         |          |
| 1001                                    | Document/message name, coded | C | an..3  | '1'                     |          |
| 7240                                    | Total number of items        | C | n..15  |                         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x**

|      |                              |   |        |
|------|------------------------------|---|--------|
| 1004 | Document/message number      | C | an..35 |
| 1001 | Document/message name, coded | C | an..3  |
| 7240 | Total number of items        | C | n..15  |

**MESSAGE - RISK ANALYSIS**

**Codelist**

'1'

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**DMS[33],DOCUMENT/MESSAGE SUMMARY,C,999x**

|      |                              |   |        |
|------|------------------------------|---|--------|
| 1004 | Document/message number      | C | an..35 |
| 1001 | Document/message name, coded | C | an..3  |
| 7240 | Total number of items        | C | n..15  |

**MESSAGE - RISK ANALYSIS**

**Codelist**

'1'

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TOD[39],TERMS OF DELIVERY OR TRANSPORT,C,1x |  |   |        | MESSAGE - RISK ANALYSIS                 | Codelist |
|---|--|---|--------|---|----------|
| 4055  | Terms of delivery or transport function, coded | D | an..3  | '1'                                     |          |
| 4215  | Transport charges method of payment, coded     | C | an..3  |   |          |
| C100  | TERMS OF DELIVERY OR TRANSPORT                 | C |        |   |          |
| 4053  | Terms of delivery or transport, coded          | C | an..3  |   |          |
| 1131  | Code list qualifier                            | C | an..3  |   |          |
| 3055  | Code list responsible agency, coded            | C | an..3  |   |          |
| 4052  | Terms of delivery or transport                 | C | an..70 | <i>Risk Analysis result code(an..5)</i> |          |
| 4052  | Terms of delivery or transport                 | C | an..70 | '-- Continued 70 --'                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**TOD[39],TERMS OF DELIVERY OR TRANSPORT,C,1x**

|      |  |   |        |
|------|--|---|--------|
| 4055 | Terms of delivery or transport function, coded | D | an..3  |
| 4215 | Transport charges method of payment, coded     | C | an..3  |
| C100 | TERMS OF DELIVERY OR TRANSPORT                 | C |        |
| 4053 | Terms of delivery or transport, coded          | C | an..3  |
| 1131 | Code list qualifier                            | C | an..3  |
| 3055 | Code list responsible agency, coded            | C | an..3  |
| 4052 | Terms of delivery or transport                 | C | an..70 |
| 4052 | Terms of delivery or transport                 | C | an..70 |

**MESSAGE - RISK ANALYSIS**

**Codelist**

'1'

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[41],FREE TEXT,C,1x |                                     |   |        |  | MESSAGE - RISK ANALYSIS            | Codelist |
|------------------------|-------------------------------------|---|--------|--|------------------------------------|----------|
| 4451                   | Text subject qualifier              | M | an..3  |  | 'RAH'                              |          |
| 4453                   | Text function, coded                | C | an..3  |  |                                    |          |
| C107                   | TEXT REFERENCE                      | C |        |  |                                    |          |
| 4441                   | Free text identification            | M | an..17 |  |                                    |          |
| 1131                   | Code list qualifier                 | C | an..3  |  |                                    |          |
| 3055                   | Code list responsible agency, coded | C | an..3  |  |                                    |          |
| C108                   | TEXT LITERAL                        | C |        |  |                                    |          |
| 4440                   | Free text                           | C | an..70 |  | <i>Risk Analysis text(an..350)</i> |          |
| 4440                   | Free text                           | C | an..70 |  | '-- Continued 70 --'               |          |
| 4440                   | Free text                           | C | an..70 |  | '-- Continued 70 --'               |          |
| 4440                   | Free text                           | C | an..70 |  | '-- Continued 70 --'               |          |
| 4440                   | Free text                           | C | an..70 |  | '-- Continued 70 --'               |          |
| 3453                   | Language, coded                     | C | an..3  |  | <i>Risk Analysis LNG(a2)</i>       | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| CST[92],CUSTOMS STATUS OF GOODS,C,999x |                                     |   |        | MESSAGE - GOODS ITEM              | Codelist |
|--|-------------------------------------|---|--------|-----------------------------------|----------|
| 1496                                   | Goods item number                   | C | n..5   | <i>Item number(n..5)</i>          |          |
| C246                                   | CUSTOMS IDENTITY CODES              | C |        |                                   |          |
| 7361                                   | Customs code identification         | M | an..18 |                                   |          |
| 1131                                   | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                   | Code list responsible agency, coded | C | an..3  |                                   |          |
| C246                                   | CUSTOMS IDENTITY CODES              | C |        |                                   |          |
| 7361                                   | Customs code identification         | M | an..18 |                                   |          |
| 1131                                   | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                   | Code list responsible agency, coded | C | an..3  |                                   |          |
| C246                                   | CUSTOMS IDENTITY CODES              | C |        |                                   |          |
| 7361                                   | Customs code identification         | M | an..18 |                                   |          |
| 1131                                   | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                   | Code list responsible agency, coded | C | an..3  |                                   |          |
| C246                                   | CUSTOMS IDENTITY CODES              | C |        |                                   |          |
| 7361                                   | Customs code identification         | M | an..18 |                                   |          |
| 1131                                   | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                   | Code list responsible agency, coded | C | an..3  |                                   |          |
| C246                                   | CUSTOMS IDENTITY CODES              | C |        |                                   |          |
| 7361                                   | Customs code identification         | M | an..18 | <i>Type of declaration(an..9)</i> | 31       |
| 1131                                   | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                   | Code list responsible agency, coded | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[93],FREE TEXT,C,999x |                                     |   |        |  | MESSAGE - GOODS ITEM       | Codelist |
|--------------------------|-------------------------------------|---|--------|--|----------------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  |  | 'AAA'                      |          |
| 4453                     | Text function, coded                | C | an..3  |  |                            |          |
| C107                     | TEXT REFERENCE                      | C |        |  |                            |          |
| 4441                     | Free text identification            | M | an..17 |  |                            |          |
| 1131                     | Code list qualifier                 | C | an..3  |  |                            |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |  |                            |          |
| C108                     | TEXT LITERAL                        | C |        |  |                            |          |
| 4440                     | Free text                           | C | an..70 |  | Goods description(an..280) |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'       |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'       |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'       |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'       |          |
| 3453                     | Language, coded                     | C | an..3  |  | Goods description LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[93],FREE TEXT,C,999x |                                     |   |        | MESSAGE - GOODS ITEM - RESULTS OF CONTROL | Codelist |
|--------------------------|-------------------------------------|---|--------|---|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'ABV'                                     |          |
| 4453                     | Text function, coded                | C | an..3  |   |          |
| C107                     | TEXT REFERENCE                      | C |        |   |          |
| 4441                     | Free text identification            | M | an..17 | Control indicator(an2)                    | 41       |
| 1131                     | Code list qualifier                 | C | an..3  |   |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |   |          |
| C108                     | TEXT LITERAL                        | C |        |   |          |
| 4440                     | Free text                           | C | an..70 | Pointer to the attribute(an..35)          |          |
| 4440                     | Free text                           | C | an..70 | Description(an..140)                      |          |
| 4440                     | Free text                           | C | an..70 | '- Continued 70 -'                        |          |
| 4440                     | Free text                           | C | an..70 |   |          |
| 4440                     | Free text                           | C | an..70 |   |          |
| 3453                     | Language, coded                     | C | an..3  | Description LNG(a2)                       | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[93],FREE TEXT,C,999x |                                     |   |        | MESSAGE - GOODS ITEM                | Codelist |
|--------------------------|-------------------------------------|---|--------|-------------------------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'IND'                               |          |
| 4453                     | Text function, coded                | C | an..3  |                                     |          |
| C107                     | TEXT REFERENCE                      | C |        |                                     |          |
| 4441                     | Free text identification            | M | an..17 |                                     |          |
| 1131                     | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                                     |          |
| C108                     | TEXT LITERAL                        | C |        |                                     |          |
| 4440                     | Free text                           | C | an..70 | Commercial Reference Number(an..70) |          |
| 4440                     | Free text                           | C | an..70 |                                     |          |
| 4440                     | Free text                           | C | an..70 |                                     |          |
| 4440                     | Free text                           | C | an..70 |                                     |          |
| 4440                     | Free text                           | C | an..70 |                                     |          |
| 3453                     | Language, coded                     | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[94],PLACE/LOCATION IDENTIFICATION,C,25x |   |   |        | MESSAGE - GOODS ITEM                | Codelist |
|---|---|---|--------|-------------------------------------|----------|
| 3227  | Place/location qualifier                  | M | an..3  | '35'                                |          |
| C517  | LOCATION IDENTIFICATION                   | C |        |                                     |          |
| 3225  | Place/location identification             | C | an..25 | Country of dispatch/export code(a2) | 8        |
| 1131  | Code list qualifier                       | C | an..3  |                                     |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                                     |          |
| 3224  | Place/location                            | C | an..70 |                                     |          |
| C519  | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                     |          |
| 3223  | Related place/location one identification | C | an..25 |                                     |          |
| 1131  | Code list qualifier                       | C | an..3  |                                     |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                                     |          |
| 3222  | Related place/location one                | C | an..70 |                                     |          |
| C553  | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                     |          |
| 3233  | Related place/location two identification | C | an..25 |                                     |          |
| 1131  | Code list qualifier                       | C | an..3  |                                     |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                                     |          |
| 3232  | Related place/location two                | C | an..70 |                                     |          |
| 5479  | Relation, coded                           | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[94],PLACE/LOCATION IDENTIFICATION,C,25x |   |   |        | MESSAGE - GOODS ITEM            | Codelist |
|---|---|---|--------|---------------------------------|----------|
| 3227  | Place/location qualifier                  | M | an..3  | '36'                            |          |
| C517  | LOCATION IDENTIFICATION                   | C |        |                                 |          |
| 3225  | Place/location identification             | C | an..25 | Country of destination code(a2) | 8        |
| 1131  | Code list qualifier                       | C | an..3  |                                 |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                                 |          |
| 3224  | Place/location                            | C | an..70 |                                 |          |
| C519  | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                 |          |
| 3223  | Related place/location one identification | C | an..25 |                                 |          |
| 1131  | Code list qualifier                       | C | an..3  |                                 |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                                 |          |
| 3222  | Related place/location one                | C | an..70 |                                 |          |
| C553  | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                 |          |
| 3233  | Related place/location two identification | C | an..25 |                                 |          |
| 1131  | Code list qualifier                       | C | an..3  |                                 |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                                 |          |
| 3232  | Related place/location two                | C | an..70 |                                 |          |
| 5479  | Relation, coded                           | C | an..3  |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[94],PLACE/LOCATION IDENTIFICATION,C,25x |   |   |        | MESSAGE - GOODS ITEM         | Codelist |
|---|---|---|--------|------------------------------|----------|
| 3227  | Place/location qualifier                  | M | an..3  | '27'                         |          |
| C517  | LOCATION IDENTIFICATION                   | C |        |                              |          |
| 3225  | Place/location identification             | C | an..25 | <i>Country of Origin(a2)</i> | 8        |
| 1131  | Code list qualifier                       | C | an..3  |                              |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                              |          |
| 3224  | Place/location                            | C | an..70 |                              |          |
| C519  | RELATED LOCATION ONE IDENTIFICATION       | C |        |                              |          |
| 3223  | Related place/location one identification | C | an..25 |                              |          |
| 1131  | Code list qualifier                       | C | an..3  |                              |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                              |          |
| 3222  | Related place/location one                | C | an..70 |                              |          |
| C553  | RELATED LOCATION TWO IDENTIFICATION       | C |        |                              |          |
| 3233  | Related place/location two identification | C | an..25 |                              |          |
| 1131  | Code list qualifier                       | C | an..3  |                              |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |                              |          |
| 3232  | Related place/location two                | C | an..70 |                              |          |
| 5479  | Relation, coded                           | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[94],PLACE/LOCATION IDENTIFICATION,C,25x |   |   |        | MESSAGE - GOODS ITEM                       | Codelist |
|---|---|---|--------|--|----------|
| 3227  | Place/location qualifier                  | M | an..3  | '30'                                       |          |
| C517  | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225  | Place/location identification             | C | an..25 | <i>Dispatch / Production Region(an..2)</i> |          |
| 1131  | Code list qualifier                       | C | an..3  |  |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224  | Place/location                            | C | an..70 |  |          |
| C519  | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223  | Related place/location one identification | C | an..25 |  |          |
| 1131  | Code list qualifier                       | C | an..3  |  |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222  | Related place/location one                | C | an..70 |  |          |
| C553  | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233  | Related place/location two identification | C | an..25 |  |          |
| 1131  | Code list qualifier                       | C | an..3  |  |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232  | Related place/location two                | C | an..70 |  |          |
| 5479  | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| MEA[96],MEASUREMENTS,C,20x |                                      |   |        | MESSAGE - GOODS ITEM | Codelist |
|----------------------------|--------------------------------------|---|--------|----------------------|----------|
| 6311                       | Measurement application qualifier    | M | an..3  | 'WT'                 |          |
| C502                       | MEASUREMENT DETAILS                  | C |        |                      |          |
| 6313                       | Measurement dimension, coded         | C | an..3  | 'AAB'                |          |
| 6321                       | Measurement significance, coded      | C | an..3  |                      |          |
| 6155                       | Measurement attribute identification | C | an..17 |                      |          |
| 6154                       | Measurement attribute                | C | an..70 |                      |          |
| C174                       | VALUE/RANGE                          | C |        |                      |          |
| 6411                       | Measure unit qualifier               | M | an..3  | 'KGM'                |          |
| 6314                       | Measurement value                    | C | an..18 | Gross mass(n..11,3)  |          |
| 6162                       | Range minimum                        | C | n..18  |                      |          |
| 6152                       | Range maximum                        | C | n..18  |                      |          |
| 6432                       | Significant digits                   | C | n..2   |                      |          |
| 7383                       | Surface/layer indicator, coded       | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| MEA[96],MEASUREMENTS,C,20x |                                      |   |        | MESSAGE - GOODS ITEM | Codelist |
|----------------------------|--------------------------------------|---|--------|----------------------|----------|
| 6311                       | Measurement application qualifier    | M | an..3  | 'WT'                 |          |
| C502                       | MEASUREMENT DETAILS                  | C |        |                      |          |
| 6313                       | Measurement dimension, coded         | C | an..3  | 'AAA'                |          |
| 6321                       | Measurement significance, coded      | C | an..3  |                      |          |
| 6155                       | Measurement attribute identification | C | an..17 |                      |          |
| 6154                       | Measurement attribute                | C | an..70 |                      |          |
| C174                       | VALUE/RANGE                          | C |        |                      |          |
| 6411                       | Measure unit qualifier               | M | an..3  | 'KGM'                |          |
| 6314                       | Measurement value                    | C | an..18 | Net mass(n..11,3)    |          |
| 6162                       | Range minimum                        | C | n..18  |                      |          |
| 6152                       | Range maximum                        | C | n..18  |                      |          |
| 6432                       | Significant digits                   | C | n..2   |                      |          |
| 7383                       | Surface/layer indicator, coded       | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| MEA[96],MEASUREMENTS,C,20x |                                      |   |        | MESSAGE - GOODS ITEM       | Codelist |
|----------------------------|--------------------------------------|---|--------|----------------------------|----------|
| 6311                       | Measurement application qualifier    | M | an..3  | 'ABP'                      |          |
| C502                       | MEASUREMENT DETAILS                  | C |        |                            |          |
| 6313                       | Measurement dimension, coded         | C | an..3  |                            |          |
| 6321                       | Measurement significance, coded      | C | an..3  |                            |          |
| 6155                       | Measurement attribute identification | C | an..17 |                            |          |
| 6154                       | Measurement attribute                | C | an..70 |                            |          |
| C174                       | VALUE/RANGE                          | C |        |                            |          |
| 6411                       | Measure unit qualifier               | M | an..3  | 'UNT'                      |          |
| 6314                       | Measurement value                    | C | an..18 |                            |          |
| 6162                       | Range minimum                        | C | n..18  | Supplementary units(n..11) |          |
| 6152                       | Range maximum                        | C | n..18  |                            |          |
| 6432                       | Significant digits                   | C | n..2   |                            |          |
| 7383                       | Surface/layer indicator, coded       | C | an..3  |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[97],NAME AND ADDRESS,C,5x |                                     |   |        | MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER | Codelist |
|-------------------------------|-------------------------------------|---|--------|---|----------|
| 3035                          | Party qualifier                     | M | an..3  | 'CN'                                      |          |
| C082                          | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                          | Party id. identification            | M | an..35 | TIN(an..17)                               |          |
| 1131                          | Code list qualifier                 | C | an..3  |   |          |
| 3055                          | Code list responsible agency, coded | C | an..3  |   |          |
| C058                          | NAME AND ADDRESS                    | C |        |   |          |
| 3124                          | Name and address line               | M | an..35 |   |          |
| 3124                          | Name and address line               | C | an..35 |   |          |
| 3124                          | Name and address line               | C | an..35 |   |          |
| 3124                          | Name and address line               | C | an..35 |   |          |
| 3124                          | Name and address line               | C | an..35 |   |          |
| C080                          | PARTY NAME                          | C |        |   |          |
| 3036                          | Party name                          | M | an..35 | Name(an..35)                              |          |
| 3036                          | Party name                          | C | an..35 |   |          |
| 3036                          | Party name                          | C | an..35 |   |          |
| 3036                          | Party name                          | C | an..35 |   |          |
| 3036                          | Party name                          | C | an..35 |   |          |
| 3045                          | Party name format, coded            | C | an..3  |   |          |
| C059                          | STREET                              | C |        |   |          |
| 3042                          | Street and number/p.o. box          | M | an..35 | Street and number(an..35)                 |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |   |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |   |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |   |          |
| 3164                          | City name                           | C | an..35 | City(an..35)                              |          |
| 3229                          | Country sub-entity identification   | C | an..9  | NAD LNG(a2)                               | 12       |
| 3251                          | Postcode identification             | C | an..9  | Postal code(an..9)                        |          |
| 3207                          | Country, coded                      | C | an..3  | Country code(a2)                          | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[97],NAME AND ADDRESS,C,5x |                                     |   |        | MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER | Codelist |
|-------------------------------|-------------------------------------|---|--------|---|----------|
| 3035                          | Party qualifier                     | M | an..3  | 'CZ'                                      |          |
| C082                          | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                          | Party id. identification            | M | an..35 | TIN(an..17)                               |          |
| 1131                          | Code list qualifier                 | C | an..3  |   |          |
| 3055                          | Code list responsible agency, coded | C | an..3  |   |          |
| C058                          | NAME AND ADDRESS                    | C |        |   |          |
| 3124                          | Name and address line               | M | an..35 |   |          |
| 3124                          | Name and address line               | C | an..35 |   |          |
| 3124                          | Name and address line               | C | an..35 |   |          |
| 3124                          | Name and address line               | C | an..35 |   |          |
| 3124                          | Name and address line               | C | an..35 |   |          |
| C080                          | PARTY NAME                          | C |        |   |          |
| 3036                          | Party name                          | M | an..35 | Name(an..35)                              |          |
| 3036                          | Party name                          | C | an..35 |   |          |
| 3036                          | Party name                          | C | an..35 |   |          |
| 3036                          | Party name                          | C | an..35 |   |          |
| 3036                          | Party name                          | C | an..35 |   |          |
| 3045                          | Party name format, coded            | C | an..3  |   |          |
| C059                          | STREET                              | C |        |   |          |
| 3042                          | Street and number/p.o. box          | M | an..35 | Street and number(an..35)                 |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |   |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |   |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |   |          |
| 3164                          | City name                           | C | an..35 | City(an..35)                              |          |
| 3229                          | Country sub-entity identification   | C | an..9  | NAD LNG(a2)                               | 12       |
| 3251                          | Postcode identification             | C | an..9  | Postal code(an..9)                        |          |
| 3207                          | Country, coded                      | C | an..3  | Country code(a2)                          | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[97],NAME AND ADDRESS,C,5x |                                     |   |        | MESSAGE - GOODS ITEM - (EXPORTER) TRADER | Codelist |
|-------------------------------|-------------------------------------|---|--------|--|----------|
| 3035                          | Party qualifier                     | M | an..3  | 'CZ'                                     |          |
| C082                          | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                          | Party id. identification            | M | an..35 | TIN(an..17)                              |          |
| 1131                          | Code list qualifier                 | C | an..3  |  |          |
| 3055                          | Code list responsible agency, coded | C | an..3  |  |          |
| C058                          | NAME AND ADDRESS                    | C |        |  |          |
| 3124                          | Name and address line               | M | an..35 |  |          |
| 3124                          | Name and address line               | C | an..35 |  |          |
| 3124                          | Name and address line               | C | an..35 |  |          |
| 3124                          | Name and address line               | C | an..35 |  |          |
| 3124                          | Name and address line               | C | an..35 |  |          |
| C080                          | PARTY NAME                          | C |        |  |          |
| 3036                          | Party name                          | M | an..35 | Name(an..35)                             |          |
| 3036                          | Party name                          | C | an..35 |  |          |
| 3036                          | Party name                          | C | an..35 |  |          |
| 3036                          | Party name                          | C | an..35 |  |          |
| 3036                          | Party name                          | C | an..35 |  |          |
| 3045                          | Party name format, coded            | C | an..3  |  |          |
| C059                          | STREET                              | C |        |  |          |
| 3042                          | Street and number/p.o. box          | M | an..35 | Street and number(an..35)                |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |  |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |  |          |
| 3042                          | Street and number/p.o. box          | C | an..35 |  |          |
| 3164                          | City name                           | C | an..35 | City(an..35)                             |          |
| 3229                          | Country sub-entity identification   | C | an..9  | NAD LNG(a2)                              | 12       |
| 3251                          | Postcode identification             | C | an..9  | Postal code(an..9)                       |          |
| 3207                          | Country, coded                      | C | an..3  | Country code(a2)                         | 8        |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TDT[98],DETAILS OF TRANSPORT,C,9x |   |   |        | MESSAGE - GOODS ITEM - (CODE) COMMODITY | Codelist |
|-----------------------------------|---|---|--------|---|----------|
| 8051                              | Transport stage qualifier                   | M | an..3  | '1'                                     |          |
| 8028                              | Conveyance reference number                 | C | an..17 | Combined Nomenclature(an..8)            |          |
| C220                              | MODE OF TRANSPORT                           | C |        |   |          |
| 8067                              | Mode of transport, coded                    | C | an..3  | TARIC code(an2)                         |          |
| 8066                              | Mode of transport                           | C | an..17 |   |          |
| C228                              | TRANSPORT MEANS                             | C |        |   |          |
| 8179                              | Type of means of transport identification   | C | an..8  |   |          |
| 8178                              | Type of means of transport                  | C | an..17 |   |          |
| C040                              | CARRIER                                     | C |        |   |          |
| 3127                              | Carrier identification                      | C | an..17 | National additional code(an4)           |          |
| 1131                              | Code list qualifier                         | C | an..3  |   |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |   |          |
| 3128                              | Carrier name                                | C | an..35 |   |          |
| 8101                              | Transit direction, coded                    | C | an..3  |   |          |
| C401                              | EXCESS TRANSPORTATION INFORMATION           | C |        |   |          |
| 8457                              | Excess transportation reason, coded         | M | an..3  |   |          |
| 8459                              | Excess transportation responsibility, coded | M | an..3  |   |          |
| 7130                              | Customer authorization number               | C | an..17 |   |          |
| C222                              | TRANSPORT IDENTIFICATION                    | C |        |   |          |
| 8213                              | Id. of means of transport identification    | C | an..9  | TARIC first additional code(an4)        |          |
| 1131                              | Code list qualifier                         | C | an..3  |   |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |   |          |
| 8212                              | Id. of the means of transport               | C | an..35 | TARIC second additional code(an4)       |          |
| 8453                              | Nationality of means of transport, coded    | C | an..3  |   |          |
| 8281                              | Transport ownership, coded                  | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TDT[98],DETAILS OF TRANSPORT,C,9x |   |   |        | MESSAGE - GOODS ITEM     | Codelist |
|-----------------------------------|---|---|--------|--------------------------|----------|
| 8051                              | Transport stage qualifier                   | M | an..3  | 2'                       |          |
| 8028                              | Conveyance reference number                 | C | an..17 | Procedure requested(an2) | 92       |
| C220                              | MODE OF TRANSPORT                           | C |        |                          |          |
| 8067                              | Mode of transport, coded                    | C | an..3  |                          |          |
| 8066                              | Mode of transport                           | C | an..17 |                          |          |
| C228                              | TRANSPORT MEANS                             | C |        |                          |          |
| 8179                              | Type of means of transport identification   | C | an..8  |                          |          |
| 8178                              | Type of means of transport                  | C | an..17 |                          |          |
| C040                              | CARRIER                                     | C |        |                          |          |
| 3127                              | Carrier identification                      | C | an..17 |                          |          |
| 1131                              | Code list qualifier                         | C | an..3  |                          |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |                          |          |
| 3128                              | Carrier name                                | C | an..35 |                          |          |
| 8101                              | Transit direction, coded                    | C | an..3  |                          |          |
| C401                              | EXCESS TRANSPORTATION INFORMATION           | C |        |                          |          |
| 8457                              | Excess transportation reason, coded         | M | an..3  |                          |          |
| 8459                              | Excess transportation responsibility, coded | M | an..3  |                          |          |
| 7130                              | Customer authorization number               | C | an..17 |                          |          |
| C222                              | TRANSPORT IDENTIFICATION                    | C |        |                          |          |
| 8213                              | Id. of means of transport identification    | C | an..9  |                          |          |
| 1131                              | Code list qualifier                         | C | an..3  |                          |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |                          |          |
| 8212                              | Id. of the means of transport               | C | an..35 |                          |          |
| 8453                              | Nationality of means of transport, coded    | C | an..3  |                          |          |
| 8281                              | Transport ownership, coded                  | C | an..3  |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TDT[98],DETAILS OF TRANSPORT,C,9x |   |   |        | MESSAGE - GOODS ITEM                     | Codelist |
|-----------------------------------|---|---|--------|--|----------|
| 8051                              | Transport stage qualifier                   | M | an..3  | '10'                                     |          |
| 8028                              | Conveyance reference number                 | C | an..17 | Previous Procedure(an2)                  | 93       |
| C220                              | MODE OF TRANSPORT                           | C |        |  |          |
| 8067                              | Mode of transport, coded                    | C | an..3  | Community / National Procedure(an3)      | 102      |
| 8066                              | Mode of transport                           | C | an..17 |  |          |
| C228                              | TRANSPORT MEANS                             | C |        |  |          |
| 8179                              | Type of means of transport identification   | C | an..8  | Transport charges/ Method of Payment(a1) | 116      |
| 8178                              | Type of means of transport                  | C | an..17 |  |          |
| C040                              | CARRIER                                     | C |        |  |          |
| 3127                              | Carrier identification                      | C | an..17 |  |          |
| 1131                              | Code list qualifier                         | C | an..3  |  |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |  |          |
| 3128                              | Carrier name                                | C | an..35 |  |          |
| 8101                              | Transit direction, coded                    | C | an..3  |  |          |
| C401                              | EXCESS TRANSPORTATION INFORMATION           | C |        |  |          |
| 8457                              | Excess transportation reason, coded         | M | an..3  |  |          |
| 8459                              | Excess transportation responsibility, coded | M | an..3  |  |          |
| 7130                              | Customer authorization number               | C | an..17 |  |          |
| C222                              | TRANSPORT IDENTIFICATION                    | C |        |  |          |
| 8213                              | Id. of means of transport identification    | C | an..9  | UN dangerous goods code(an4)             | 101      |
| 1131                              | Code list qualifier                         | C | an..3  |  |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |  |          |
| 8212                              | Id. of the means of transport               | C | an..35 |  |          |
| 8453                              | Nationality of means of transport, coded    | C | an..3  |  |          |
| 8281                              | Transport ownership, coded                  | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TDT[98],DETAILS OF TRANSPORT,C,9x |   |   |        | MESSAGE - GOODS ITEM              | Codelist |
|-----------------------------------|---|---|--------|-----------------------------------|----------|
| 8051                              | Transport stage qualifier                   | M | an..3  | '14'                              |          |
| 8028                              | Conveyance reference number                 | C | an..17 |                                   |          |
| C220                              | MODE OF TRANSPORT                           | C |        |                                   |          |
| 8067                              | Mode of transport, coded                    | C | an..3  | Statistical value currency(a3)    | 48       |
| 8066                              | Mode of transport                           | C | an..17 | Statistical value amount(n..15,2) |          |
| C228                              | TRANSPORT MEANS                             | C |        |                                   |          |
| 8179                              | Type of means of transport identification   | C | an..8  |                                   |          |
| 8178                              | Type of means of transport                  | C | an..17 |                                   |          |
| C040                              | CARRIER                                     | C |        |                                   |          |
| 3127                              | Carrier identification                      | C | an..17 |                                   |          |
| 1131                              | Code list qualifier                         | C | an..3  |                                   |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |                                   |          |
| 3128                              | Carrier name                                | C | an..35 |                                   |          |
| 8101                              | Transit direction, coded                    | C | an..3  |                                   |          |
| C401                              | EXCESS TRANSPORTATION INFORMATION           | C |        |                                   |          |
| 8457                              | Excess transportation reason, coded         | M | an..3  |                                   |          |
| 8459                              | Excess transportation responsibility, coded | M | an..3  |                                   |          |
| 7130                              | Customer authorization number               | C | an..17 |                                   |          |
| C222                              | TRANSPORT IDENTIFICATION                    | C |        |                                   |          |
| 8213                              | Id. of means of transport identification    | C | an..9  |                                   |          |
| 1131                              | Code list qualifier                         | C | an..3  |                                   |          |
| 3055                              | Code list responsible agency, coded         | C | an..3  |                                   |          |
| 8212                              | Id. of the means of transport               | C | an..35 |                                   |          |
| 8453                              | Nationality of means of transport, coded    | C | an..3  |                                   |          |
| 8281                              | Transport ownership, coded                  | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| PAC[99],PACKAGE,C,99x |  |   |        | MESSAGE - GOODS ITEM - PACKAGES | Codelist |
|-----------------------|--|---|--------|---------------------------------|----------|
| 7224                  | Number of packages                                       | C | n..8   | '6'                             |          |
| C531                  | PACKAGING DETAILS  | C |        |                                 |          |
| 7075                  | Packaging level, coded                                   | C | an..3  |                                 |          |
| 7233                  | Packaging related information, coded                     | C | an..3  |                                 |          |
| 7073                  | Packaging terms and conditions, coded                    | C | an..3  |                                 |          |
| C202                  | PACKAGE TYPE   | C |        |                                 |          |
| 7065                  | Type of packages identification                          | C | an..17 |                                 |          |
| 1131                  | Code list qualifier                                      | C | an..3  |                                 |          |
| 3055                  | Code list responsible agency, coded                      | C | an..3  |                                 |          |
| 7064                  | Type of packages   | C | an..35 |                                 |          |
| C402                  | PACKAGE TYPE IDENTIFICATION                              | C |        |                                 |          |
| 7077                  | Item description type, coded                             | C | an..4  | <i>Kind of packages(an..3)</i>  | 17       |
| 7064                  | Type of packages   | C | an..35 | <i>Number of packages(n..5)</i> |          |
| 7143                  | Item number type, coded                                  | C | an..3  |                                 |          |
| 7064                  | Type of packages   | C | an..35 | <i>Number of pieces(n..5)</i>   |          |
| 7143                  | Item number type, coded                                  | C | an..3  |                                 |          |
| C532                  | RETURNABLE PACKAGE DETAILS                               | C |        |                                 |          |
| 8395                  | Returnable package freight payment responsibility, coded | C | an..3  |                                 |          |
| 8393                  | Returnable package load contents, coded                  | C | an..3  |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| PCI[100],PACKAGE IDENTIFICATION,M,1x |                                     |   |        | MESSAGE - GOODS ITEM - PACKAGES                | Codelist |
|--------------------------------------|-------------------------------------|---|--------|--|----------|
| 4233                                 | Marking instructions, coded         | C | an..3  | '28'   |          |
| C210                                 | MARKS & LABELS                      | C |        |  |          |
| 7102                                 | Shipping marks                      | C | an..35 | <i>Marks &amp; numbers of packages(an..42)</i> |          |
| 7102                                 | Shipping marks                      | C | an..35 | '-- Continued 07 --'                           |          |
| 7102                                 | Shipping marks                      | C | an..35 |  |          |
| 7102                                 | Shipping marks                      | C | an..35 |  |          |
| 7102                                 | Shipping marks                      | C | an..35 |  |          |
| 7102                                 | Shipping marks                      | C | an..35 |  |          |
| 7102                                 | Shipping marks                      | C | an..35 |  |          |
| 7102                                 | Shipping marks                      | C | an..35 |  |          |
| 7102                                 | Shipping marks                      | C | an..35 |  |          |
| 7102                                 | Shipping marks                      | C | an..35 |  |          |
| 8275                                 | Container/package status, coded     | C | an..3  | <i>Marks &amp; numbers of packages LNG(a2)</i> | 12       |
| C827                                 | TYPE OF MARKING                     | C |        |  |          |
| 7511                                 | Type of marking, coded              | M | an..3  |  |          |
| 1131                                 | Code list qualifier                 | C | an..3  |  |          |
| 3055                                 | Code list responsible agency, coded | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[101],FREE TEXT,C,1x |                                     |   |        | MESSAGE - GOODS ITEM - PACKAGES | Codelist |
|-------------------------|-------------------------------------|---|--------|---------------------------------|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'PKG'                           |          |
| 4453                    | Text function, coded                | C | an..3  |                                 |          |
| C107                    | TEXT REFERENCE                      | C |        |                                 |          |
| 4441                    | Free text identification            | M | an..17 | Complete control(n1)            | 27       |
| 1131                    | Code list qualifier                 | C | an..3  |                                 |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |                                 |          |
| C108                    | TEXT LITERAL                        | C |        |                                 |          |
| 4440                    | Free text                           | C | an..70 | Controlled packages(an..70)     |          |
| 4440                    | Free text                           | C | an..70 |                                 |          |
| 4440                    | Free text                           | C | an..70 |                                 |          |
| 4440                    | Free text                           | C | an..70 |                                 |          |
| 4440                    | Free text                           | C | an..70 |                                 |          |
| 3453                    | Language, coded                     | C | an..3  | Controlled packages LNG(a2)     | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[105],REFERENCE,C,999x |                          |   |        | MESSAGE - GOODS ITEM - CONTAINERS | Codelist |
|---------------------------|--------------------------|---|--------|-----------------------------------|----------|
| C506                      | REFERENCE                | M |        |                                   |          |
| 1153                      | Reference qualifier      | M | an..3  | 'AAQ'                             |          |
| 1154                      | Reference number         | C | an..35 | Container number(an..17)          |          |
| 1156                      | Line number              | C | an..6  | Complete control(n1)              | 27       |
| 4000                      | Reference version number | C | an..35 |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DOC[111],DOCUMENT/MESSAGE DETAILS,C,999x |  |   |        | MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES | Codelist |
|--|--|---|--------|---|----------|
| C002                                     | DOCUMENT/MESSAGE NAME                    | M |        |   |          |
| 1001                                     | Document/message name, coded             | C | an..3  | '190'   |          |
| 1131                                     | Code list qualifier                      | C | an..3  | Previous Document Category(a1)                            | 103      |
| 3055                                     | Code list responsible agency, coded      | C | an..3  |   |          |
| 1000                                     | Document/message name                    | C | an..35 | Previous document type(an..6)                             | 14       |
| C503                                     | DOCUMENT/MESSAGE DETAILS                 | C |        |   |          |
| 1004                                     | Document/message number                  | C | an..35 | Previous document reference(an..35)                       |          |
| 1373                                     | Document/message status, coded           | C | an..3  |   |          |
| 1366                                     | Document/message source                  | C | an..35 |   |          |
| 3453                                     | Language, coded                          | C | an..3  | Previous document reference LNG(a2)                       | 12       |
| 3153                                     | Communication channel identifier, coded  | C | an..3  | Complete control(n1)                                      | 27       |
| 1220                                     | Number of copies of document required    | C | n..2   |   |          |
| 1218                                     | Number of originals of document required | C | n..2   |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DOC[111],DOCUMENT/MESSAGE DETAILS,C,999x |  |   |        | MESSAGE - GOODS ITEM - PRODUCED<br>DOCUMENTS/CERTIFICATES | Codelist |
|--|--|---|--------|---|----------|
| C002                                     | DOCUMENT/MESSAGE NAME                    | M |        |   |          |
| 1001                                     | Document/message name, coded             | C | an..3  | '916'   |          |
| 1131                                     | Code list qualifier                      | C | an..3  |   |          |
| 3055                                     | Code list responsible agency, coded      | C | an..3  |   |          |
| 1000                                     | Document/message name                    | C | an..35 | <i>Document type(an..4)</i>                               | 13       |
| C503                                     | DOCUMENT/MESSAGE DETAILS                 | C |        |   |          |
| 1004                                     | Document/message number                  | C | an..35 | <i>Document reference(an..35)</i>                         |          |
| 1373                                     | Document/message status, coded           | C | an..3  |   |          |
| 1366                                     | Document/message source                  | C | an..35 |   |          |
| 3453                                     | Language, coded                          | C | an..3  | <i>Document reference LNG(a2)</i>                         | 12       |
| 3153                                     | Communication channel identifier, coded  | C | an..3  | <i>Complete control(n1)</i>                               | 27       |
| 1220                                     | Number of copies of document required    | C | n..2   |   |          |
| 1218                                     | Number of originals of document required | C | n..2   |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TOD[115],TERMS OF DELIVERY OR TRANSPORT,C,99x |  |   |        | MESSAGE - GOODS ITEM - SPECIAL MENTIONS | Codelist |
|---|--|---|--------|---|----------|
| 4055  | Terms of delivery or transport function, coded | D | an..3  | '2'                                     |          |
| 4215  | Transport charges method of payment, coded     | C | an..3  | Complete control(n1)                    | 27       |
| C100  | TERMS OF DELIVERY OR TRANSPORT                 | C |        |   |          |
| 4053  | Terms of delivery or transport, coded          | C | an..3  |   |          |
| 1131  | Code list qualifier                            | C | an..3  | Export from country(a2)                 | 63       |
| 3055  | Code list responsible agency, coded            | C | an..3  |   |          |
| 4052  | Terms of delivery or transport                 | C | an..70 |   |          |
| 4052  | Terms of delivery or transport                 | C | an..70 |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**TOD[115],TERMS OF DELIVERY OR TRANSPORT,C,99x**

|      |  |   |        |
|------|--|---|--------|
| 4055 | Terms of delivery or transport function, coded | D | an..3  |
| 4215 | Transport charges method of payment, coded     | C | an..3  |
| C100 | TERMS OF DELIVERY OR TRANSPORT                 | C |        |
| 4053 | Terms of delivery or transport, coded          | C | an..3  |
| 1131 | Code list qualifier                            | C | an..3  |
| 3055 | Code list responsible agency, coded            | C | an..3  |
| 4052 | Terms of delivery or transport                 | C | an..70 |
| 4052 | Terms of delivery or transport                 | C | an..70 |

**MESSAGE - GOODS ITEM - SPECIAL MENTIONS**

**Codelist**

2'

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[117],FREE TEXT,C,1x |                                     |   |        | MESSAGE - GOODS ITEM - SPECIAL MENTIONS | Codelist |
|-------------------------|-------------------------------------|---|--------|---|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACB'                                   |          |
| 4453                    | Text function, coded                | C | an..3  |   |          |
| C107                    | TEXT REFERENCE                      | C |        |   |          |
| 4441                    | Free text identification            | M | an..17 | Additional information coded(an..5)     | 39       |
| 1131                    | Code list qualifier                 | C | an..3  |   |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |   |          |
| C108                    | TEXT LITERAL                        | C |        |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 3453                    | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[117],FREE TEXT,C,1x |                                     |   |        | MESSAGE - GOODS ITEM - SPECIAL MENTIONS | Codelist |
|-------------------------|-------------------------------------|---|--------|---|----------|
| 4451                    | Text subject qualifier              | M | an..3  | 'ACB'                                   |          |
| 4453                    | Text function, coded                | C | an..3  |   |          |
| C107                    | TEXT REFERENCE                      | C |        |   |          |
| 4441                    | Free text identification            | M | an..17 |   |          |
| 1131                    | Code list qualifier                 | C | an..3  |   |          |
| 3055                    | Code list responsible agency, coded | C | an..3  |   |          |
| C108                    | TEXT LITERAL                        | C |        |   |          |
| 4440                    | Free text                           | C | an..70 | Text(an..70)                            |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 4440                    | Free text                           | C | an..70 |   |          |
| 3453                    | Language, coded                     | C | an..3  | Text LNG(a2)                            | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TAX[124],DUTY/TAX/FEE DETAILS,C,10x |  |   |        | MESSAGE - GOODS ITEM - (TAXES)<br>CALCULATION | Codelist |
|-------------------------------------|--|---|--------|---|----------|
| 5283                                | Duty/tax/fee function qualifier        | M | an..3  | '1'   |          |
| C241                                | DUTY/TAX/FEE TYPE                      | C |        |   |          |
| 5153                                | Duty/tax/fee type, coded               | C | an..3  | Type of tax(an3)                              | 98       |
| 1131                                | Code list qualifier                    | C | an..3  |   |          |
| 3055                                | Code list responsible agency, coded    | C | an..3  |   |          |
| 5152                                | Duty/tax/fee type                      | C | an..35 | Amount of tax(n..15,2)                        |          |
| C533                                | DUTY/TAX/FEE ACCOUNT DETAIL            | C |        |   |          |
| 5289                                | Duty/tax/fee account identification    | M | an..6  |   |          |
| 1131                                | Code list qualifier                    | C | an..3  |   |          |
| 3055                                | Code list responsible agency, coded    | C | an..3  |   |          |
| 5286                                | Duty/tax/fee assessment basis          | C | an..15 |   |          |
| C243                                | DUTY/TAX/FEE DETAIL                    | C |        |   |          |
| 5279                                | Duty/tax/fee rate identification       | C | an..7  |   |          |
| 1131                                | Code list qualifier                    | C | an..3  |   |          |
| 3055                                | Code list responsible agency, coded    | C | an..3  |   |          |
| 5278                                | Duty/tax/fee rate                      | C | an..17 | Rate of tax(an..15)                           |          |
| 5273                                | Duty/tax/fee rate basis identification | C | an..12 |   |          |
| 1131                                | Code list qualifier                    | C | an..3  |   |          |
| 3055                                | Code list responsible agency, coded    | C | an..3  |   |          |
| 5305                                | Duty/tax/fee category, coded           | C | an..3  | Method of payment(a1)                         | 104      |
| 3446                                | Party tax identification number        | C | an..20 | Tax base(n..15,2)                             |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIR[131],RELATED IDENTIFICATION NUMBERS,C,50x |                              |   |        | MESSAGE - GOODS ITEM | Codelist |
|---|------------------------------|---|--------|----------------------|----------|
| 7297  | Set identification qualifier | M | an..3  | '3'                  |          |
| C206  | IDENTIFICATION NUMBER        | C |        |                      |          |
| 7402  | Identity number              | M | an..35 |                      |          |
| 7405  | Identity number qualifier    | C | an..3  |                      |          |
| 4405  | Status, coded                | C | an..3  |                      |          |
| C206  | IDENTIFICATION NUMBER        | C |        |                      |          |
| 7402  | Identity number              | M | an..35 |                      |          |
| 7405  | Identity number qualifier    | C | an..3  |                      |          |
| 4405  | Status, coded                | C | an..3  |                      |          |
| C206  | IDENTIFICATION NUMBER        | C |        |                      |          |
| 7402  | Identity number              | M | an..35 |                      |          |
| 7405  | Identity number qualifier    | C | an..3  |                      |          |
| 4405  | Status, coded                | C | an..3  |                      |          |
| C206  | IDENTIFICATION NUMBER        | C |        |                      |          |
| 7402  | Identity number              | M | an..35 |                      |          |
| 7405  | Identity number qualifier    | C | an..3  |                      |          |
| 4405  | Status, coded                | C | an..3  |                      |          |
| C206  | IDENTIFICATION NUMBER        | C |        |                      |          |
| 7402  | Identity number              | M | an..35 |                      |          |
| 7405  | Identity number qualifier    | C | an..3  |                      |          |
| 4405  | Status, coded                | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| CNT[145],CONTROL TOTAL,C,5x |                        |  |   | MESSAGE - HEADER | Codelist                       |
|-----------------------------|------------------------|--|---|------------------|--------------------------------|
| C270                        | CONTROL                |  | M |                  |                                |
| 6069                        | Control qualifier      |  | M | an..3            | '11'                           |
| 6066                        | Control value          |  | M | n..18            | Total number of packages(n..7) |
| 6411                        | Measure unit qualifier |  | C | an..3            |                                |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| CNT[145],CONTROL TOTAL,C,5x |                        |  |   | MESSAGE - HEADER | Codelist |
|-----------------------------|------------------------|--|---|------------------|----------|
| C270                        | CONTROL                |  | M |                  |          |
| 6069                        | Control qualifier      |  | M | an..3            | '13'     |
| 6066                        | Control value          |  | M | n..18            |          |
| 6411                        | Measure unit qualifier |  | C | an..3            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| CNT[145],CONTROL TOTAL,C,5x |                        |  |   | MESSAGE - SEALS INFO | Codelist           |
|-----------------------------|------------------------|--|---|----------------------|--------------------|
| C270                        | CONTROL                |  | M |                      |                    |
| 6069                        | Control qualifier      |  | M | an..3                | '16'               |
| 6066                        | Control value          |  | M | n..18                | Seals number(n..4) |
| 6411                        | Measure unit qualifier |  | C | an..3                |                    |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| CNT[145],CONTROL TOTAL,C,5x |                        |  |   | MESSAGE - HEADER | Codelist                    |
|-----------------------------|------------------------|--|---|------------------|-----------------------------|
| C270                        | CONTROL                |  | M |                  |                             |
| 6069                        | Control qualifier      |  | M | an..3            | '5'                         |
| 6066                        | Control value          |  | M | n..18            | Total number of items(n..5) |
| 6411                        | Measure unit qualifier |  | C | an..3            |                             |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[151],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                | Codelist |
|-------------------------------|-----------------------------------|---|--------|--|----------|
| 0074                          | Number of segments in the message | M | n..6   | '-- Number of segments in the message' |          |
| 0062                          | Message reference number          | M | an..14 | Message identification(an..14)         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNZ[152],INTERCHANGE TRAILER,M,1x |                               |   |        | MESSAGE                               | Codelist |
|-----------------------------------|-------------------------------|---|--------|---------------------------------------|----------|
| 0036                              | Interchange control count     | M | n..6   | '-- Interchange control count'        |          |
| 0020                              | Interchange control reference | M | an..14 | Interchange control reference(an..14) |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## CUSRES

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |          |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |          |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    | 27       |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                         | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14)  |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                 |          |
| 0065                       | Message type              | M | an..6  | 'CUSRES'                        |          |
| 0052                       | Message version number    | M | an..3  | 'D'                             |          |
| 0054                       | Message release number    | M | an..3  | '96B'                           |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                            |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)             | 60       |
| 0068                       | Common Access Reference   | C | an..35 | Common access reference(an..35) |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                 |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                 |          |
| 0073                       | First and last transfer   | C | a1     |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| BGM[2],BEGINNING OF MESSAGE,M,1x |                                     |   |        | MESSAGE - HEADER                         | Codelist |
|----------------------------------|-------------------------------------|---|--------|--|----------|
| C002                             | DOCUMENT/MESSAGE NAME               | C |        |  |          |
| 1001                             | Document/message name, coded        | C | an..3  |  |          |
| 1131                             | Code list qualifier                 | C | an..3  |  |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |  |          |
| 1000                             | Document/message name               | C | an..35 |  |          |
| C106                             | DOCUMENT/MESSAGE IDENTIFICATION     | C |        |  |          |
| 1004                             | Document/message number             | C | an..35 | <i>Document/reference number(an..21)</i> |          |
| 1056                             | Version                             | C | an..9  |  |          |
| 1060                             | Revision number                     | C | an..6  |  |          |
| 1225                             | Message function, coded             | C | an..3  | '11'                                     |          |
| 4343                             | Response type, coded                | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER    | Codelist |
|------------------------------|-----------------------------------|---|--------|---------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                     |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '148'               |          |
| 2380                         | Date/time/period                  | C | an..35 | Acceptance date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER | Codelist |
|------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '178'            |          |
| 2380                         | Date/time/period                  | C | an..35 | Arrival date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |  |   | MESSAGE - HEADER | Codelist                         |
|------------------------------|-----------------------------------|--|---|------------------|----------------------------------|
| C507                         | DATE/TIME/PERIOD                  |  | M |                  |                                  |
| 2005                         | Date/time/period qualifier        |  | M | an..3            | '184'                            |
| 2380                         | Date/time/period                  |  | C | an..35           | Date of control notification(n8) |
| 2379                         | Date/time/period format qualifier |  | C | an..3            |                                  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER                         | Codelist |
|------------------------------|-----------------------------------|---|--------|--|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |  |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '193'                                    |          |
| 2380                         | Date/time/period                  | C | an..35 | <i>Date of cancellation decision(n8)</i> |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER | Codelist |
|------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '261'            |          |
| 2380                         | Date/time/period                  | C | an..35 |                  |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |  |   | MESSAGE - HEADER | Codelist                         |
|------------------------------|-----------------------------------|--|---|------------------|----------------------------------|
| C507                         | DATE/TIME/PERIOD                  |  | M |                  |                                  |
| 2005                         | Date/time/period qualifier        |  | M | an..3            | '318'                            |
| 2380                         | Date/time/period                  |  | C | an..35           | Date of cancellation request(n8) |
| 2379                         | Date/time/period format qualifier |  | C | an..3            |                                  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER                | Codelist |
|------------------------------|-----------------------------------|---|--------|---------------------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                                 |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '46'                            |          |
| 2380                         | Date/time/period                  | C | an..35 | <i>Date of cancellation(n8)</i> |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER | Codelist |
|------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '270'            |          |
| 2380                         | Date/time/period                  | C | an..35 |                  |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER                    | Codelist |
|------------------------------|-----------------------------------|---|--------|-------------------------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                                     |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '55'                                |          |
| 2380                         | Date/time/period                  | C | an..35 | <i>Date of enquiry response(n8)</i> |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER | Codelist |
|------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '184'            |          |
| 2380                         | Date/time/period                  | C | an..35 |                  |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - HEADER                           | Codelist |
|--------------------------|-------------------------------------|---|--------|--|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'ABY'                                      |          |
| 4453                     | Text function, coded                | C | an..3  |  |          |
| C107                     | TEXT REFERENCE                      | C |        |  |          |
| 4441                     | Free text identification            | M | an..17 |  |          |
| 1131                     | Code list qualifier                 | C | an..3  |  |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |  |          |
| C108                     | TEXT LITERAL                        | C |        |  |          |
| 4440                     | Free text                           | C | an..70 | <i>Cancellation justification(an..350)</i> |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                       |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                       |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                       |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                       |          |
| 3453                     | Language, coded                     | C | an..3  | <i>Cancellation justification LNG(a2)</i>  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - HEADER                          | Codelist |
|--------------------------|-------------------------------------|---|--------|---|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'ACD'                                     |          |
| 4453                     | Text function, coded                | C | an..3  |   |          |
| C107                     | TEXT REFERENCE                      | C |        |   |          |
| 4441                     | Free text identification            | M | an..17 |   |          |
| 1131                     | Code list qualifier                 | C | an..3  |   |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |   |          |
| C108                     | TEXT LITERAL                        | C |        |   |          |
| 4440                     | Free text                           | C | an..70 | Release request rejection reason(an..350) |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                      |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                      |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                      |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                      |          |
| 3453                     | Language, coded                     | C | an..3  | Release request rejection reason LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - UPL RESPONSE                         | Codelist |
|--------------------------|-------------------------------------|---|--------|--|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'AAQ'  |          |
| 4453                     | Text function, coded                | C | an..3  |  |          |
| C107                     | TEXT REFERENCE                      | C |        |  |          |
| 4441                     | Free text identification            | M | an..17 |  |          |
| 1131                     | Code list qualifier                 | C | an..3  |  |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |  |          |
| C108                     | TEXT LITERAL                        | C |        |  |          |
| 4440                     | Free text                           | C | an..70 | <i>Original message identification(an..14)</i> |          |
| 4440                     | Free text                           | C | an..70 | <i>Status(a..8)</i>                            |          |
| 4440                     | Free text                           | C | an..70 | <i>Description(an..210)</i>                    |          |
| 4440                     | Free text                           | C | an..70 | <i>'-- continued 70 --'</i>                    |          |
| 4440                     | Free text                           | C | an..70 | <i>'-- continued 70 --'</i>                    |          |
| 3453                     | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - HEADER     | Codelist |
|--------------------------|-------------------------------------|---|--------|----------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'RAH'                |          |
| 4453                     | Text function, coded                | C | an..3  |                      |          |
| C107                     | TEXT REFERENCE                      | C |        |                      |          |
| 4441                     | Free text identification            | M | an..17 |                      |          |
| 1131                     | Code list qualifier                 | C | an..3  |                      |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                      |          |
| C108                     | TEXT LITERAL                        | C |        |                      |          |
| 4440                     | Free text                           | C | an..70 |                      |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 3453                     | Language, coded                     | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - HEADER | Codelist |
|--------------------------|-------------------------------------|---|--------|------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'ABT'            |          |
| 4453                     | Text function, coded                | C | an..3  |                  |          |
| C107                     | TEXT REFERENCE                      | C |        |                  |          |
| 4441                     | Free text identification            | M | an..17 |                  |          |
| 1131                     | Code list qualifier                 | C | an..3  |                  |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                  |          |
| C108                     | TEXT LITERAL                        | C |        |                  |          |
| 4440                     | Free text                           | C | an..70 |                  |          |
| 4440                     | Free text                           | C | an..70 |                  |          |
| 4440                     | Free text                           | C | an..70 |                  |          |
| 4440                     | Free text                           | C | an..70 |                  |          |
| 4440                     | Free text                           | C | an..70 |                  |          |
| 3453                     | Language, coded                     | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INFORMATION | Codelist |
|--------------------------|-------------------------------------|---|--------|-----------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'REV'                 |          |
| 4453                     | Text function, coded                | C | an..3  |                       |          |
| C107                     | TEXT REFERENCE                      | C |        |                       |          |
| 4441                     | Free text identification            | M | an..17 |                       |          |
| 1131                     | Code list qualifier                 | C | an..3  |                       |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                       |          |
| C108                     | TEXT LITERAL                        | C |        |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 3453                     | Language, coded                     | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INFORMATION | Codelist |
|--------------------------|-------------------------------------|---|--------|-----------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'RQR'                 |          |
| 4453                     | Text function, coded                | C | an..3  |                       |          |
| C107                     | TEXT REFERENCE                      | C |        |                       |          |
| 4441                     | Free text identification            | M | an..17 |                       |          |
| 1131                     | Code list qualifier                 | C | an..3  |                       |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                       |          |
| C108                     | TEXT LITERAL                        | C |        |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'  |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 3453                     | Language, coded                     | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INFORMATION | Codelist |
|--------------------------|-------------------------------------|---|--------|-----------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'IND'                 |          |
| 4453                     | Text function, coded                | C | an..3  |                       |          |
| C107                     | TEXT REFERENCE                      | C |        |                       |          |
| 4441                     | Free text identification            | M | an..17 |                       |          |
| 1131                     | Code list qualifier                 | C | an..3  |                       |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                       |          |
| C108                     | TEXT LITERAL                        | C |        |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 4440                     | Free text                           | C | an..70 |                       |          |
| 3453                     | Language, coded                     | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - (DESTINATION DECLARED) CUSTOMS Codelist OFFICE

|      |   |   |        |                       |
|------|---|---|--------|-----------------------|
| 3227 | Place/location qualifier                  | M | an..3  | '122'                 |
| C517 | LOCATION IDENTIFICATION                   | C |        |                       |
| 3225 | Place/location identification             | C | an..25 | Reference number(an8) |
| 1131 | Code list qualifier                       | C | an..3  |                       |
| 3055 | Code list responsible agency, coded       | C | an..3  |                       |
| 3224 | Place/location                            | C | an..70 |                       |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |                       |
| 3223 | Related place/location one identification | C | an..25 |                       |
| 1131 | Code list qualifier                       | C | an..3  |                       |
| 3055 | Code list responsible agency, coded       | C | an..3  |                       |
| 3222 | Related place/location one                | C | an..70 |                       |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |                       |
| 3233 | Related place/location two identification | C | an..25 |                       |
| 1131 | Code list qualifier                       | C | an..3  |                       |
| 3055 | Code list responsible agency, coded       | C | an..3  |                       |
| 3232 | Related place/location two                | C | an..70 |                       |
| 5479 | Relation, coded                           | C | an..3  |                       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - (COMPETENT AUTHORITY OF DEPARTURE) CUSTOMS OFFICE

Codelist

|      |   |   |        |
|------|---|---|--------|
| 3227 | Place/location qualifier                  | M | an..3  |
| C517 | LOCATION IDENTIFICATION                   | C |        |
| 3225 | Place/location identification             | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3224 | Place/location                            | C | an..70 |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |
| 3223 | Related place/location one identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3222 | Related place/location one                | C | an..70 |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |
| 3233 | Related place/location two identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3232 | Related place/location two                | C | an..70 |
| 5479 | Relation, coded                           | C | an..3  |

'120'

*Reference number(an8)*

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - (COMPETENT AUTHORITY FOR RECOVERY) CUSTOMS OFFICE

Codelist

|      |   |   |        |
|------|---|---|--------|
| 3227 | Place/location qualifier                  | M | an..3  |
| C517 | LOCATION IDENTIFICATION                   | C |        |
| 3225 | Place/location identification             | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3224 | Place/location                            | C | an..70 |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |
| 3223 | Related place/location one identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3222 | Related place/location one                | C | an..70 |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |
| 3233 | Related place/location two identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3232 | Related place/location two                | C | an..70 |
| 5479 | Relation, coded                           | C | an..3  |

'22'

*Reference number(an8)*

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (REQUESTED) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--------------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '96'                                 |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                      |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3224                                       | Place/location                            | C | an..70 |                                      |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                      |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3222                                       | Related place/location one                | C | an..70 |                                      |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                      |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3232                                       | Related place/location two                | C | an..70 |                                      |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (EXPORT) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|-----------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '118'                             |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                   |          |
| 3225                                       | Place/location identification             | C | an..25 |                                   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3224                                       | Place/location                            | C | an..70 |                                   |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                   |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3222                                       | Related place/location one                | C | an..70 |                                   |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                   |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3232                                       | Related place/location two                | C | an..70 |                                   |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (ACTUAL EXIT) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '22'                                   |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | <i>Reference number(an8)</i>           |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (EXIT DECLARED) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '115'                                    |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                    |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224                                       | Place/location                            | C | an..70 |  |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223                                       | Related place/location one identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222                                       | Related place/location one                | C | an..70 |  |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233                                       | Related place/location two identification | C | an..25 |  |          |
| 1131                                       | Code list qualifier                       | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232                                       | Related place/location two                | C | an..70 |  |          |
| 5479                                       | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (TRANSIT DECLARED) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|---|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '52'  |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |   |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                       |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3224                                       | Place/location                            | C | an..70 |   |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |   |          |
| 3223                                       | Related place/location one identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3222                                       | Related place/location one                | C | an..70 |   |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |   |          |
| 3233                                       | Related place/location two identification | C | an..25 |   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |   |          |
| 3232                                       | Related place/location two                | C | an..70 |   |          |
| 5479                                       | Relation, coded                           | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (DEPARTURE) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--------------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '118'                                |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                      |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3224                                       | Place/location                            | C | an..70 |                                      |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                      |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3222                                       | Related place/location one                | C | an..70 |                                      |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                      |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3232                                       | Related place/location two                | C | an..70 |                                      |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (EXPORT) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|-----------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '116'                             |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                   |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)             |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3224                                       | Place/location                            | C | an..70 |                                   |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                   |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3222                                       | Related place/location one                | C | an..70 |                                   |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                   |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                   |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                   |          |
| 3232                                       | Related place/location two                | C | an..70 |                                   |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - (COMPETENT AUTHORITY OF EXPORT) CUSTOMS OFFICE

Codelist

|      |   |   |        |
|------|---|---|--------|
| 3227 | Place/location qualifier                  | M | an..3  |
| C517 | LOCATION IDENTIFICATION                   | C |        |
| 3225 | Place/location identification             | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3224 | Place/location                            | C | an..70 |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |
| 3223 | Related place/location one identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3222 | Related place/location one                | C | an..70 |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |
| 3233 | Related place/location two identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3232 | Related place/location two                | C | an..70 |
| 5479 | Relation, coded                           | C | an..3  |

'44'

*Reference number(an8)*

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x

|      |   |   |        |
|------|---|---|--------|
| 3227 | Place/location qualifier                  | M | an..3  |
| C517 | LOCATION IDENTIFICATION                   | C |        |
| 3225 | Place/location identification             | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3224 | Place/location                            | C | an..70 |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |
| 3223 | Related place/location one identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3222 | Related place/location one                | C | an..70 |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |
| 3233 | Related place/location two identification | C | an..25 |
| 1131 | Code list qualifier                       | C | an..3  |
| 3055 | Code list responsible agency, coded       | C | an..3  |
| 3232 | Related place/location two                | C | an..70 |
| 5479 | Relation, coded                           | C | an..3  |

#### MESSAGE - (EXIT REQUESTED) CUSTOMS OFFICE Codelist

'42'

*Reference number(an8)*

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[7],GENERAL INDICATOR,C,10x |                                     |   |        | MESSAGE - HEADER                             | Codelist |
|--------------------------------|-------------------------------------|---|--------|--|----------|
| C529                           | PROCESSING INDICATOR                | M |        |  |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>Cancellation initiated by customs(n1)</i> | 27       |
| 1131                           | Code list qualifier                 | C | an..3  | '117'  |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |  |          |
| 7187                           | Process type identification         | C | an..17 |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[7],GENERAL INDICATOR,C,10x |                                     |   |        | MESSAGE - HEADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                  |          |
| 7365                           | Processing indicator, coded         | M | an..3  | Status(an3)      | 58       |
| 1131                           | Code list qualifier                 | C | an..3  | '120'            |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                  |          |
| 7187                           | Process type identification         | C | an..17 |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[7],GENERAL INDICATOR,C,10x |                                     |   |        | MESSAGE - HEADER             | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                              |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>Release requested(n1)</i> | 27       |
| 1131                           | Code list qualifier                 | C | an..3  | '148'                        |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                              |          |
| 7187                           | Process type identification         | C | an..17 |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[7],GENERAL INDICATOR,C,10x |                                     |   |        | MESSAGE - HEADER                 | Codelist |
|--------------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                                  |          |
| 7365                           | Processing indicator, coded         | M | an..3  | <i>Cancellation decision(n1)</i> | 27       |
| 1131                           | Code list qualifier                 | C | an..3  | '70'                             |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                                  |          |
| 7187                           | Process type identification         | C | an..17 |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| GIS[7],GENERAL INDICATOR,C,10x |                                     |   |        | MESSAGE - HEADER | Codelist |
|--------------------------------|-------------------------------------|---|--------|------------------|----------|
| C529                           | PROCESSING INDICATOR                | M |        |                  |          |
| 7365                           | Processing indicator, coded         | M | an..3  |                  |          |
| 1131                           | Code list qualifier                 | C | an..3  | '104'            |          |
| 3055                           | Code list responsible agency, coded | C | an..3  |                  |          |
| 7187                           | Process type identification         | C | an..17 |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[12],REFERENCE,C,999x |                          |   |        | MESSAGE - HEADER         | Codelist |
|--------------------------|--------------------------|---|--------|--------------------------|----------|
| C506                     | REFERENCE                | M |        |                          |          |
| 1153                     | Reference qualifier      | M | an..3  | 'ABE'                    |          |
| 1154                     | Reference number         | C | an..35 | Reference number(an..22) |          |
| 1156                     | Line number              | C | an..6  |                          |          |
| 4000                     | Reference version number | C | an..35 |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| ERP[45],ERROR POINT DETAILS,C,9999x |                               |   |        | MESSAGE - UPL ERROR           | Codelist |
|-------------------------------------|-------------------------------|---|--------|-------------------------------|----------|
| C701                                | ERROR POINT DETAILS           | C |        |                               |          |
| 1049                                | Message section, coded        | C | an..3  |                               |          |
| 1052                                | Message item number           | C | an..35 | Action identification(an..20) |          |
| 1054                                | Message sub-item number       | C | n..6   |                               |          |
| C853                                | ERROR SEGMENT POINT DETAILS   | C |        |                               |          |
| 9166                                | Segment tag                   | C | an..3  |                               |          |
| 1050                                | Sequence number               | C | an..10 |                               |          |
| 1159                                | Sequence number source, coded | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**ERC[47],APPLICATION ERROR INFORMATION,C,99x**

|      |                                     |   |       |
|------|-------------------------------------|---|-------|
| C901 | APPLICATION ERROR DETAIL            | M |       |
| 9321 | Application error identification    | M | an..8 |
| 1131 | Code list qualifier                 | C | an..3 |
| 3055 | Code list responsible agency, coded | C | an..3 |

**MESSAGE - UPL ERROR**

**Codelist**

*Code(an..8)*

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[48],FREE TEXT,C,999x |                                     |   |        | MESSAGE - UPL ERROR            | Codelist |
|--------------------------|-------------------------------------|---|--------|--------------------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'AAO'                          |          |
| 4453                     | Text function, coded                | C | an..3  |                                |          |
| C107                     | TEXT REFERENCE                      | C |        |                                |          |
| 4441                     | Free text identification            | M | an..17 |                                |          |
| 1131                     | Code list qualifier                 | C | an..3  |                                |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                                |          |
| C108                     | TEXT LITERAL                        | C |        |                                |          |
| 4440                     | Free text                           | C | an..70 | <i>Description(an..210)</i>    |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'           |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'           |          |
| 4440                     | Free text                           | C | an..70 | <i>Attribute path(an..140)</i> |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'           |          |
| 3453                     | Language, coded                     | C | an..3  |                                |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[52],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                | Codelist |
|------------------------------|-----------------------------------|---|--------|--|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNZ[53],INTERCHANGE TRAILER,M,1x |                               |   |        | MESSAGE                               | Codelist |
|----------------------------------|-------------------------------|---|--------|---------------------------------------|----------|
| 0036                             | Interchange control count     | M | n..6   | '-- Interchange control count'        |          |
| 0020                             | Interchange control reference | M | an..14 | Interchange control reference(an..14) |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## FINSTA

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |          |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |          |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    | 27       |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                         | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14)  |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                 |          |
| 0065                       | Message type              | M | an..6  | 'FINSTA'                        |          |
| 0052                       | Message version number    | M | an..3  | 'D'                             |          |
| 0054                       | Message release number    | M | an..3  | '96B'                           |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                            |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)             | 60       |
| 0068                       | Common Access Reference   | C | an..35 | Common access reference(an..35) |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                 |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                 |          |
| 0073                       | First and last transfer   | C | a1     |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| BGM[2],BEGINNING OF MESSAGE,M,1x |                                     |   |        | MESSAGE | Codelist |
|----------------------------------|-------------------------------------|---|--------|---------|----------|
| C002                             | DOCUMENT/MESSAGE NAME               | C |        |         |          |
| 1001                             | Document/message name, coded        | C | an..3  |         |          |
| 1131                             | Code list qualifier                 | C | an..3  |         |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |         |          |
| 1000                             | Document/message name               | C | an..35 |         |          |
| C106                             | DOCUMENT/MESSAGE IDENTIFICATION     | C |        |         |          |
| 1004                             | Document/message number             | C | an..35 |         |          |
| 1056                             | Version                             | C | an..9  |         |          |
| 1060                             | Revision number                     | C | an..6  |         |          |
| 1225                             | Message function, coded             | C | an..3  | '14'    |          |
| 4343                             | Response type, coded                | C | an..3  |         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[27],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                  | Codelist |
|------------------------------|-----------------------------------|---|--------|--|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message--' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)           |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### UNZ[28],INTERCHANGE TRAILER,M,1x

|      |                               |   |        |                                       |
|------|-------------------------------|---|--------|---------------------------------------|
| 0036 | Interchange control count     | M | n..6   | '-- Interchange control count--'      |
| 0020 | Interchange control reference | M | an..14 | Interchange control reference(an..14) |

#### MESSAGE

Codelist

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## FUNACK

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |          |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |          |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    | 27       |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                         | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14)  |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                 |          |
| 0065                       | Message type              | M | an..6  | 'CUSRES'                        |          |
| 0052                       | Message version number    | M | an..3  | 'D'                             |          |
| 0054                       | Message release number    | M | an..3  | '96B'                           |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                            |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)             | 60       |
| 0068                       | Common Access Reference   | C | an..35 | Common access reference(an..35) |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                 |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                 |          |
| 0073                       | First and last transfer   | C | a1     |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| BGM[2],BEGINNING OF MESSAGE,M,1x |                                     |   |        | MESSAGE - HEADER                  | Codelist |
|----------------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| C002                             | DOCUMENT/MESSAGE NAME               | C |        |                                   |          |
| 1001                             | Document/message name, coded        | C | an..3  |                                   |          |
| 1131                             | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |                                   |          |
| 1000                             | Document/message name               | C | an..35 | Type of declaration(an..9)        | 31       |
| C106                             | DOCUMENT/MESSAGE IDENTIFICATION     | C |        |                                   |          |
| 1004                             | Document/message number             | C | an..35 | Document/reference number(an..21) |          |
| 1056                             | Version                             | C | an..9  |                                   |          |
| 1060                             | Revision number                     | C | an..6  |                                   |          |
| 1225                             | Message function, coded             | C | an..3  | '11'                              |          |
| 4343                             | Response type, coded                | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER | Codelist |
|------------------------------|-----------------------------------|---|--------|------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                  |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '357'            |          |
| 2380                         | Date/time/period                  | C | an..35 |                  |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER           | Codelist |
|------------------------------|-----------------------------------|---|--------|----------------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                            |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '46'                       |          |
| 2380                         | Date/time/period                  | C | an..35 | Arrival rejection date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER               | Codelist |
|------------------------------|-----------------------------------|---|--------|--------------------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                                |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '46'                           |          |
| 2380                         | Date/time/period                  | C | an..35 | Declaration rejection date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                                |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER             | Codelist |
|------------------------------|-----------------------------------|---|--------|------------------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                              |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '46'                         |          |
| 2380                         | Date/time/period                  | C | an..35 | Amendment rejection date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER             | Codelist |
|------------------------------|-----------------------------------|---|--------|------------------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                              |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '318'                        |          |
| 2380                         | Date/time/period                  | C | an..35 | <i>Date of amendment(n8)</i> |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER                   | Codelist |
|------------------------------|-----------------------------------|---|--------|------------------------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                                    |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '261'                              |          |
| 2380                         | Date/time/period                  | C | an..35 | <i>Date of release request(n8)</i> |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |  |   | MESSAGE - HEADER | Codelist                              |
|------------------------------|-----------------------------------|--|---|------------------|---------------------------------------|
| C507                         | DATE/TIME/PERIOD                  |  | M |                  |                                       |
| 2005                         | Date/time/period qualifier        |  | M | an..3            | '204'                                 |
| 2380                         | Date/time/period                  |  | C | an..35           | Date of release request rejection(n8) |
| 2379                         | Date/time/period format qualifier |  | C | an..3            |                                       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - FUNCTIONAL ERROR | Codelist |
|--------------------------|-------------------------------------|---|--------|----------------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'AAO'                      |          |
| 4453                     | Text function, coded                | C | an..3  |                            |          |
| C107                     | TEXT REFERENCE                      | C |        |                            |          |
| 4441                     | Free text identification            | M | an..17 | Error type(n2)             | 49       |
| 1131                     | Code list qualifier                 | C | an..3  |                            |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                            |          |
| C108                     | TEXT LITERAL                        | C |        |                            |          |
| 4440                     | Free text                           | C | an..70 | Error pointer(an..210)     |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'       |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'       |          |
| 4440                     | Free text                           | C | an..70 | Error reason(an..6)        |          |
| 4440                     | Free text                           | C | an..70 |                            |          |
| 3453                     | Language, coded                     | C | an..3  |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - FUNCTIONAL ERROR        | Codelist |
|--------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'AAP'                             |          |
| 4453                     | Text function, coded                | C | an..3  |                                   |          |
| C107                     | TEXT REFERENCE                      | C |        |                                   |          |
| 4441                     | Free text identification            | M | an..17 |                                   |          |
| 1131                     | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                                   |          |
| C108                     | TEXT LITERAL                        | C |        |                                   |          |
| 4440                     | Free text                           | C | an..70 | Original attribute value(an..140) |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'              |          |
| 4440                     | Free text                           | C | an..70 |                                   |          |
| 4440                     | Free text                           | C | an..70 |                                   |          |
| 4440                     | Free text                           | C | an..70 |                                   |          |
| 3453                     | Language, coded                     | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        |  | MESSAGE - HEADER            | Codelist |
|--------------------------|-------------------------------------|---|--------|--|-----------------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  |  | 'ABD'                       |          |
| 4453                     | Text function, coded                | C | an..3  |  |                             |          |
| C107                     | TEXT REFERENCE                      | C |        |  |                             |          |
| 4441                     | Free text identification            | M | an..17 |  |                             |          |
| 1131                     | Code list qualifier                 | C | an..3  |  |                             |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |  |                             |          |
| C108                     | TEXT LITERAL                        | C |        |  |                             |          |
| 4440                     | Free text                           | C | an..70 |  | Action to be taken(an..350) |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'        |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'        |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'        |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'        |          |
| 3453                     | Language, coded                     | C | an..3  |  | Action to be taken LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - HEADER                      | Codelist |
|--------------------------|-------------------------------------|---|--------|---------------------------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'ACD'                                 |          |
| 4453                     | Text function, coded                | C | an..3  |                                       |          |
| C107                     | TEXT REFERENCE                      | C |        |                                       |          |
| 4441                     | Free text identification            | M | an..17 |                                       |          |
| 1131                     | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                                       |          |
| C108                     | TEXT LITERAL                        | C |        |                                       |          |
| 4440                     | Free text                           | C | an..70 | Declaration rejection reason(an..350) |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                  |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                  |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                  |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                  |          |
| 3453                     | Language, coded                     | C | an..3  | Declaration rejection reason LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - HEADER     | Codelist |
|--------------------------|-------------------------------------|---|--------|----------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'ACD'                |          |
| 4453                     | Text function, coded                | C | an..3  |                      |          |
| C107                     | TEXT REFERENCE                      | C |        |                      |          |
| 4441                     | Free text identification            | M | an..17 |                      |          |
| 1131                     | Code list qualifier                 | C | an..3  |                      |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |                      |          |
| C108                     | TEXT LITERAL                        | C |        |                      |          |
| 4440                     | Free text                           | C | an..70 |                      |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --' |          |
| 3453                     | Language, coded                     | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - HEADER                             | Codelist |
|--------------------------|-------------------------------------|---|--------|--|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'ACD'  |          |
| 4453                     | Text function, coded                | C | an..3  |  |          |
| C107                     | TEXT REFERENCE                      | C |        |  |          |
| 4441                     | Free text identification            | M | an..17 | Amendment rejection motivation code(n1)      | 45       |
| 1131                     | Code list qualifier                 | C | an..3  |  |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |  |          |
| C108                     | TEXT LITERAL                        | C |        |  |          |
| 4440                     | Free text                           | C | an..70 | Amendment rejection motivation text(an..350) |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                         |          |
| 3453                     | Language, coded                     | C | an..3  | Amendment rejection motivation text LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - HEADER                                 | Codelist |
|--------------------------|-------------------------------------|---|--------|--|----------|
| 4451                     | Text subject qualifier              | M | an..3  | 'ACD'  |          |
| 4453                     | Text function, coded                | C | an..3  |  |          |
| C107                     | TEXT REFERENCE                      | C |        |  |          |
| 4441                     | Free text identification            | M | an..17 | <i>Release requested(n1)</i>                     | 27       |
| 1131                     | Code list qualifier                 | C | an..3  |  |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |  |          |
| C108                     | TEXT LITERAL                        | C |        |  |          |
| 4440                     | Free text                           | C | an..70 | <i>Release request rejection reason(an..350)</i> |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                             |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                             |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                             |          |
| 4440                     | Free text                           | C | an..70 | '-- Continued 70 --'                             |          |
| 3453                     | Language, coded                     | C | an..3  | <i>Release request rejection reason LNG(a2)</i>  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[4],FREE TEXT,C,9999x |                                     |   |        |  | MESSAGE - HEADER                  | Codelist |
|--------------------------|-------------------------------------|---|--------|--|-----------------------------------|----------|
| 4451                     | Text subject qualifier              | M | an..3  |  | 'ARR'                             |          |
| 4453                     | Text function, coded                | C | an..3  |  |                                   |          |
| C107                     | TEXT REFERENCE                      | C |        |  |                                   |          |
| 4441                     | Free text identification            | M | an..17 |  |                                   |          |
| 1131                     | Code list qualifier                 | C | an..3  |  |                                   |          |
| 3055                     | Code list responsible agency, coded | C | an..3  |  |                                   |          |
| C108                     | TEXT LITERAL                        | C |        |  |                                   |          |
| 4440                     | Free text                           | C | an..70 |  | Arrival rejection reason(an..350) |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'              |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'              |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'              |          |
| 4440                     | Free text                           | C | an..70 |  | '-- Continued 70 --'              |          |
| 3453                     | Language, coded                     | C | an..3  |  | Arrival rejection reason LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[6],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - (DEPARTURE) CUSTOMS OFFICE | Codelist |
|--|---|---|--------|--------------------------------------|----------|
| 3227                                       | Place/location qualifier                  | M | an..3  | '118'                                |          |
| C517                                       | LOCATION IDENTIFICATION                   | C |        |                                      |          |
| 3225                                       | Place/location identification             | C | an..25 | Reference number(an8)                |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3224                                       | Place/location                            | C | an..70 |                                      |          |
| C519                                       | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                      |          |
| 3223                                       | Related place/location one identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3222                                       | Related place/location one                | C | an..70 |                                      |          |
| C553                                       | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                      |          |
| 3233                                       | Related place/location two identification | C | an..25 |                                      |          |
| 1131                                       | Code list qualifier                       | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded       | C | an..3  |                                      |          |
| 3232                                       | Related place/location two                | C | an..70 |                                      |          |
| 5479                                       | Relation, coded                           | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[12],REFERENCE,C,999x |                          |   |        | MESSAGE - HEADER         | Codelist |
|--------------------------|--------------------------|---|--------|--------------------------|----------|
| C506                     | REFERENCE                | M |        |                          |          |
| 1153                     | Reference qualifier      | M | an..3  | 'ABE'                    |          |
| 1154                     | Reference number         | C | an..35 | Reference number(an..22) |          |
| 1156                     | Line number              | C | an..6  |                          |          |
| 4000                     | Reference version number | C | an..35 |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[12],REFERENCE,C,999x |                          |  |   | MESSAGE | Codelist                                |
|--------------------------|--------------------------|--|---|---------|---|
| C506                     | REFERENCE                |  | M |         |   |
| 1153                     | Reference qualifier      |  | M | an..3   | 'AGO'                                   |
| 1154                     | Reference number         |  | C | an..35  | Original message identification(an..14) |
| 1156                     | Line number              |  | C | an..6   |   |
| 4000                     | Reference version number |  | C | an..35  |   |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[52],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                | Codelist |
|------------------------------|-----------------------------------|---|--------|--|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNZ[53],INTERCHANGE TRAILER,M,1x |                               |   |        | MESSAGE                               | Codelist |
|----------------------------------|-------------------------------|---|--------|---------------------------------------|----------|
| 0036                             | Interchange control count     | M | n..6   | '-- Interchange control count'        |          |
| 0020                             | Interchange control reference | M | an..14 | Interchange control reference(an..14) |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## GENRAL

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |          |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |          |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    | 27       |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                         | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14)  |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                 |          |
| 0065                       | Message type              | M | an..6  | 'GENRAL'                        |          |
| 0052                       | Message version number    | M | an..3  | 'D'                             |          |
| 0054                       | Message release number    | M | an..3  | '96B'                           |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                            |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)             | 60       |
| 0068                       | Common Access Reference   | C | an..35 | Common access reference(an..35) |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                 |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                 |          |
| 0073                       | First and last transfer   | C | a1     |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| BGM[2],BEGINNING OF MESSAGE,M,1x |                                     |   |        | MESSAGE | Codelist |
|----------------------------------|-------------------------------------|---|--------|---------|----------|
| C002                             | DOCUMENT/MESSAGE NAME               | C |        |         |          |
| 1001                             | Document/message name, coded        | C | an..3  |         |          |
| 1131                             | Code list qualifier                 | C | an..3  |         |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |         |          |
| 1000                             | Document/message name               | C | an..35 |         |          |
| C106                             | DOCUMENT/MESSAGE IDENTIFICATION     | C |        |         |          |
| 1004                             | Document/message number             | C | an..35 |         |          |
| 1056                             | Version                             | C | an..9  |         |          |
| 1060                             | Revision number                     | C | an..6  |         |          |
| 1225                             | Message function, coded             | C | an..3  | '51'    |          |
| 4343                             | Response type, coded                | C | an..3  |         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[4],REFERENCE,C,10x |                          |   |        | MESSAGE - CTL_CONTROL | Codelist |
|------------------------|--------------------------|---|--------|-----------------------|----------|
| C506                   | REFERENCE                | M |        |                       |          |
| 1153                   | Reference qualifier      | M | an..3  | 'ABB'                 |          |
| 1154                   | Reference number         | C | an..35 |                       |          |
| 1156                   | Line number              | C | an..6  |                       |          |
| 4000                   | Reference version number | C | an..35 |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[4],REFERENCE,C,10x |                          |   | MESSAGE - CTL_CONTROL |       | Codelist |
|------------------------|--------------------------|---|-----------------------|-------|----------|
| C506                   | REFERENCE                | M |                       |       |          |
| 1153                   | Reference qualifier      | M | an..3                 | 'ABB' |          |
| 1154                   | Reference number         | C | an..35                |       |          |
| 1156                   | Line number              | C | an..6                 |       |          |
| 4000                   | Reference version number | C | an..35                |       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[6],NAME AND ADDRESS,C,2x |                                     |   |        | MESSAGE - (DEPARTURE) CUSTOMS OFFICE | Codelist |
|------------------------------|-------------------------------------|---|--------|--------------------------------------|----------|
| 3035                         | Party qualifier                     | M | an..3  | 'DP'                                 |          |
| C082                         | PARTY IDENTIFICATION DETAILS        | C |        |                                      |          |
| 3039                         | Party id. identification            | M | an..35 | Reference number(an8)                |          |
| 1131                         | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                         | Code list responsible agency, coded | C | an..3  |                                      |          |
| C058                         | NAME AND ADDRESS                    | C |        |                                      |          |
| 3124                         | Name and address line               | M | an..35 |                                      |          |
| 3124                         | Name and address line               | C | an..35 |                                      |          |
| 3124                         | Name and address line               | C | an..35 |                                      |          |
| 3124                         | Name and address line               | C | an..35 |                                      |          |
| 3124                         | Name and address line               | C | an..35 |                                      |          |
| C080                         | PARTY NAME                          | C |        |                                      |          |
| 3036                         | Party name                          | M | an..35 |                                      |          |
| 3036                         | Party name                          | C | an..35 |                                      |          |
| 3036                         | Party name                          | C | an..35 |                                      |          |
| 3036                         | Party name                          | C | an..35 |                                      |          |
| 3036                         | Party name                          | C | an..35 |                                      |          |
| 3045                         | Party name format, coded            | C | an..3  |                                      |          |
| C059                         | STREET                              | C |        |                                      |          |
| 3042                         | Street and number/p.o. box          | M | an..35 |                                      |          |
| 3042                         | Street and number/p.o. box          | C | an..35 |                                      |          |
| 3042                         | Street and number/p.o. box          | C | an..35 |                                      |          |
| 3042                         | Street and number/p.o. box          | C | an..35 |                                      |          |
| 3164                         | City name                           | C | an..35 |                                      |          |
| 3229                         | Country sub-entity identification   | C | an..9  |                                      |          |
| 3251                         | Postcode identification             | C | an..9  |                                      |          |
| 3207                         | Country, coded                      | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[19],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                  | Codelist |
|------------------------------|-----------------------------------|---|--------|--|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message--' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)           |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### UNZ[20],INTERCHANGE TRAILER,M,1x

|      |                               |   |        |                                       |
|------|-------------------------------|---|--------|---------------------------------------|
| 0036 | Interchange control count     | M | n..6   | '-- Interchange control count --'     |
| 0020 | Interchange control reference | M | an..14 | Interchange control reference(an..14) |

#### MESSAGE

Codelist

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## GESMES

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 |   |          |
| 0029 | Processing priority code                 | C | a1     |   |          |
| 0031 | Acknowledgement request                  | C | n1     |   |          |
| 0032 | Communications agreement id.             | C | an..35 |   |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                        | Codelist |
|----------------------------|---------------------------|---|--------|--------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14) |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                |          |
| 0065                       | Message type              | M | an..6  | 'GESMES'                       |          |
| 0052                       | Message version number    | M | an..3  | 'D'                            |          |
| 0054                       | Message release number    | M | an..3  | '96B'                          |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                           |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)            | 60       |
| 0068                       | Common Access Reference   | C | an..35 |                                |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                |          |
| 0073                       | First and last transfer   | C | a1     |                                |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER     | Codelist |
|------------------------------|-----------------------------------|---|--------|----------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                      |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '200'                |          |
| 2380                         | Date/time/period                  | C | an..35 | Period from date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER   | Codelist |
|------------------------------|-----------------------------------|---|--------|--------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                    |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '201'              |          |
| 2380                         | Date/time/period                  | C | an..35 | Period to date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,9x |                                   |   |        | MESSAGE - HEADER      | Codelist |
|------------------------------|-----------------------------------|---|--------|-----------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                       |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '202'                 |          |
| 2380                         | Date/time/period                  | C | an..35 | <i>Extraction(n1)</i> | 27       |
| 2379                         | Date/time/period format qualifier | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - GUARANTEE TYPE   | Codelist |
|--|-------------------------------------|---|--------|----------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                            |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Guarantee type(an1)</i> | 51       |
| 7405                                       | Identity number qualifier           | C | an..3  | '16'                       |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                            |          |
| 3039                                       | Party id. identification            | M | an..35 |                            |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                            |          |
| 4405                                       | Status, coded                       | C | an..3  |                            |          |
| 1514                                       | Value list name                     | C | an..70 |                            |          |
| 1507                                       | Class designator, coded             | C | an..3  |                            |          |
| 1505                                       | Value list type, coded              | C | an..3  |                            |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                            |          |
| 7037                                       | Characteristic identification       | M | an..17 |                            |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                            |          |
| 7036                                       | Characteristic                      | C | an..35 |                            |          |
| 7036                                       | Characteristic                      | C | an..35 |                            |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - INVALID GUARANTEE REASON          | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Invalid guarantee reason code(an..3)</i> | 52       |
| 7405                                       | Identity number qualifier           | C | an..3  | '17'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - LANGUAGE CODE  | Codelist |
|--|-------------------------------------|---|--------|--------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                          |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Language code(a2)</i> | 12       |
| 7405                                       | Identity number qualifier           | C | an..3  | '18'                     |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                          |          |
| 3039                                       | Party id. identification            | M | an..35 |                          |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                          |          |
| 4405                                       | Status, coded                       | C | an..3  |                          |          |
| 1514                                       | Value list name                     | C | an..70 |                          |          |
| 1507                                       | Class designator, coded             | C | an..3  |                          |          |
| 1505                                       | Value list type, coded              | C | an..3  |                          |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                          |          |
| 7037                                       | Characteristic identification       | M | an..17 |                          |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                          |          |
| 7036                                       | Characteristic                      | C | an..35 |                          |          |
| 7036                                       | Characteristic                      | C | an..35 |                          |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - GUARANTEE MONITORING | Codelist |
|--|-------------------------------------|---|--------|--------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                |          |
| 1518                                       | Value list identifier               | M | an..35 | Guarantee monitoring code(n1)  | 50       |
| 7405                                       | Identity number qualifier           | C | an..3  | '19'                           |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                |          |
| 3039                                       | Party id. identification            | M | an..35 |                                |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                |          |
| 4405                                       | Status, coded                       | C | an..3  |                                |          |
| 1514                                       | Value list name                     | C | an..70 |                                |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                |          |
| 7036                                       | Characteristic                      | C | an..35 |                                |          |
| 7036                                       | Characteristic                      | C | an..35 |                                |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - CURRENCY CODE   | Codelist |
|--|-------------------------------------|---|--------|---------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                           |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Currency(an3)</i>      | 48       |
| 7405                                       | Identity number qualifier           | C | an..3  | '2'                       |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                           |          |
| 3039                                       | Party id. identification            | M | an..35 |                           |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                           |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                           |          |
| 4405                                       | Status, coded                       | C | an..3  |                           |          |
| 1514                                       | Value list name                     | C | an..70 | <i>Rate value(n..8,6)</i> |          |
| 1507                                       | Class designator, coded             | C | an..3  |                           |          |
| 1505                                       | Value list type, coded              | C | an..3  |                           |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                           |          |
| 7037                                       | Characteristic identification       | M | an..17 |                           |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                           |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                           |          |
| 7036                                       | Characteristic                      | C | an..35 |                           |          |
| 7036                                       | Characteristic                      | C | an..35 |                           |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                           |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - CUSTOMS OPERATION STATE TYPE | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 | Customs Operation State Types(an..3)   | 58       |
| 7405                                       | Identity number qualifier           | C | an..3  | '20'                                   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PACKAGING CODE       | Codelist |
|--|-------------------------------------|---|--------|--------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Kind of packages(an..3)</i> | 17       |
| 7405                                       | Identity number qualifier           | C | an..3  | '21'                           |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                |          |
| 3039                                       | Party id. identification            | M | an..35 |                                |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                |          |
| 4405                                       | Status, coded                       | C | an..3  |                                |          |
| 1514                                       | Value list name                     | C | an..70 |                                |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                |          |
| 7036                                       | Characteristic                      | C | an..35 |                                |          |
| 7036                                       | Characteristic                      | C | an..35 |                                |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - ROLE | Codelist |
|--|-------------------------------------|---|--------|----------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                |          |
| 1518                                       | Value list identifier               | M | an..35 | Role(an..3)    | 56       |
| 7405                                       | Identity number qualifier           | C | an..3  | '22'           |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                |          |
| 3039                                       | Party id. identification            | M | an..35 |                |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                |          |
| 4405                                       | Status, coded                       | C | an..3  |                |          |
| 1514                                       | Value list name                     | C | an..70 |                |          |
| 1507                                       | Class designator, coded             | C | an..3  |                |          |
| 1505                                       | Value list type, coded              | C | an..3  |                |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                |          |
| 7037                                       | Characteristic identification       | M | an..17 |                |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                |          |
| 7036                                       | Characteristic                      | C | an..35 |                |          |
| 7036                                       | Characteristic                      | C | an..35 |                |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - STATISTICS TYPE     | Codelist |
|--|-------------------------------------|---|--------|-------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                               |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Statistics type(an..4)</i> | 57       |
| 7405                                       | Identity number qualifier           | C | an..3  |                               |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                               |          |
| 3039                                       | Party id. identification            | M | an..35 |                               |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 4405                                       | Status, coded                       | C | an..3  |                               |          |
| 1514                                       | Value list name                     | C | an..70 |                               |          |
| 1507                                       | Class designator, coded             | C | an..3  |                               |          |
| 1505                                       | Value list type, coded              | C | an..3  |                               |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                               |          |
| 7037                                       | Characteristic identification       | M | an..17 |                               |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 7036                                       | Characteristic                      | C | an..35 |                               |          |
| 7036                                       | Characteristic                      | C | an..35 |                               |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - SENSITIVE GOODS CODE     | Codelist |
|--|-------------------------------------|---|--------|------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                    |          |
| 1518                                       | Value list identifier               | M | an..35 | Commodity code (taric code)(an..6) | 62       |
| 7405                                       | Identity number qualifier           | C | an..3  | '24'                               |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                    |          |
| 3039                                       | Party id. identification            | M | an..35 |                                    |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                    |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                    |          |
| 4405                                       | Status, coded                       | C | an..3  |                                    |          |
| 1514                                       | Value list name                     | C | an..70 |                                    |          |
| 1507                                       | Class designator, coded             | C | an..3  | Sensitive goods code(n..2)         | 64       |
| 1505                                       | Value list type, coded              | C | an..3  |                                    |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                    |          |
| 7037                                       | Characteristic identification       | M | an..17 | EEC territory limitation(n1)       | 27       |
| 1131                                       | Code list qualifier                 | C | an..3  |                                    |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                    |          |
| 7036                                       | Characteristic                      | C | an..35 | Reference quantity(n..6)           |          |
| 7036                                       | Characteristic                      | C | an..35 | Unit of measure code(an..3)        | 59       |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - TRAFFIC TYPE | Codelist |
|--|-------------------------------------|---|--------|------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                        |          |
| 1518                                       | Value list identifier               | M | an..35 | Traffic type(an..3)    | 20       |
| 7405                                       | Identity number qualifier           | C | an..3  | '26'                   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                        |          |
| 3039                                       | Party id. identification            | M | an..35 |                        |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                        |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                        |          |
| 4405                                       | Status, coded                       | C | an..3  |                        |          |
| 1514                                       | Value list name                     | C | an..70 |                        |          |
| 1507                                       | Class designator, coded             | C | an..3  |                        |          |
| 1505                                       | Value list type, coded              | C | an..3  |                        |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                        |          |
| 7037                                       | Characteristic identification       | M | an..17 |                        |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                        |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                        |          |
| 7036                                       | Characteristic                      | C | an..35 |                        |          |
| 7036                                       | Characteristic                      | C | an..35 |                        |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                        |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - TRANSPORT MODE    | Codelist |
|--|-------------------------------------|---|--------|-----------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                             |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Transport mode(n..2)</i> | 18       |
| 7405                                       | Identity number qualifier           | C | an..3  | '27'                        |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                             |          |
| 3039                                       | Party id. identification            | M | an..35 |                             |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                             |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                             |          |
| 4405                                       | Status, coded                       | C | an..3  |                             |          |
| 1514                                       | Value list name                     | C | an..70 |                             |          |
| 1507                                       | Class designator, coded             | C | an..3  |                             |          |
| 1505                                       | Value list type, coded              | C | an..3  |                             |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                             |          |
| 7037                                       | Characteristic identification       | M | an..17 |                             |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                             |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                             |          |
| 7036                                       | Characteristic                      | C | an..35 |                             |          |
| 7036                                       | Characteristic                      | C | an..35 |                             |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                             |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - AAR/AER REJECTION REASON  | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 | AAR/AER rejection reason code(n..2) | 43       |
| 7405                                       | Identity number qualifier           | C | an..3  | '29'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - AMENDMENT REJECTION<br>MOTIVATION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 | Amendment rejection motivation code(n1)     | 45       |
| 7405                                       | Identity number qualifier           | C | an..3  | '31'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - ATR REJECTION REASON         | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>ATR rejection reason code(n..2)</i> | 44       |
| 7405                                       | Identity number qualifier           | C | an..3  | '32'                                   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - DISCREPANCIES SOLVED NOTIFICATION

Codelist

|      |                                     |   |        |   |    |
|------|-------------------------------------|---|--------|---|----|
| C780 | VALUE LIST IDENTIFICATION           | M |        |   |    |
| 1518 | Value list identifier               | M | an..35 |   |    |
| 7405 | Identity number qualifier           | C | an..3  | Discrepancies solved notification code(an..2) | 69 |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        | '33'  |    |
| 3039 | Party id. identification            | M | an..35 |   |    |
| 1131 | Code list qualifier                 | C | an..3  |   |    |
| 3055 | Code list responsible agency, coded | C | an..3  |   |    |
| 4405 | Status, coded                       | C | an..3  |   |    |
| 1514 | Value list name                     | C | an..70 |   |    |
| 1507 | Class designator, coded             | C | an..3  |   |    |
| 1505 | Value list type, coded              | C | an..3  |   |    |
| C240 | PRODUCT CHARACTERISTIC              | C |        |   |    |
| 7037 | Characteristic identification       | M | an..17 |   |    |
| 1131 | Code list qualifier                 | C | an..3  |   |    |
| 3055 | Code list responsible agency, coded | C | an..3  |   |    |
| 7036 | Characteristic                      | C | an..35 |   |    |
| 7036 | Characteristic                      | C | an..35 |   |    |
| 4513 | Maintenance operation, coded        | C | an..3  |   |    |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DIVERSION REJECTION REASON         | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Diversion rejection reason code(n..2)</i> | 46       |
| 7405                                       | Identity number qualifier           | C | an..3  | '34'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - RESULTS OF CONTROL | Codelist |
|--|-------------------------------------|---|--------|------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                              |          |
| 1518                                       | Value list identifier               | M | an..35 | Control indicator(an2)       | 41       |
| 7405                                       | Identity number qualifier           | C | an..3  | '36'                         |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                              |          |
| 3039                                       | Party id. identification            | M | an..35 |                              |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                              |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                              |          |
| 4405                                       | Status, coded                       | C | an..3  |                              |          |
| 1514                                       | Value list name                     | C | an..70 |                              |          |
| 1507                                       | Class designator, coded             | C | an..3  |                              |          |
| 1505                                       | Value list type, coded              | C | an..3  |                              |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                              |          |
| 7037                                       | Characteristic identification       | M | an..17 |                              |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                              |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                              |          |
| 7036                                       | Characteristic                      | C | an..35 |                              |          |
| 7036                                       | Characteristic                      | C | an..35 |                              |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - CONTROL RESULT CODE | Codelist |
|--|-------------------------------------|---|--------|-------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                               |          |
| 1518                                       | Value list identifier               | M | an..35 | Control result code(an2)      | 47       |
| 7405                                       | Identity number qualifier           | C | an..3  | '6'                           |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                               |          |
| 3039                                       | Party id. identification            | M | an..35 |                               |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 4405                                       | Status, coded                       | C | an..3  |                               |          |
| 1514                                       | Value list name                     | C | an..70 |                               |          |
| 1507                                       | Class designator, coded             | C | an..3  |                               |          |
| 1505                                       | Value list type, coded              | C | an..3  |                               |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                               |          |
| 7037                                       | Characteristic identification       | M | an..17 |                               |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 7036                                       | Characteristic                      | C | an..35 |                               |          |
| 7036                                       | Characteristic                      | C | an..35 |                               |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - COUNTRY         | Codelist |
|--|-------------------------------------|---|--------|---------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                           |          |
| 1518                                       | Value list identifier               | M | an..35 | Country code(a2)          | 8        |
| 7405                                       | Identity number qualifier           | C | an..3  | '8'                       |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                           |          |
| 3039                                       | Party id. identification            | M | an..35 |                           |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                           |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                           |          |
| 4405                                       | Status, coded                       | C | an..3  |                           |          |
| 1514                                       | Value list name                     | C | an..70 |                           |          |
| 1507                                       | Class designator, coded             | C | an..3  | Country regime code(an3)  | 11       |
| 1505                                       | Value list type, coded              | C | an..3  |                           |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                           |          |
| 7037                                       | Characteristic identification       | M | an..17 |                           |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                           |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                           |          |
| 7036                                       | Characteristic                      | C | an..35 |                           |          |
| 7036                                       | Characteristic                      | C | an..35 |                           |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  | Geo-nomenclature code(n3) | 16       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - COUNTRY REGIME | Codelist |
|--|-------------------------------------|---|--------|--------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                          |          |
| 1518                                       | Value list identifier               | M | an..35 | Country regime code(an3) | 11       |
| 7405                                       | Identity number qualifier           | C | an..3  | '9'                      |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                          |          |
| 3039                                       | Party id. identification            | M | an..35 |                          |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                          |          |
| 4405                                       | Status, coded                       | C | an..3  |                          |          |
| 1514                                       | Value list name                     | C | an..70 |                          |          |
| 1507                                       | Class designator, coded             | C | an..3  |                          |          |
| 1505                                       | Value list type, coded              | C | an..3  |                          |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                          |          |
| 7037                                       | Characteristic identification       | M | an..17 |                          |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                          |          |
| 7036                                       | Characteristic                      | C | an..35 |                          |          |
| 7036                                       | Characteristic                      | C | an..35 |                          |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - UN/LOCODE   | Codelist |
|--|-------------------------------------|---|--------|-----------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                       |          |
| 1518                                       | Value list identifier               | M | an..35 | UN/LOCODE id(a3)      |          |
| 7405                                       | Identity number qualifier           | C | an..3  | 'AB'                  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                       |          |
| 3039                                       | Party id. identification            | M | an..35 | UN/LOCODE name(a..29) |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                       |          |
| 4405                                       | Status, coded                       | C | an..3  |                       |          |
| 1514                                       | Value list name                     | C | an..70 |                       |          |
| 1507                                       | Class designator, coded             | C | an..3  | Country code(a2)      | 8        |
| 1505                                       | Value list type, coded              | C | an..3  |                       |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                       |          |
| 7037                                       | Characteristic identification       | M | an..17 |                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                       |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - UNIT OF MEASURE          | Codelist |
|--|-------------------------------------|---|--------|------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                    |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Unit of measure code(an..3)</i> | 59       |
| 7405                                       | Identity number qualifier           | C | an..3  | 'AC'                               |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                    |          |
| 3039                                       | Party id. identification            | M | an..35 |                                    |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                    |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                    |          |
| 4405                                       | Status, coded                       | C | an..3  |                                    |          |
| 1514                                       | Value list name                     | C | an..70 |                                    |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                    |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                    |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                    |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                    |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                    |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                    |          |
| 7036                                       | Characteristic                      | C | an..35 |                                    |          |
| 7036                                       | Characteristic                      | C | an..35 |                                    |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   | MESSAGE - SPECIAL MENTION CODE | Codelist |
|--|-------------------------------------|---|--------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |                                |          |
| 1518                                       | Value list identifier               | M | an..35                         |          |
| 7405                                       | Identity number qualifier           | C | an..3                          | 'AD'     |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |                                |          |
| 3039                                       | Party id. identification            | M | an..35                         |          |
| 1131                                       | Code list qualifier                 | C | an..3                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                          |          |
| 4405                                       | Status, coded                       | C | an..3                          |          |
| 1514                                       | Value list name                     | C | an..70                         |          |
| 1507                                       | Class designator, coded             | C | an..3                          |          |
| 1505                                       | Value list type, coded              | C | an..3                          |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |                                |          |
| 7037                                       | Characteristic identification       | M | an..17                         |          |
| 1131                                       | Code list qualifier                 | C | an..3                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                          |          |
| 7036                                       | Characteristic                      | C | an..35                         |          |
| 7036                                       | Characteristic                      | C | an..35                         |          |
| 4513                                       | Maintenance operation, coded        | C | an..3                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   | MESSAGE - DOCUMENT TYPE |      | Codelist |
|--|-------------------------------------|---|-------------------------|------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |                         |      |          |
| 1518                                       | Value list identifier               | M | an..35                  |      |          |
| 7405                                       | Identity number qualifier           | C | an..3                   | 'AE' |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |                         |      |          |
| 3039                                       | Party id. identification            | M | an..35                  |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                   |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                   |      |          |
| 4405                                       | Status, coded                       | C | an..3                   |      |          |
| 1514                                       | Value list name                     | C | an..70                  |      |          |
| 1507                                       | Class designator, coded             | C | an..3                   |      |          |
| 1505                                       | Value list type, coded              | C | an..3                   |      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |                         |      |          |
| 7037                                       | Characteristic identification       | M | an..17                  |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                   |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                   |      |          |
| 7036                                       | Characteristic                      | C | an..35                  |      |          |
| 7036                                       | Characteristic                      | C | an..35                  |      |          |
| 4513                                       | Maintenance operation, coded        | C | an..3                   |      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - CUSTOMS OFFICE GEO INFO | Codelist |
|--|-------------------------------------|---|--------|-----------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                   |          |
| 1518                                       | Value list identifier               | M | an..35 | Geo info code(an..6)              | 15       |
| 7405                                       | Identity number qualifier           | C | an..3  | 'AF'                              |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                   |          |
| 3039                                       | Party id. identification            | M | an..35 |                                   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                   |          |
| 4405                                       | Status, coded                       | C | an..3  |                                   |          |
| 1514                                       | Value list name                     | C | an..70 |                                   |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                   |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                   |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                   |          |
| 7036                                       | Characteristic                      | C | an..35 |                                   |          |
| 7036                                       | Characteristic                      | C | an..35 |                                   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - QUERY ON GUARANTEE TYPE | Codelist |
|--|-------------------------------------|---|--------|-----------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                   |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Query identifier(n1)</i>       | 54       |
| 7405                                       | Identity number qualifier           | C | an..3  | 'AG'                              |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                   |          |
| 3039                                       | Party id. identification            | M | an..35 |                                   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                   |          |
| 4405                                       | Status, coded                       | C | an..3  |                                   |          |
| 1514                                       | Value list name                     | C | an..70 |                                   |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                   |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                   |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                   |          |
| 7036                                       | Characteristic                      | C | an..35 |                                   |          |
| 7036                                       | Characteristic                      | C | an..35 |                                   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - SPECIFIC NOTES CODE     | Codelist |
|--|-------------------------------------|---|--------|-----------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                   |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Specific notes code(an..6)</i> | 67       |
| 7405                                       | Identity number qualifier           | C | an..3  | '67'                              |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                   |          |
| 3039                                       | Party id. identification            | M | an..35 |                                   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                   |          |
| 4405                                       | Status, coded                       | C | an..3  |                                   |          |
| 1514                                       | Value list name                     | C | an..70 |                                   |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                   |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                   |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                   |          |
| 7036                                       | Characteristic                      | C | an..35 |                                   |          |
| 7036                                       | Characteristic                      | C | an..35 |                                   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - SPECIAL MENTION CODE      | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 | Additional information coded(an..5) | 39       |
| 7405                                       | Identity number qualifier           | C | an..3  | 'AD'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DOCUMENT TYPE     | Codelist |
|--|-------------------------------------|---|--------|-----------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                             |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Document type(an..4)</i> | 13       |
| 7405                                       | Identity number qualifier           | C | an..3  | 'AE'                        |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                             |          |
| 3039                                       | Party id. identification            | M | an..35 |                             |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                             |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                             |          |
| 4405                                       | Status, coded                       | C | an..3  |                             |          |
| 1514                                       | Value list name                     | C | an..70 |                             |          |
| 1507                                       | Class designator, coded             | C | an..3  |                             |          |
| 1505                                       | Value list type, coded              | C | an..3  |                             |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                             |          |
| 7037                                       | Characteristic identification       | M | an..17 |                             |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                             |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                             |          |
| 7036                                       | Characteristic                      | C | an..35 |                             |          |
| 7036                                       | Characteristic                      | C | an..35 |                             |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                             |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - COMPLEMENTARY CODE  | Codelist |
|--|-------------------------------------|---|--------|-------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                               |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Complementary code(n1)</i> | 86       |
| 7405                                       | Identity number qualifier           | C | an..3  | '40'                          |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                               |          |
| 3039                                       | Party id. identification            | M | an..35 |                               |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 4405                                       | Status, coded                       | C | an..3  |                               |          |
| 1514                                       | Value list name                     | C | an..70 |                               |          |
| 1507                                       | Class designator, coded             | C | an..3  |                               |          |
| 1505                                       | Value list type, coded              | C | an..3  |                               |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                               |          |
| 7037                                       | Characteristic identification       | M | an..17 |                               |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 7036                                       | Characteristic                      | C | an..35 |                               |          |
| 7036                                       | Characteristic                      | C | an..35 |                               |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DOCUMENT TYPE | Codelist |
|--|-------------------------------------|---|--------|-------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                         |          |
| 1518                                       | Value list identifier               | M | an..35 |                         |          |
| 7405                                       | Identity number qualifier           | C | an..3  | 'AE'                    |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                         |          |
| 3039                                       | Party id. identification            | M | an..35 |                         |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                         |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                         |          |
| 4405                                       | Status, coded                       | C | an..3  |                         |          |
| 1514                                       | Value list name                     | C | an..70 |                         |          |
| 1507                                       | Class designator, coded             | C | an..3  | Transport document(n1)  | 27       |
| 1505                                       | Value list type, coded              | C | an..3  |                         |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                         |          |
| 7037                                       | Characteristic identification       | M | an..17 |                         |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                         |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                         |          |
| 7036                                       | Characteristic                      | C | an..35 |                         |          |
| 7036                                       | Characteristic                      | C | an..35 |                         |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE | Codelist |
|--|-------------------------------------|---|--------|----------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                            |          |
| 1518                                       | Value list identifier               | M | an..35 | Type of declaration(an..9) | 31       |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'                       |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                            |          |
| 3039                                       | Party id. identification            | M | an..35 |                            |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                            |          |
| 4405                                       | Status, coded                       | C | an..3  |                            |          |
| 1514                                       | Value list name                     | C | an..70 |                            |          |
| 1507                                       | Class designator, coded             | C | an..3  |                            |          |
| 1505                                       | Value list type, coded              | C | an..3  |                            |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                            |          |
| 7037                                       | Characteristic identification       | M | an..17 |                            |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                            |          |
| 7036                                       | Characteristic                      | C | an..35 |                            |          |
| 7036                                       | Characteristic                      | C | an..35 |                            |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   | MESSAGE - DECLARATION TYPE | Codelist |
|--|-------------------------------------|---|----------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |                            |          |
| 1518                                       | Value list identifier               | M | an..35                     |          |
| 7405                                       | Identity number qualifier           | C | an..3                      | '11'     |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |                            |          |
| 3039                                       | Party id. identification            | M | an..35                     |          |
| 1131                                       | Code list qualifier                 | C | an..3                      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                      |          |
| 4405                                       | Status, coded                       | C | an..3                      |          |
| 1514                                       | Value list name                     | C | an..70                     |          |
| 1507                                       | Class designator, coded             | C | an..3                      |          |
| 1505                                       | Value list type, coded              | C | an..3                      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |                            |          |
| 7037                                       | Characteristic identification       | M | an..17                     |          |
| 1131                                       | Code list qualifier                 | C | an..3                      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                      |          |
| 7036                                       | Characteristic                      | C | an..35                     |          |
| 7036                                       | Characteristic                      | C | an..35                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE - ACTION | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 |                                     |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE - ACTION | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 |                                     |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE - ACTION | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 |                                     |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE - ACTION | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 |                                     |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE - ACTION | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 |                                     |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '11'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - INFORMATION | Codelist |
|--|-------------------------------------|---|--------|-----------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                       |          |
| 1518                                       | Value list identifier               | M | an..35 | Information Code(n2)  | 119      |
| 7405                                       | Identity number qualifier           | C | an..3  | '37'                  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                       |          |
| 3039                                       | Party id. identification            | M | an..35 |                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                       |          |
| 4405                                       | Status, coded                       | C | an..3  |                       |          |
| 1514                                       | Value list name                     | C | an..70 |                       |          |
| 1507                                       | Class designator, coded             | C | an..3  |                       |          |
| 1505                                       | Value list type, coded              | C | an..3  |                       |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                       |          |
| 7037                                       | Characteristic identification       | M | an..17 |                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                       |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - REQUESTED INFORMATION       | Codelist |
|--|-------------------------------------|---|--------|---------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                       |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Requested Information Code(n1)</i> | 118      |
| 7405                                       | Identity number qualifier           | C | an..3  | '38'                                  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                       |          |
| 3039                                       | Party id. identification            | M | an..35 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 4405                                       | Status, coded                       | C | an..3  |                                       |          |
| 1514                                       | Value list name                     | C | an..70 |                                       |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                       |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                       |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                       |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - REPRESENTATIVE STATUS CODE - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '50'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - REPRESENTATIVE STATUS CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '50'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |
| 1518 | Value list identifier               | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1514 | Value list name                     | C | an..70 |
| 1507 | Class designator, coded             | C | an..3  |
| 1505 | Value list type, coded              | C | an..3  |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |
| 4513 | Maintenance operation, coded        | C | an..3  |

#### MESSAGE - COMMUNITY NATIONAL PROCEDURE Codelist

*Community / National Procedure(an3)* 102  
'57'

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - EXPORT QUERY REASON CODE     | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Export_Query Reason Code(an..3)</i> | 89       |
| 7405                                       | Identity number qualifier           | C | an..3  | '45'                                   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - INCOTERM CODE  | Codelist |
|--|-------------------------------------|---|--------|--------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                          |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Incoterm Code(a3)</i> | 90       |
| 7405                                       | Identity number qualifier           | C | an..3  | '46'                     |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                          |          |
| 3039                                       | Party id. identification            | M | an..35 |                          |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                          |          |
| 4405                                       | Status, coded                       | C | an..3  |                          |          |
| 1514                                       | Value list name                     | C | an..70 |                          |          |
| 1507                                       | Class designator, coded             | C | an..3  |                          |          |
| 1505                                       | Value list type, coded              | C | an..3  |                          |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                          |          |
| 7037                                       | Characteristic identification       | M | an..17 |                          |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                          |          |
| 7036                                       | Characteristic                      | C | an..35 |                          |          |
| 7036                                       | Characteristic                      | C | an..35 |                          |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - NATURE OF TRANSACTION CODE    | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Nature of transaction code(n..2)</i> | 91       |
| 7405                                       | Identity number qualifier           | C | an..3  | '47'                                    |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PROCEDURE REQUESTED   | Codelist |
|--|-------------------------------------|---|--------|---------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                 |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Procedure requested(an2)</i> | 92       |
| 7405                                       | Identity number qualifier           | C | an..3  | '48'                            |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                 |          |
| 3039                                       | Party id. identification            | M | an..35 |                                 |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                 |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                 |          |
| 4405                                       | Status, coded                       | C | an..3  |                                 |          |
| 1514                                       | Value list name                     | C | an..70 |                                 |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                 |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                 |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                 |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                 |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                 |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                 |          |
| 7036                                       | Characteristic                      | C | an..35 |                                 |          |
| 7036                                       | Characteristic                      | C | an..35 |                                 |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PREVIOUS PROCEDURE   | Codelist |
|--|-------------------------------------|---|--------|--------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Previous Procedure(an2)</i> | 93       |
| 7405                                       | Identity number qualifier           | C | an..3  | '49'                           |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                |          |
| 3039                                       | Party id. identification            | M | an..35 |                                |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                |          |
| 4405                                       | Status, coded                       | C | an..3  |                                |          |
| 1514                                       | Value list name                     | C | an..70 |                                |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                |          |
| 7036                                       | Characteristic                      | C | an..35 |                                |          |
| 7036                                       | Characteristic                      | C | an..35 |                                |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - REPRESENTATIVE STATUS CODE  | Codelist |
|--|-------------------------------------|---|--------|---------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                       |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Representative status code(n1)</i> | 94       |
| 7405                                       | Identity number qualifier           | C | an..3  | '50'                                  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                       |          |
| 3039                                       | Party id. identification            | M | an..35 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 4405                                       | Status, coded                       | C | an..3  |                                       |          |
| 1514                                       | Value list name                     | C | an..70 |                                       |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                       |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                       |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                       |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - RISK ANALYSIS RESULT CODE   | Codelist |
|--|-------------------------------------|---|--------|---------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                       |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Risk Analysis result code(an1)</i> | 95       |
| 7405                                       | Identity number qualifier           | C | an..3  | '51'                                  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                       |          |
| 3039                                       | Party id. identification            | M | an..35 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 4405                                       | Status, coded                       | C | an..3  |                                       |          |
| 1514                                       | Value list name                     | C | an..70 |                                       |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                       |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                       |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                       |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - SPECIFIC CIRCUMSTANCE INDICATOR  | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Specific Circumstance Indicator(a1)</i> | 96       |
| 7405                                       | Identity number qualifier           | C | an..3  | '52'                                       |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - SUMMARY DECLARATION<br>REJECTION REASON CODE | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 | Summary Declaration rejection reason code(n..2)        | 97       |
| 7405                                       | Identity number qualifier           | C | an..3  | '53'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - TYPE OF TAX | Codelist |
|--|-------------------------------------|---|--------|-----------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                       |          |
| 1518                                       | Value list identifier               | M | an..35 | Type of tax(an3)      | 98       |
| 7405                                       | Identity number qualifier           | C | an..3  | '54'                  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                       |          |
| 3039                                       | Party id. identification            | M | an..35 |                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                       |          |
| 4405                                       | Status, coded                       | C | an..3  |                       |          |
| 1514                                       | Value list name                     | C | an..70 |                       |          |
| 1507                                       | Class designator, coded             | C | an..3  |                       |          |
| 1505                                       | Value list type, coded              | C | an..3  |                       |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                       |          |
| 7037                                       | Characteristic identification       | M | an..17 |                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                       |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - WAREHOUSE TYPE | Codelist |
|--|-------------------------------------|---|--------|--------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                          |          |
| 1518                                       | Value list identifier               | M | an..35 | Warehouse type(a1)       | 99       |
| 7405                                       | Identity number qualifier           | C | an..3  | '55'                     |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                          |          |
| 3039                                       | Party id. identification            | M | an..35 |                          |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                          |          |
| 4405                                       | Status, coded                       | C | an..3  |                          |          |
| 1514                                       | Value list name                     | C | an..70 |                          |          |
| 1507                                       | Class designator, coded             | C | an..3  |                          |          |
| 1505                                       | Value list type, coded              | C | an..3  |                          |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                          |          |
| 7037                                       | Characteristic identification       | M | an..17 |                          |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                          |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                          |          |
| 7036                                       | Characteristic                      | C | an..35 |                          |          |
| 7036                                       | Characteristic                      | C | an..35 |                          |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                          |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - UN DANGEROUS GOODS CODE   | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>UN dangerous goods code(an4)</i> | 101      |
| 7405                                       | Identity number qualifier           | C | an..3  | '56'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT CATEGORY  | Codelist |
|--|-------------------------------------|---|--------|---------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                       |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Previous Document Category(a1)</i> | 103      |
| 7405                                       | Identity number qualifier           | C | an..3  | '58'                                  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                       |          |
| 3039                                       | Party id. identification            | M | an..35 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 4405                                       | Status, coded                       | C | an..3  |                                       |          |
| 1514                                       | Value list name                     | C | an..70 |                                       |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                       |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                       |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                       |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - METHOD OF PAYMENT  | Codelist |
|--|-------------------------------------|---|--------|------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                              |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Method of payment(a1)</i> | 104      |
| 7405                                       | Identity number qualifier           | C | an..3  | '59'                         |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                              |          |
| 3039                                       | Party id. identification            | M | an..35 |                              |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                              |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                              |          |
| 4405                                       | Status, coded                       | C | an..3  |                              |          |
| 1514                                       | Value list name                     | C | an..70 |                              |          |
| 1507                                       | Class designator, coded             | C | an..3  |                              |          |
| 1505                                       | Value list type, coded              | C | an..3  |                              |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                              |          |
| 7037                                       | Characteristic identification       | M | an..17 |                              |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                              |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                              |          |
| 7036                                       | Characteristic                      | C | an..35 |                              |          |
| 7036                                       | Characteristic                      | C | an..35 |                              |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                              |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |
| 1518 | Value list identifier               | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1514 | Value list name                     | C | an..70 |
| 1507 | Class designator, coded             | C | an..3  |
| 1505 | Value list type, coded              | C | an..3  |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |
| 4513 | Maintenance operation, coded        | C | an..3  |

#### MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT

Codelist

*Transport charges/ Method of Payment(a1)*  
'72'

116

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE (BOX 1.2) | Codelist |
|--|-------------------------------------|---|--------|--------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                      |          |
| 1518                                       | Value list identifier               | M | an..35 | Type of declaration (Box 1.2)(a1)    | 87       |
| 7405                                       | Identity number qualifier           | C | an..3  | '82'                                 |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                      |          |
| 3039                                       | Party id. identification            | M | an..35 |                                      |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                      |          |
| 4405                                       | Status, coded                       | C | an..3  |                                      |          |
| 1514                                       | Value list name                     | C | an..70 |                                      |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                      |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                      |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                      |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                      |          |
| 7036                                       | Characteristic                      | C | an..35 |                                      |          |
| 7036                                       | Characteristic                      | C | an..35 |                                      |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT TYPE     | Codelist |
|--|-------------------------------------|---|--------|--------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                      |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Previous document type(an..6)</i> | 14       |
| 7405                                       | Identity number qualifier           | C | an..3  | '84'                                 |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                      |          |
| 3039                                       | Party id. identification            | M | an..35 |                                      |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                      |          |
| 4405                                       | Status, coded                       | C | an..3  |                                      |          |
| 1514                                       | Value list name                     | C | an..70 |                                      |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                      |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                      |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                      |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                      |          |
| 7036                                       | Characteristic                      | C | an..35 |                                      |          |
| 7036                                       | Characteristic                      | C | an..35 |                                      |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '84'                                      |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT TYPE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '84'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '82'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - DECLARATION TYPE (BOX 1.2) -<br>LANGUAGE SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '82'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,999999x

#### MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION

Codelist

|      |                                     |   |        |      |
|------|-------------------------------------|---|--------|------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |      |
| 1518 | Value list identifier               | M | an..35 |      |
| 7405 | Identity number qualifier           | C | an..3  | '72' |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |      |
| 3039 | Party id. identification            | M | an..35 |      |
| 1131 | Code list qualifier                 | C | an..3  |      |
| 3055 | Code list responsible agency, coded | C | an..3  |      |
| 4405 | Status, coded                       | C | an..3  |      |
| 1514 | Value list name                     | C | an..70 |      |
| 1507 | Class designator, coded             | C | an..3  |      |
| 1505 | Value list type, coded              | C | an..3  |      |
| C240 | PRODUCT CHARACTERISTIC              | C |        |      |
| 7037 | Characteristic identification       | M | an..17 |      |
| 1131 | Code list qualifier                 | C | an..3  |      |
| 3055 | Code list responsible agency, coded | C | an..3  |      |
| 7036 | Characteristic                      | C | an..35 |      |
| 7036 | Characteristic                      | C | an..35 |      |
| 4513 | Maintenance operation, coded        | C | an..3  |      |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - LANGUAGE SPECIFIC DATA

Codelist

|      |                                     |   |        |      |
|------|-------------------------------------|---|--------|------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |      |
| 1518 | Value list identifier               | M | an..35 |      |
| 7405 | Identity number qualifier           | C | an..3  | '72' |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |      |
| 3039 | Party id. identification            | M | an..35 |      |
| 1131 | Code list qualifier                 | C | an..3  |      |
| 3055 | Code list responsible agency, coded | C | an..3  |      |
| 4405 | Status, coded                       | C | an..3  |      |
| 1514 | Value list name                     | C | an..70 |      |
| 1507 | Class designator, coded             | C | an..3  |      |
| 1505 | Value list type, coded              | C | an..3  |      |
| C240 | PRODUCT CHARACTERISTIC              | C |        |      |
| 7037 | Characteristic identification       | M | an..17 |      |
| 1131 | Code list qualifier                 | C | an..3  |      |
| 3055 | Code list responsible agency, coded | C | an..3  |      |
| 7036 | Characteristic                      | C | an..35 |      |
| 7036 | Characteristic                      | C | an..35 |      |
| 4513 | Maintenance operation, coded        | C | an..3  |      |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - METHOD OF PAYMENT - ACTION | Codelist |
|--|-------------------------------------|---|--------|--------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                      |          |
| 1518                                       | Value list identifier               | M | an..35 |                                      |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '59'                                 |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                      |          |
| 3039                                       | Party id. identification            | M | an..35 |                                      |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                      |          |
| 4405                                       | Status, coded                       | C | an..3  |                                      |          |
| 1514                                       | Value list name                     | C | an..70 |                                      |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                      |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                      |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                      |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                      |          |
| 7036                                       | Characteristic                      | C | an..35 |                                      |          |
| 7036                                       | Characteristic                      | C | an..35 |                                      |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - METHOD OF PAYMENT - LANGUAGE<br>SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '59'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '58'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - PREVIOUS DOCUMENT CATEGORY - Codelist LANGUAGE SPECIFIC DATA

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |
| 1518 | Value list identifier               | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1514 | Value list name                     | C | an..70 |
| 1507 | Class designator, coded             | C | an..3  |
| 1505 | Value list type, coded              | C | an..3  |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |
| 4513 | Maintenance operation, coded        | C | an..3  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - UN DANGEROUS GOODS CODE - ACTION | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '56'                                       |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - UN DANGEROUS GOODS CODE - LANGUAGE SPECIFIC DATA

Codelist

|      |                                     |   |        |      |
|------|-------------------------------------|---|--------|------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |      |
| 1518 | Value list identifier               | M | an..35 |      |
| 7405 | Identity number qualifier           | C | an..3  | '56' |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |      |
| 3039 | Party id. identification            | M | an..35 |      |
| 1131 | Code list qualifier                 | C | an..3  |      |
| 3055 | Code list responsible agency, coded | C | an..3  |      |
| 4405 | Status, coded                       | C | an..3  |      |
| 1514 | Value list name                     | C | an..70 |      |
| 1507 | Class designator, coded             | C | an..3  |      |
| 1505 | Value list type, coded              | C | an..3  |      |
| C240 | PRODUCT CHARACTERISTIC              | C |        |      |
| 7037 | Characteristic identification       | M | an..17 |      |
| 1131 | Code list qualifier                 | C | an..3  |      |
| 3055 | Code list responsible agency, coded | C | an..3  |      |
| 7036 | Characteristic                      | C | an..35 |      |
| 7036 | Characteristic                      | C | an..35 |      |
| 4513 | Maintenance operation, coded        | C | an..3  |      |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - WAREHOUSE TYPE - ACTION | Codelist |
|--|-------------------------------------|---|--------|-----------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                   |          |
| 1518                                       | Value list identifier               | M | an..35 |                                   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '55'                              |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                   |          |
| 3039                                       | Party id. identification            | M | an..35 |                                   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                   |          |
| 4405                                       | Status, coded                       | C | an..3  |                                   |          |
| 1514                                       | Value list name                     | C | an..70 |                                   |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                   |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                   |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                   |          |
| 7036                                       | Characteristic                      | C | an..35 |                                   |          |
| 7036                                       | Characteristic                      | C | an..35 |                                   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - WAREHOUSE TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '55'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - COMMUNITY NATIONAL PROCEDURE - ACTION Codelist

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |
| 1518 | Value list identifier               | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1514 | Value list name                     | C | an..70 |
| 1507 | Class designator, coded             | C | an..3  |
| 1505 | Value list type, coded              | C | an..3  |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |
| 4513 | Maintenance operation, coded        | C | an..3  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - COMMUNITY NATIONAL PROCEDURE Codelist - LANGUAGE SPECIFIC DATA

|      |                                     |   |        |      |
|------|-------------------------------------|---|--------|------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |      |
| 1518 | Value list identifier               | M | an..35 |      |
| 7405 | Identity number qualifier           | C | an..3  | '57' |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |      |
| 3039 | Party id. identification            | M | an..35 |      |
| 1131 | Code list qualifier                 | C | an..3  |      |
| 3055 | Code list responsible agency, coded | C | an..3  |      |
| 4405 | Status, coded                       | C | an..3  |      |
| 1514 | Value list name                     | C | an..70 |      |
| 1507 | Class designator, coded             | C | an..3  |      |
| 1505 | Value list type, coded              | C | an..3  |      |
| C240 | PRODUCT CHARACTERISTIC              | C |        |      |
| 7037 | Characteristic identification       | M | an..17 |      |
| 1131 | Code list qualifier                 | C | an..3  |      |
| 3055 | Code list responsible agency, coded | C | an..3  |      |
| 7036 | Characteristic                      | C | an..35 |      |
| 7036 | Characteristic                      | C | an..35 |      |
| 4513 | Maintenance operation, coded        | C | an..3  |      |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   | MESSAGE - TYPE OF TAX - ACTION |      | Codelist |
|--|-------------------------------------|---|--------------------------------|------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |                                |      |          |
| 1518                                       | Value list identifier               | M | an..35                         |      |          |
| 7405                                       | Identity number qualifier           | C | an..3                          | '54' |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |                                |      |          |
| 3039                                       | Party id. identification            | M | an..35                         |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                          |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                          |      |          |
| 4405                                       | Status, coded                       | C | an..3                          |      |          |
| 1514                                       | Value list name                     | C | an..70                         |      |          |
| 1507                                       | Class designator, coded             | C | an..3                          |      |          |
| 1505                                       | Value list type, coded              | C | an..3                          |      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |                                |      |          |
| 7037                                       | Characteristic identification       | M | an..17                         |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                          |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                          |      |          |
| 7036                                       | Characteristic                      | C | an..35                         |      |          |
| 7036                                       | Characteristic                      | C | an..35                         |      |          |
| 4513                                       | Maintenance operation, coded        | C | an..3                          |      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - TYPE OF TAX - LANGUAGE SPECIFIC<br>DATA | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '54'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - SUMMARY DECLARATION<br>REJECTION REASON CODE - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '53'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLQ[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - SUMMARY DECLARATION REJECTION REASON CODE - LANGUAGE SPECIFIC DATA

Codelist

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |
| 1518 | Value list identifier               | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1514 | Value list name                     | C | an..70 |
| 1507 | Class designator, coded             | C | an..3  |
| 1505 | Value list type, coded              | C | an..3  |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |
| 4513 | Maintenance operation, coded        | C | an..3  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - SPECIFIC CIRCUMSTANCE<br>INDICATOR - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '52'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - SPECIFIC CIRCUMSTANCE<br>INDICATOR - LANGUAGE SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '52'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - RISK ANALYSIS RESULT CODE - ACTION | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '51'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - RISK ANALYSIS RESULT CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '51'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - REPRESENTATIVE STATUS CODE - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '50'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - REPRESENTATIVE STATUS CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '50'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PREVIOUS PROCEDURE - ACTION | Codelist |
|--|-------------------------------------|---|--------|---------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                       |          |
| 1518                                       | Value list identifier               | M | an..35 |                                       |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '49'                                  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                       |          |
| 3039                                       | Party id. identification            | M | an..35 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 4405                                       | Status, coded                       | C | an..3  |                                       |          |
| 1514                                       | Value list name                     | C | an..70 |                                       |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                       |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                       |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                       |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                       |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 7036                                       | Characteristic                      | C | an..35 |                                       |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - PREVIOUS PROCEDURE - LANGUAGE Codelist SPECIFIC DATA

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |
| 1518 | Value list identifier               | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1514 | Value list name                     | C | an..70 |
| 1507 | Class designator, coded             | C | an..3  |
| 1505 | Value list type, coded              | C | an..3  |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |
| 4513 | Maintenance operation, coded        | C | an..3  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PROCEDURE REQUESTED - ACTION | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '48'                                   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - PROCEDURE REQUESTED -<br>LANGUAGE SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '48'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - NATURE OF TRANSACTION CODE - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '47'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - NATURE OF TRANSACTION CODE - Codelist LANGUAGE SPECIFIC DATA

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |
| 1518 | Value list identifier               | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1514 | Value list name                     | C | an..70 |
| 1507 | Class designator, coded             | C | an..3  |
| 1505 | Value list type, coded              | C | an..3  |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |
| 4513 | Maintenance operation, coded        | C | an..3  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   | MESSAGE - INCOTERM CODE - ACTION |      | Codelist |
|--|-------------------------------------|---|----------------------------------|------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |                                  |      |          |
| 1518                                       | Value list identifier               | M | an..35                           |      |          |
| 7405                                       | Identity number qualifier           | C | an..3                            | '46' |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |                                  |      |          |
| 3039                                       | Party id. identification            | M | an..35                           |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                            |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                            |      |          |
| 4405                                       | Status, coded                       | C | an..3                            |      |          |
| 1514                                       | Value list name                     | C | an..70                           |      |          |
| 1507                                       | Class designator, coded             | C | an..3                            |      |          |
| 1505                                       | Value list type, coded              | C | an..3                            |      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |                                  |      |          |
| 7037                                       | Characteristic identification       | M | an..17                           |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                            |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                            |      |          |
| 7036                                       | Characteristic                      | C | an..35                           |      |          |
| 7036                                       | Characteristic                      | C | an..35                           |      |          |
| 4513                                       | Maintenance operation, coded        | C | an..3                            |      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - INCOTERM CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '46'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   | MESSAGE - RESPONSE CODE - ACTION |      | Codelist |
|--|-------------------------------------|---|----------------------------------|------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |                                  |      |          |
| 1518                                       | Value list identifier               | M | an..35                           |      |          |
| 7405                                       | Identity number qualifier           | C | an..3                            | '44' |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |                                  |      |          |
| 3039                                       | Party id. identification            | M | an..35                           |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                            |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                            |      |          |
| 4405                                       | Status, coded                       | C | an..3                            |      |          |
| 1514                                       | Value list name                     | C | an..70                           |      |          |
| 1507                                       | Class designator, coded             | C | an..3                            |      |          |
| 1505                                       | Value list type, coded              | C | an..3                            |      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |                                  |      |          |
| 7037                                       | Characteristic identification       | M | an..17                           |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                            |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                            |      |          |
| 7036                                       | Characteristic                      | C | an..35                           |      |          |
| 7036                                       | Characteristic                      | C | an..35                           |      |          |
| 4513                                       | Maintenance operation, coded        | C | an..3                            |      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - RESPONSE CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '44'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - ITEM NUMBER REJECTION REASON<br>CODE | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Item number rejection reason code(n..2)</i> | 106      |
| 7405                                       | Identity number qualifier           | C | an..3  | '41'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - ITEM NUMBER REJECTION REASON<br>CODE - ACTION | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 |   |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '41'  |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### VLI[10],VALUE LIST IDENTIFICATION,C,99999x

#### MESSAGE - ITEM NUMBER REJECTION REASON CODE - LANGUAGE SPECIFIC DATA

Codelist

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| C780 | VALUE LIST IDENTIFICATION           | M |        |
| 1518 | Value list identifier               | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1514 | Value list name                     | C | an..70 |
| 1507 | Class designator, coded             | C | an..3  |
| 1505 | Value list type, coded              | C | an..3  |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |
| 4513 | Maintenance operation, coded        | C | an..3  |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - RESPONSE CODE    | Codelist |
|--|-------------------------------------|---|--------|----------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                            |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Response Code(n..2)</i> | 29       |
| 7405                                       | Identity number qualifier           | C | an..3  | '44'                       |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                            |          |
| 3039                                       | Party id. identification            | M | an..35 |                            |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                            |          |
| 4405                                       | Status, coded                       | C | an..3  |                            |          |
| 1514                                       | Value list name                     | C | an..70 |                            |          |
| 1507                                       | Class designator, coded             | C | an..3  |                            |          |
| 1505                                       | Value list type, coded              | C | an..3  |                            |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                            |          |
| 7037                                       | Characteristic identification       | M | an..17 |                            |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                            |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                            |          |
| 7036                                       | Characteristic                      | C | an..35 |                            |          |
| 7036                                       | Characteristic                      | C | an..35 |                            |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - CUSTOMS INTERVENTION          | Codelist |
|--|-------------------------------------|---|--------|---|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Customs Intervention code(an..4)</i> | 108      |
| 7405                                       | Identity number qualifier           | C | an..3  | '39'                                    |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                                       | Party id. identification            | M | an..35 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                                       | Status, coded                       | C | an..3  |   |          |
| 1514                                       | Value list name                     | C | an..70 |   |          |
| 1507                                       | Class designator, coded             | C | an..3  |   |          |
| 1505                                       | Value list type, coded              | C | an..3  |   |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                                       | Characteristic identification       | M | an..17 |   |          |
| 1131                                       | Code list qualifier                 | C | an..3  |   |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 7036                                       | Characteristic                      | C | an..35 |   |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,999999x |                                     |   |        | MESSAGE - CUSTOMS INTERVENTION - ACTION | Codelist |
|---|-------------------------------------|---|--------|---|----------|
| C780  | VALUE LIST IDENTIFICATION           | M |        |   |          |
| 1518  | Value list identifier               | M | an..35 |   |          |
| 7405  | Identity number qualifier           | C | an..3  | '39'                                    |          |
| C082  | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039  | Party id. identification            | M | an..35 |   |          |
| 1131  | Code list qualifier                 | C | an..3  |   |          |
| 3055  | Code list responsible agency, coded | C | an..3  |   |          |
| 4405  | Status, coded                       | C | an..3  |   |          |
| 1514  | Value list name                     | C | an..70 |   |          |
| 1507  | Class designator, coded             | C | an..3  |   |          |
| 1505  | Value list type, coded              | C | an..3  |   |          |
| C240  | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037  | Characteristic identification       | M | an..17 |   |          |
| 1131  | Code list qualifier                 | C | an..3  |   |          |
| 3055  | Code list responsible agency, coded | C | an..3  |   |          |
| 7036  | Characteristic                      | C | an..35 |   |          |
| 7036  | Characteristic                      | C | an..35 |   |          |
| 4513  | Maintenance operation, coded        | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - CUSTOMS INTERVENTION -<br>LANGUAGE SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '39'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   | MESSAGE - INFORMATION TYPE |      | Codelist |
|--|-------------------------------------|---|----------------------------|------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |                            |      |          |
| 1518                                       | Value list identifier               | M | an..35                     |      |          |
| 7405                                       | Identity number qualifier           | C | an..3                      | '43' |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |                            |      |          |
| 3039                                       | Party id. identification            | M | an..35                     |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                      |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                      |      |          |
| 4405                                       | Status, coded                       | C | an..3                      |      |          |
| 1514                                       | Value list name                     | C | an..70                     |      |          |
| 1507                                       | Class designator, coded             | C | an..3                      |      |          |
| 1505                                       | Value list type, coded              | C | an..3                      |      |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |                            |      |          |
| 7037                                       | Characteristic identification       | M | an..17                     |      |          |
| 1131                                       | Code list qualifier                 | C | an..3                      |      |          |
| 3055                                       | Code list responsible agency, coded | C | an..3                      |      |          |
| 7036                                       | Characteristic                      | C | an..35                     |      |          |
| 7036                                       | Characteristic                      | C | an..35                     |      |          |
| 4513                                       | Maintenance operation, coded        | C | an..3                      |      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - INFORMATION TYPE - ACTION | Codelist |
|--|-------------------------------------|---|--------|-------------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                                     |          |
| 1518                                       | Value list identifier               | M | an..35 |                                     |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '43'                                |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                                     |          |
| 3039                                       | Party id. identification            | M | an..35 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 4405                                       | Status, coded                       | C | an..3  |                                     |          |
| 1514                                       | Value list name                     | C | an..70 |                                     |          |
| 1507                                       | Class designator, coded             | C | an..3  |                                     |          |
| 1505                                       | Value list type, coded              | C | an..3  |                                     |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                                     |          |
| 7037                                       | Characteristic identification       | M | an..17 |                                     |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 7036                                       | Characteristic                      | C | an..35 |                                     |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - INFORMATION TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|--|-------------------------------------|---|--------|--|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |  |          |
| 1518                                       | Value list identifier               | M | an..35 |  |          |
| 7405                                       | Identity number qualifier           | C | an..3  | '43'   |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |  |          |
| 3039                                       | Party id. identification            | M | an..35 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 4405                                       | Status, coded                       | C | an..3  |  |          |
| 1514                                       | Value list name                     | C | an..70 |  |          |
| 1507                                       | Class designator, coded             | C | an..3  |  |          |
| 1505                                       | Value list type, coded              | C | an..3  |  |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |  |          |
| 7037                                       | Characteristic identification       | M | an..17 |  |          |
| 1131                                       | Code list qualifier                 | C | an..3  |  |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 7036                                       | Characteristic                      | C | an..35 |  |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| VLI[10],VALUE LIST IDENTIFICATION,C,99999x |                                     |   |        | MESSAGE - INFORMATION TYPE    | Codelist |
|--|-------------------------------------|---|--------|-------------------------------|----------|
| C780                                       | VALUE LIST IDENTIFICATION           | M |        |                               |          |
| 1518                                       | Value list identifier               | M | an..35 | <i>Information type(n..2)</i> | 109      |
| 7405                                       | Identity number qualifier           | C | an..3  | '43'                          |          |
| C082                                       | PARTY IDENTIFICATION DETAILS        | C |        |                               |          |
| 3039                                       | Party id. identification            | M | an..35 |                               |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 4405                                       | Status, coded                       | C | an..3  |                               |          |
| 1514                                       | Value list name                     | C | an..70 |                               |          |
| 1507                                       | Class designator, coded             | C | an..3  |                               |          |
| 1505                                       | Value list type, coded              | C | an..3  |                               |          |
| C240                                       | PRODUCT CHARACTERISTIC              | C |        |                               |          |
| 7037                                       | Characteristic identification       | M | an..17 |                               |          |
| 1131                                       | Code list qualifier                 | C | an..3  |                               |          |
| 3055                                       | Code list responsible agency, coded | C | an..3  |                               |          |
| 7036                                       | Characteristic                      | C | an..35 |                               |          |
| 7036                                       | Characteristic                      | C | an..35 |                               |          |
| 4513                                       | Maintenance operation, coded        | C | an..3  |                               |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[11],DATE/TIME/PERIOD,C,9999x |                                   |   |        | MESSAGE - COUNTRY  | Codelist |
|----------------------------------|-----------------------------------|---|--------|--------------------|----------|
| C507                             | DATE/TIME/PERIOD                  | M |        |                    |          |
| 2005                             | Date/time/period qualifier        | M | an..3  | '146'              |          |
| 2380                             | Date/time/period                  | C | an..35 | TCC entry date(n8) |          |
| 2379                             | Date/time/period format qualifier | C | an..3  |                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[11],DATE/TIME/PERIOD,C,9999x |                                   |  |   | MESSAGE - COUNTRY | Codelist            |
|----------------------------------|-----------------------------------|--|---|-------------------|---------------------|
| C507                             | DATE/TIME/PERIOD                  |  | M |                   |                     |
| 2005                             | Date/time/period qualifier        |  | M | an..3             | '375'               |
| 2380                             | Date/time/period                  |  | C | an..35            | NCTS entry date(n8) |
| 2379                             | Date/time/period format qualifier |  | C | an..3             |                     |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - GUARANTEE TYPE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                             |          |
| 4453                      | Text function, coded                | C | an..3  |                                   |          |
| C107                      | TEXT REFERENCE                      | C |        |                                   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                     | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                   |          |
| C108                      | TEXT LITERAL                        | C |        |                                   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                 |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)          |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)          |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)  |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)     |          |
| 3453                      | Language, coded                     | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - GUARANTEE TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                    | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                 |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                       | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INVALID GUARANTEE REASON - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                       |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                               | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                           |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                    |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                    |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)            |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)               |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INVALID GUARANTEE REASON -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                 | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - LANGUAGE CODE - ACTION        | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>         |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>         |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i> |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>    |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - LANGUAGE CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                      | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - GUARANTEE MONITORING - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                           | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                       |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)        |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)           |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - GUARANTEE MONITORING -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                       |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                             | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CURRENCY CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CURRENCY CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                      | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**FTX[12],FREE TEXT,C,9999x**

**MESSAGE - CUSTOMS OPERATION STATE TYPE - Codelist  
ACTION**

|      |                                     |   |        |                                  |    |
|------|-------------------------------------|---|--------|----------------------------------|----|
| 4451 | Text subject qualifier              | M | an..3  | 'ABS'                            |    |
| 4453 | Text function, coded                | C | an..3  |                                  |    |
| C107 | TEXT REFERENCE                      | C |        |                                  |    |
| 4441 | Free text identification            | M | an..17 | Operation(a1)                    | 24 |
| 1131 | Code list qualifier                 | C | an..3  |                                  |    |
| 3055 | Code list responsible agency, coded | C | an..3  |                                  |    |
| C108 | TEXT LITERAL                        | C |        |                                  |    |
| 4440 | Free text                           | C | an..70 | Validity date(n8)                |    |
| 4440 | Free text                           | C | an..70 | Modification subtype(n1)         |    |
| 4440 | Free text                           | C | an..70 | Legal references(an..70)         |    |
| 4440 | Free text                           | C | an..70 | Responsible data manager(an..35) |    |
| 4440 | Free text                           | C | an..70 | Action identification(an..20)    |    |
| 3453 | Language, coded                     | C | an..3  |                                  |    |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**FTX[12],FREE TEXT,C,9999x**

**MESSAGE - CUSTOMS OPERATION STATE TYPE - Codelist  
LANGUAGE SPECIFIC DATA**

|      |                                     |   |        |                                |    |
|------|-------------------------------------|---|--------|--------------------------------|----|
| 4451 | Text subject qualifier              | M | an..3  | 'ACV'                          |    |
| 4453 | Text function, coded                | C | an..3  | Language code(a2)              | 12 |
| C107 | TEXT REFERENCE                      | C |        |                                |    |
| 4441 | Free text identification            | M | an..17 |                                |    |
| 1131 | Code list qualifier                 | C | an..3  |                                |    |
| 3055 | Code list responsible agency, coded | C | an..3  |                                |    |
| C108 | TEXT LITERAL                        | C |        |                                |    |
| 4440 | Free text                           | C | an..70 | Description(an..140)           |    |
| 4440 | Free text                           | C | an..70 |                                |    |
| 4440 | Free text                           | C | an..70 |                                |    |
| 4440 | Free text                           | C | an..70 |                                |    |
| 4440 | Free text                           | C | an..70 |                                |    |
| 3453 | Language, coded                     | C | an..3  | Language specific data LNG(a2) | 12 |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PACKAGING CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                             |          |
| 4453                      | Text function, coded                | C | an..3  |                                   |          |
| C107                      | TEXT REFERENCE                      | C |        |                                   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                     | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                   |          |
| C108                      | TEXT LITERAL                        | C |        |                                   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                 |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)          |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)          |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)  |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)     |          |
| 3453                      | Language, coded                     | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PACKAGING CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                    | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                 |          |
| 4440                      | Free text                           | C | an..70 | '--Continued 70 --'                                  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                       | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - ROLE - ACTION          | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - ROLE - LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'                                   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                       | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                    |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)          | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - STATISTICS TYPE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                              |          |
| 4453                      | Text function, coded                | C | an..3  |                                    |          |
| C107                      | TEXT REFERENCE                      | C |        |                                    |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                      | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                    |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                    |          |
| C108                      | TEXT LITERAL                        | C |        |                                    |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                  |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)           |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)           |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)   |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)      |          |
| 3453                      | Language, coded                     | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - STATISTICS TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                     | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                        | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SENSITIVE GOODS CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                           | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                       |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)        |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)           |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SENSITIVE GOODS CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                       |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                             | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - TRAFFIC TYPE - ACTION  | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - TRAFFIC TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                               |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                     | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - TRANSPORT MODE - ACTION       | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>         |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>         |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i> |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>    |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - TRANSPORT MODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                    | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                 |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                       | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - AAR/AER REJECTION REASON - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                       |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                        | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                    |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>             |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>             |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i>     |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>        |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - AAR/AER REJECTION REASON -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                 | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - AMENDMENT REJECTION<br>MOTIVATION - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'  |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                                 | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                             |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>                      |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>                      |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i>              |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>                 |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - AMENDMENT REJECTION<br>MOTIVATION - LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                       | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - ATR REJECTION REASON - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                           | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                       |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)        |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)           |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - ATR REJECTION REASON -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                       |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                             | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DISCREPANCIES SOLVED<br>NOTIFICATION - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                                |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>                         |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>                         |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i>                 |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>                    |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DISCREPANCIES SOLVED<br>NOTIFICATION - LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DIVERSION REJECTION REASON - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                                 | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                             |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                      |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                      |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)              |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)                 |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DIVERSION REJECTION REASON -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                   | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - RESULTS OF CONTROL - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                 |          |
| 4453                      | Text function, coded                | C | an..3  |                                       |          |
| C107                      | TEXT REFERENCE                      | C |        |                                       |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                         | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                       |          |
| C108                      | TEXT LITERAL                        | C |        |                                       |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                     |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)              |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)              |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)      |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)         |          |
| 3453                      | Language, coded                     | C | an..3  |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - RESULTS OF CONTROL - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                     |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                           | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CONTROL RESULT CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                  |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                          | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                      |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)               |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)               |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)       |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)          |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CONTROL RESULT CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                      |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                            | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COUNTRY - ACTION       | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COUNTRY - LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'                                      |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                          | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                       |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)             | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COUNTRY REGIME - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                             |          |
| 4453                      | Text function, coded                | C | an..3  |                                   |          |
| C107                      | TEXT REFERENCE                      | C |        |                                   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                     | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                   |          |
| C108                      | TEXT LITERAL                        | C |        |                                   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                 |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)          |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)          |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)  |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)     |          |
| 3453                      | Language, coded                     | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COUNTRY REGIME - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                    | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                 |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                       | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - UN/LOCODE - ACTION     | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - UNIT OF MEASURE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                              |          |
| 4453                      | Text function, coded                | C | an..3  |                                    |          |
| C107                      | TEXT REFERENCE                      | C |        |                                    |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                      | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                    |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                    |          |
| C108                      | TEXT LITERAL                        | C |        |                                    |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                  |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)           |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)           |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)   |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)      |          |
| 3453                      | Language, coded                     | C | an..3  |                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - UNIT OF MEASURE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                     | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                        | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SPECIAL MENTION CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                           | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                       |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)        |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)           |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SPECIAL MENTION CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                       |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                             | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DOCUMENT TYPE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DOCUMENT TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..350)                                |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                      | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CUSTOMS OFFICE GEO INFO - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                      |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                              | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                          |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                   |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                   |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)           |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)              |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CUSTOMS OFFICE GEO INFO -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - QUERY ON GUARANTEE TYPE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                      |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                              | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                          |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                   |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                   |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)           |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)              |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - QUERY ON GUARANTEE TYPE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SPECIFIC NOTES CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                  |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                          | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                      |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)               |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)               |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)       |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)          |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SPECIFIC NOTES CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..350)                                      |          |
| 4440                      | Free text                           | C | an..70 | '-- Continued 70 --'                                      |          |
| 4440                      | Free text                           | C | an..70 | '-- Continued 70 --'                                      |          |
| 4440                      | Free text                           | C | an..70 | '-- Continued 70 --'                                      |          |
| 4440                      | Free text                           | C | an..70 | '-- Continued 70 --'                                      |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                            | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COMPLEMENTARY CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                 |          |
| 4453                      | Text function, coded                | C | an..3  |                                       |          |
| C107                      | TEXT REFERENCE                      | C |        |                                       |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                         | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                       |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                       |          |
| C108                      | TEXT LITERAL                        | C |        |                                       |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                     |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)              |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)              |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)      |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)         |          |
| 3453                      | Language, coded                     | C | an..3  |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COMPLEMENTARY CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                     |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                           | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DECLARATION TYPE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|-------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                               |          |
| 4453                      | Text function, coded                | C | an..3  |                                     |          |
| C107                      | TEXT REFERENCE                      | C |        |                                     |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                       | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                     |          |
| C108                      | TEXT LITERAL                        | C |        |                                     |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                   |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)            |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)            |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)    |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)       |          |
| 3453                      | Language, coded                     | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DECLARATION TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                      | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                         | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INFORMATION - ACTION   | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### FTX[12],FREE TEXT,C,9999x

|      |                                     |   |        | MESSAGE - INFORMATION - LANGUAGE SPECIFIC DATA | Codelist |
|------|-------------------------------------|---|--------|--|----------|
| 4451 | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453 | Text function, coded                | C | an..3  | Language code(a2)                              | 12       |
| C107 | TEXT REFERENCE                      | C |        |  |          |
| 4441 | Free text identification            | M | an..17 |  |          |
| 1131 | Code list qualifier                 | C | an..3  |  |          |
| 3055 | Code list responsible agency, coded | C | an..3  |  |          |
| C108 | TEXT LITERAL                        | C |        |  |          |
| 4440 | Free text                           | C | an..70 | Description(an..140)                           |          |
| 4440 | Free text                           | C | an..70 |  |          |
| 4440 | Free text                           | C | an..70 |  |          |
| 4440 | Free text                           | C | an..70 |  |          |
| 4440 | Free text                           | C | an..70 |  |          |
| 3453 | Language, coded                     | C | an..3  | Language specific data LNG(a2)                 | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - REQUESTED INFORMATION - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                    |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                            | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                        |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                 |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                 |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)         |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)            |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - REQUESTED INFORMATION -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                              | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - REPRESENTATIVE STATUS CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                                 | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                             |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                      |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                      |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)              |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)                 |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - REPRESENTATIVE STATUS CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                   | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**FTX[12],FREE TEXT,C,9999x**

**MESSAGE - COMMUNITY NATIONAL PROCEDURE  
- ACTION** Codelist

|      |                                     |   |        |   |    |
|------|-------------------------------------|---|--------|---|----|
| 4451 | Text subject qualifier              | M | an..3  | 'ABS'                                   |    |
| 4453 | Text function, coded                | C | an..3  |   |    |
| C107 | TEXT REFERENCE                      | C |        |   |    |
| 4441 | Free text identification            | M | an..17 | <i>Operation(a1)</i>                    | 24 |
| 1131 | Code list qualifier                 | C | an..3  |   |    |
| 3055 | Code list responsible agency, coded | C | an..3  |   |    |
| C108 | TEXT LITERAL                        | C |        |   |    |
| 4440 | Free text                           | C | an..70 | <i>Validity date(n8)</i>                |    |
| 4440 | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>         |    |
| 4440 | Free text                           | C | an..70 | <i>Legal references(an..70)</i>         |    |
| 4440 | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i> |    |
| 4440 | Free text                           | C | an..70 | <i>Action identification(an..20)</i>    |    |
| 3453 | Language, coded                     | C | an..3  |   |    |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**FTX[12],FREE TEXT,C,9999x**

**MESSAGE - COMMUNITY NATIONAL PROCEDURE  
- LANGUAGE SPECIFIC DATA** Codelist

|      |                                     |   |        |                                |    |
|------|-------------------------------------|---|--------|--------------------------------|----|
| 4451 | Text subject qualifier              | M | an..3  | 'ACV'                          |    |
| 4453 | Text function, coded                | C | an..3  | Language code(a2)              | 12 |
| C107 | TEXT REFERENCE                      | C |        |                                |    |
| 4441 | Free text identification            | M | an..17 |                                |    |
| 1131 | Code list qualifier                 | C | an..3  |                                |    |
| 3055 | Code list responsible agency, coded | C | an..3  |                                |    |
| C108 | TEXT LITERAL                        | C |        |                                |    |
| 4440 | Free text                           | C | an..70 | Description(an..350)           |    |
| 4440 | Free text                           | C | an..70 |                                |    |
| 4440 | Free text                           | C | an..70 |                                |    |
| 4440 | Free text                           | C | an..70 |                                |    |
| 4440 | Free text                           | C | an..70 |                                |    |
| 3453 | Language, coded                     | C | an..3  | Language specific data LNG(a2) | 12 |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - EXPORT QUERY REASON CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                       |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                               | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                           |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                    |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                    |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)            |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)               |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - EXPORT QUERY REASON CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                 | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INCOTERM CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INCOTERM CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                      | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - NATURE OF TRANSACTION CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                                 | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                             |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                      |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                      |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)              |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)                 |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - NATURE OF TRANSACTION CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..350)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                   | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT TYPE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                     |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                      | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                  |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>           |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>           |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i>   |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>      |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT TYPE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                               | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DECLARATION TYPE (BOX 1.2) - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                          | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                      |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>               |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>               |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i>       |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>          |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - DECLARATION TYPE (BOX 1.2) -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                   | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### FTX[12],FREE TEXT,C,9999x

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| 4451 | Text subject qualifier              | M | an..3  |
| 4453 | Text function, coded                | C | an..3  |
| C107 | TEXT REFERENCE                      | C |        |
| 4441 | Free text identification            | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| C108 | TEXT LITERAL                        | C |        |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 4440 | Free text                           | C | an..70 |
| 3453 | Language, coded                     | C | an..3  |

#### MESSAGE - TRANSPORT CHARGES METHOD OF PAYMENT - ACTION

Codelist

|   |    |
|---|----|
| 'ABS'                                   |    |
| <i>Operation(a1)</i>                    | 24 |
| <i>Validity date(n8)</i>                |    |
| <i>Modification subtype(n1)</i>         |    |
| <i>Legal references(an..70)</i>         |    |
| <i>Responsible data manager(an..35)</i> |    |
| <i>Action identification(an..20)</i>    |    |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - TRANSPORT CHARGES METHOD OF<br>PAYMENT - LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - METHOD OF PAYMENT - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                |          |
| 4453                      | Text function, coded                | C | an..3  |                                      |          |
| C107                      | TEXT REFERENCE                      | C |        |                                      |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                        | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                      |          |
| C108                      | TEXT LITERAL                        | C |        |                                      |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                    |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)             |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)             |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)     |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)        |          |
| 3453                      | Language, coded                     | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - METHOD OF PAYMENT - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                       | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                    |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                          | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT CATEGORY - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                                 | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                             |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                      |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                      |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)              |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)                 |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PREVIOUS DOCUMENT CATEGORY -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                   | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - UN DANGEROUS GOODS CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                      |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                              | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                          |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                   |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                   |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)           |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)              |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - UN DANGEROUS GOODS CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..350)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - WAREHOUSE TYPE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                             |          |
| 4453                      | Text function, coded                | C | an..3  |                                   |          |
| C107                      | TEXT REFERENCE                      | C |        |                                   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                     | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                   |          |
| C108                      | TEXT LITERAL                        | C |        |                                   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                 |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)          |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)          |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)  |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)     |          |
| 3453                      | Language, coded                     | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - WAREHOUSE TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                    | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                 |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                       | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - TYPE OF TAX - ACTION   | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - TYPE OF TAX - LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                              | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                           |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                 | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SUMMARY DECLARATION<br>REJECTION REASON CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>  | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>  |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>                                 |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>                                 |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i>                         |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>                            |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        |  | MESSAGE - SUMMARY DECLARATION<br>REJECTION REASON CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  |  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  |  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |  |          |
| 4441                      | Free text identification            | M | an..17 |  |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |  |          |
| 4440                      | Free text                           | C | an..70 |  | Description(an..140)   |          |
| 4440                      | Free text                           | C | an..70 |  |  |          |
| 4440                      | Free text                           | C | an..70 |  |  |          |
| 4440                      | Free text                           | C | an..70 |  |  |          |
| 4440                      | Free text                           | C | an..70 |  |  |          |
| 3453                      | Language, coded                     | C | an..3  |  | Language specific data LNG(a2)   | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SPECIFIC CIRCUMSTANCE<br>INDICATOR - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                                  | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                              |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>                       |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>                       |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i>               |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>                  |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - SPECIFIC CIRCUMSTANCE<br>INDICATOR - LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - RISK ANALYSIS RESULT CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'  |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                                | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                            |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                     |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                     |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)             |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)                |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - RISK ANALYSIS RESULT CODE -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                                  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PREVIOUS PROCEDURE - ACTION   | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Operation(a1)</i>                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | <i>Validity date(n8)</i>                |          |
| 4440                      | Free text                           | C | an..70 | <i>Modification subtype(n1)</i>         |          |
| 4440                      | Free text                           | C | an..70 | <i>Legal references(an..70)</i>         |          |
| 4440                      | Free text                           | C | an..70 | <i>Responsible data manager(an..35)</i> |          |
| 4440                      | Free text                           | C | an..70 | <i>Action identification(an..20)</i>    |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PREVIOUS PROCEDURE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..350)                                     |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                           | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PROCEDURE REQUESTED - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                  |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                          | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                      |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)               |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)               |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)       |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)          |          |
| 3453                      | Language, coded                     | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - PROCEDURE REQUESTED -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..350)                                      |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                            | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - RESPONSE CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                            |          |
| 4453                      | Text function, coded                | C | an..3  |                                  |          |
| C107                      | TEXT REFERENCE                      | C |        |                                  |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                    | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                  |          |
| C108                      | TEXT LITERAL                        | C |        |                                  |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)         |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)         |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35) |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)    |          |
| 3453                      | Language, coded                     | C | an..3  |                                  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - RESPONSE CODE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                      | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - ITEM NUMBER REJECTION REASON<br>CODE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)   | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                                       |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                                |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                                |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)                        |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)                           |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - ITEM NUMBER REJECTION REASON<br>CODE - LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'   |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)   | 12       |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 |   |          |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)  |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)  | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CUSTOMS INTERVENTION - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                                   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                           | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                       |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)                |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)        |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)           |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CUSTOMS INTERVENTION -<br>LANGUAGE SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)  | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                       |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                             | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INFORMATION TYPE - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|-------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                               |          |
| 4453                      | Text function, coded                | C | an..3  |                                     |          |
| C107                      | TEXT REFERENCE                      | C |        |                                     |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                       | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                     |          |
| C108                      | TEXT LITERAL                        | C |        |                                     |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                   |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)            |          |
| 4440                      | Free text                           | C | an..70 | Legal references(an..70)            |          |
| 4440                      | Free text                           | C | an..70 | Responsible data manager(an..35)    |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)       |          |
| 3453                      | Language, coded                     | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[12],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - INFORMATION TYPE - LANGUAGE<br>SPECIFIC DATA | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  | Language code(a2)                                      | 12       |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Description(an..140)                                   |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language specific data LNG(a2)                         | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DSI[31],DATA SET IDENTIFICATION,C,999x |                                     |   |        | MESSAGE - SENDING COUNTRY | Codelist |
|--|-------------------------------------|---|--------|---------------------------|----------|
| C782                                   | DATA SET IDENTIFICATION             | M |        |                           |          |
| 1520                                   | Data set identifier                 | M | an..35 | 'MS'                      |          |
| 7405                                   | Identity number qualifier           | C | an..3  | Country code(a2)          | 8        |
| C082                                   | PARTY IDENTIFICATION DETAILS        | C |        |                           |          |
| 3039                                   | Party id. identification            | M | an..35 | Year(n4)                  |          |
| 1131                                   | Code list qualifier                 | C | an..3  | Month(an2)                | 26       |
| 3055                                   | Code list responsible agency, coded | C | an..3  |                           |          |
| 4405                                   | Status, coded                       | C | an..3  |                           |          |
| C286                                   | SEQUENCE INFORMATION                | C |        |                           |          |
| 1050                                   | Sequence number                     | M | an..10 |                           |          |
| 1159                                   | Sequence number source, coded       | C | an..3  |                           |          |
| 1131                                   | Code list qualifier                 | C | an..3  |                           |          |
| 3055                                   | Code list responsible agency, coded | C | an..3  |                           |          |
| 1060                                   | Revision number                     | C | an..6  |                           |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| IDE[37],IDENTITY,C,99x |                                     |   |        | MESSAGE - SENDING COUNTRY - SYSTEM<br>APPLICABILITY | Codelist |
|------------------------|-------------------------------------|---|--------|---|----------|
| 7495                   | Identification qualifier            | M | an..3  | '1'   |          |
| C206                   | IDENTIFICATION NUMBER               | M |        |   |          |
| 7402                   | Identity number                     | M | an..35 | System code(n..2)                                   | 136      |
| 7405                   | Identity number qualifier           | C | an..3  |   |          |
| 4405                   | Status, coded                       | C | an..3  |   |          |
| C082                   | PARTY IDENTIFICATION DETAILS        | C |        |   |          |
| 3039                   | Party id. identification            | M | an..35 |   |          |
| 1131                   | Code list qualifier                 | C | an..3  |   |          |
| 3055                   | Code list responsible agency, coded | C | an..3  |   |          |
| 4405                   | Status, coded                       | C | an..3  |   |          |
| 1222                   | Configuration level                 | C | n..2   |   |          |
| C778                   | POSITION IDENTIFICATION             | C |        |   |          |
| 7164                   | Hierarchical id. number             | C | an..12 |   |          |
| 1050                   | Sequence number                     | C | an..10 |   |          |
| C240                   | PRODUCT CHARACTERISTIC              | C |        |   |          |
| 7037                   | Characteristic identification       | M | an..17 |   |          |
| 1131                   | Code list qualifier                 | C | an..3  |   |          |
| 3055                   | Code list responsible agency, coded | C | an..3  |   |          |
| 7036                   | Characteristic                      | C | an..35 |   |          |
| 7036                   | Characteristic                      | C | an..35 |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### SCD[42],STRUCTURE COMPONENT DEFINITION,C,999x

#### MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS

Codelist

|      |                                     |   |        |
|------|-------------------------------------|---|--------|
| 7497 | Component function qualifier        | M | an..3  |
| C786 | STRUCTURE COMPONENT IDENTIFICATION  | C |        |
| 7512 | Structure component identifier      | M | an..35 |
| 7405 | Identity number qualifier           | C | an..3  |
| C082 | PARTY IDENTIFICATION DETAILS        | C |        |
| 3039 | Party id. identification            | M | an..35 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 4405 | Status, coded                       | C | an..3  |
| 1222 | Configuration level                 | C | n..2   |
| C778 | POSITION IDENTIFICATION             | C |        |
| 7164 | Hierarchical id. number             | C | an..12 |
| 1050 | Sequence number                     | C | an..10 |
| C240 | PRODUCT CHARACTERISTIC              | C |        |
| 7037 | Characteristic identification       | M | an..17 |
| 1131 | Code list qualifier                 | C | an..3  |
| 3055 | Code list responsible agency, coded | C | an..3  |
| 7036 | Characteristic                      | C | an..35 |
| 7036 | Characteristic                      | C | an..35 |

'2'

*Statistics type(an4)*

57

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| CDV[45],CODE VALUE DEFINITION,C,9999x |                              |   |        | MESSAGE - SENDING COUNTRY - SYSTEM<br>APPLICABILITY - STATISTICAL<br>CHARACTERISTICS - SERIES ELEMENTS | Codelist |
|---------------------------------------|------------------------------|---|--------|--|----------|
| 9426                                  | Code value                   | M | an..35 | Counter(n..9)  |          |
| 9434                                  | Code name                    | C | an..70 | Other country(a2)  | 8        |
| 4513                                  | Maintenance operation, coded | C | an..3  | '3'  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[57],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                | Codelist |
|------------------------------|-----------------------------------|---|--------|--|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### UNZ[58],INTERCHANGE TRAILER,M,1x

|      |                               |   |        |                                       |
|------|-------------------------------|---|--------|---------------------------------------|
| 0036 | Interchange control count     | M | n..6   | '-- Interchange control count'        |
| 0020 | Interchange control reference | M | an..14 | Interchange control reference(an..14) |

#### MESSAGE

Codelist

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## PARTTC

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |          |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |          |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    | 27       |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                               | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | <i>Message identification(an..14)</i> |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                       |          |
| 0065                       | Message type              | M | an..6  | <i>'PARTTC'</i>                       |          |
| 0052                       | Message version number    | M | an..3  | <i>'D'</i>                            |          |
| 0054                       | Message release number    | M | an..3  | <i>'96B'</i>                          |          |
| 0051                       | Controlling agency        | M | an..2  | <i>'EC'</i>                           |          |
| 0057                       | Association assigned code | C | an..6  | <i>Message type(an..6)</i>            | 60       |
| 0068                       | Common Access Reference   | C | an..35 |                                       |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                       |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                       |          |
| 0073                       | First and last transfer   | C | a1     |                                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,5x |                                   |   |        | MESSAGE - HEADER     | Codelist |
|------------------------------|-----------------------------------|---|--------|----------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                      |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '200'                |          |
| 2380                         | Date/time/period                  | C | an..35 | Period from date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,5x |                                   |   |        | MESSAGE - HEADER   | Codelist |
|------------------------------|-----------------------------------|---|--------|--------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                    |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '201'              |          |
| 2380                         | Date/time/period                  | C | an..35 | Period to date(n8) |          |
| 2379                         | Date/time/period format qualifier | C | an..3  |                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[3],DATE/TIME/PERIOD,C,5x |                                   |   |        | MESSAGE - HEADER      | Codelist |
|------------------------------|-----------------------------------|---|--------|-----------------------|----------|
| C507                         | DATE/TIME/PERIOD                  | M |        |                       |          |
| 2005                         | Date/time/period qualifier        | M | an..3  | '202'                 |          |
| 2380                         | Date/time/period                  | C | an..35 | <i>Extraction(n1)</i> | 27       |
| 2379                         | Date/time/period format qualifier | C | an..3  |                       |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[12],NAME AND ADDRESS,C,9999x |                                     |   |        |  | MESSAGE - CUSTOMS OFFICE INFORMATION                  | Codelist |
|----------------------------------|-------------------------------------|---|--------|--|---|----------|
| 3035                             | Party qualifier                     | M | an..3  |  | 'EU'  |          |
| C082                             | PARTY IDENTIFICATION DETAILS        | C |        |  |   |          |
| 3039                             | Party id. identification            | M | an..35 |  | UN/LOCODE id(a3)                                      |          |
| 1131                             | Code list qualifier                 | C | an..3  |  |   |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |  |   |          |
| C058                             | NAME AND ADDRESS                    | C |        |  |   |          |
| 3124                             | Name and address line               | M | an..35 |  | Reference number Competent Authority of Recovery(an8) |          |
| 3124                             | Name and address line               | C | an..35 |  |   |          |
| 3124                             | Name and address line               | C | an..35 |  |   |          |
| 3124                             | Name and address line               | C | an..35 |  |   |          |
| 3124                             | Name and address line               | C | an..35 |  |   |          |
| C080                             | PARTY NAME                          | C |        |  |   |          |
| 3036                             | Party name                          | M | an..35 |  | Reference number(an8)                                 |          |
| 3036                             | Party name                          | C | an..35 |  | Reference number higher authority(an8)                |          |
| 3036                             | Party name                          | C | an..35 |  | Reference number take-over(an8)                       |          |
| 3036                             | Party name                          | C | an..35 |  | Reference number main office(an8)                     |          |
| 3036                             | Party name                          | C | an..35 |  | Reference number Competent Authority of Enquiry(an8)  |          |
| 3045                             | Party name format, coded            | C | an..3  |  |   |          |
| C059                             | STREET                              | C |        |  |   |          |
| 3042                             | Street and number/p.o. box          | M | an..35 |  | Geo info code(an..6)                                  | 15       |
| 3042                             | Street and number/p.o. box          | C | an..35 |  |   |          |
| 3042                             | Street and number/p.o. box          | C | an..35 |  |   |          |
| 3042                             | Street and number/p.o. box          | C | an..35 |  |   |          |
| 3164                             | City name                           | C | an..35 |  | Region code(an..3)                                    |          |
| 3229                             | Country sub-entity identification   | C | an..9  |  |   |          |
| 3251                             | Postcode identification             | C | an..9  |  | Postal code(an..9)                                    |          |
| 3207                             | Country, coded                      | C | an..3  |  | Country code(a2)                                      | 70       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[12],NAME AND ADDRESS,C,9999x |                                     |   |        | MESSAGE - COUNTRY HOLIDAYS | Codelist |
|----------------------------------|-------------------------------------|---|--------|----------------------------|----------|
| 3035                             | Party qualifier                     | M | an..3  | 'N1'                       |          |
| C082                             | PARTY IDENTIFICATION DETAILS        | C |        |                            |          |
| 3039                             | Party id. identification            | M | an..35 |                            |          |
| 1131                             | Code list qualifier                 | C | an..3  |                            |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |                            |          |
| C058                             | NAME AND ADDRESS                    | C |        |                            |          |
| 3124                             | Name and address line               | M | an..35 |                            |          |
| 3124                             | Name and address line               | C | an..35 |                            |          |
| 3124                             | Name and address line               | C | an..35 |                            |          |
| 3124                             | Name and address line               | C | an..35 |                            |          |
| 3124                             | Name and address line               | C | an..35 |                            |          |
| C080                             | PARTY NAME                          | C |        |                            |          |
| 3036                             | Party name                          | M | an..35 |                            |          |
| 3036                             | Party name                          | C | an..35 |                            |          |
| 3036                             | Party name                          | C | an..35 |                            |          |
| 3036                             | Party name                          | C | an..35 |                            |          |
| 3036                             | Party name                          | C | an..35 |                            |          |
| 3045                             | Party name format, coded            | C | an..3  |                            |          |
| C059                             | STREET                              | C |        |                            |          |
| 3042                             | Street and number/p.o. box          | M | an..35 |                            |          |
| 3042                             | Street and number/p.o. box          | C | an..35 |                            |          |
| 3042                             | Street and number/p.o. box          | C | an..35 |                            |          |
| 3042                             | Street and number/p.o. box          | C | an..35 |                            |          |
| 3164                             | City name                           | C | an..35 |                            |          |
| 3229                             | Country sub-entity identification   | C | an..9  |                            |          |
| 3251                             | Postcode identification             | C | an..9  |                            |          |
| 3207                             | Country, coded                      | C | an..3  | Country code(a2)           | 70       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| NAD[12],NAME AND ADDRESS,C,9999x |                                     |   |        | MESSAGE - COUNTRY/REGION   | Codelist |
|----------------------------------|-------------------------------------|---|--------|----------------------------|----------|
| 3035                             | Party qualifier                     | M | an..3  | 'N2'                       |          |
| C082                             | PARTY IDENTIFICATION DETAILS        | C |        |                            |          |
| 3039                             | Party id. identification            | M | an..35 |                            |          |
| 1131                             | Code list qualifier                 | C | an..3  |                            |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |                            |          |
| C058                             | NAME AND ADDRESS                    | C |        |                            |          |
| 3124                             | Name and address line               | M | an..35 |                            |          |
| 3124                             | Name and address line               | C | an..35 |                            |          |
| 3124                             | Name and address line               | C | an..35 |                            |          |
| 3124                             | Name and address line               | C | an..35 |                            |          |
| 3124                             | Name and address line               | C | an..35 |                            |          |
| C080                             | PARTY NAME                          | C |        |                            |          |
| 3036                             | Party name                          | M | an..35 |                            |          |
| 3036                             | Party name                          | C | an..35 |                            |          |
| 3036                             | Party name                          | C | an..35 |                            |          |
| 3036                             | Party name                          | C | an..35 |                            |          |
| 3036                             | Party name                          | C | an..35 |                            |          |
| 3045                             | Party name format, coded            | C | an..3  |                            |          |
| C059                             | STREET                              | C |        |                            |          |
| 3042                             | Street and number/p.o. box          | M | an..35 |                            |          |
| 3042                             | Street and number/p.o. box          | C | an..35 |                            |          |
| 3042                             | Street and number/p.o. box          | C | an..35 |                            |          |
| 3042                             | Street and number/p.o. box          | C | an..35 |                            |          |
| 3164                             | City name                           | C | an..35 |                            |          |
| 3229                             | Country sub-entity identification   | C | an..9  | Country code(a2)           | 70       |
| 3251                             | Postcode identification             | C | an..9  |                            |          |
| 3207                             | Country, coded                      | C | an..3  | Country/region code(an..3) |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| DTM[13],DATE/TIME/PERIOD,C,5x |                                   |   |        | MESSAGE - CUSTOMS OFFICE INFORMATION | Codelist |
|-------------------------------|-----------------------------------|---|--------|--------------------------------------|----------|
| C507                          | DATE/TIME/PERIOD                  | M |        |                                      |          |
| 2005                          | Date/time/period qualifier        | M | an..3  | '146'                                |          |
| 2380                          | Date/time/period                  | C | an..35 | NCTS entry date(n8)                  |          |
| 2379                          | Date/time/period format qualifier | C | an..3  |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[15],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CUSTOMS OFFICE INFORMATION | Codelist |
|---------------------------|-------------------------------------|---|--------|--------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'AAI'                                |          |
| 4453                      | Text function, coded                | C | an..3  |                                      |          |
| C107                      | TEXT REFERENCE                      | C |        |                                      |          |
| 4441                      | Free text identification            | M | an..17 |                                      |          |
| 1131                      | Code list qualifier                 | C | an..3  |                                      |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                      |          |
| C108                      | TEXT LITERAL                        | C |        |                                      |          |
| 4440                      | Free text                           | C | an..70 | Nearest office(an..175)              |          |
| 4440                      | Free text                           | C | an..70 | '-- Continued 70 --'                 |          |
| 4440                      | Free text                           | C | an..70 | '-- Continued 35 --'                 |          |
| 4440                      | Free text                           | C | an..70 |                                      |          |
| 4440                      | Free text                           | C | an..70 |                                      |          |
| 3453                      | Language, coded                     | C | an..3  | Nearest office LNG(a2)               | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[15],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CUSTOMS OFFICE INFORMATION - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                                 | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                             |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)                      |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)                 |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[15],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - CUSTOMS OFFICE INFORMATION -<br>CUSTOMS OFFICE SPECIFIC NOTES | Codelist |
|---------------------------|-------------------------------------|---|--------|---|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACB'   |          |
| 4453                      | Text function, coded                | C | an..3  |   |          |
| C107                      | TEXT REFERENCE                      | C |        |   |          |
| 4441                      | Free text identification            | M | an..17 | <i>Specific notes code(an..6)</i>                                       | 67       |
| 1131                      | Code list qualifier                 | C | an..3  |   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |   |          |
| C108                      | TEXT LITERAL                        | C |        |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 4440                      | Free text                           | C | an..70 |   |          |
| 3453                      | Language, coded                     | C | an..3  |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[15],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COUNTRY HOLIDAYS - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|-------------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                               |          |
| 4453                      | Text function, coded                | C | an..3  |                                     |          |
| C107                      | TEXT REFERENCE                      | C |        |                                     |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                       | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                     |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                     |          |
| C108                      | TEXT LITERAL                        | C |        |                                     |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                   |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)            |          |
| 4440                      | Free text                           | C | an..70 |                                     |          |
| 4440                      | Free text                           | C | an..70 |                                     |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)       |          |
| 3453                      | Language, coded                     | C | an..3  |                                     |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[15],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COUNTRY/REGION - ACTION | Codelist |
|---------------------------|-------------------------------------|---|--------|-----------------------------------|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ABS'                             |          |
| 4453                      | Text function, coded                | C | an..3  |                                   |          |
| C107                      | TEXT REFERENCE                      | C |        |                                   |          |
| 4441                      | Free text identification            | M | an..17 | Operation(a1)                     | 24       |
| 1131                      | Code list qualifier                 | C | an..3  |                                   |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |                                   |          |
| C108                      | TEXT LITERAL                        | C |        |                                   |          |
| 4440                      | Free text                           | C | an..70 | Validity date(n8)                 |          |
| 4440                      | Free text                           | C | an..70 | Modification subtype(n1)          |          |
| 4440                      | Free text                           | C | an..70 |                                   |          |
| 4440                      | Free text                           | C | an..70 |                                   |          |
| 4440                      | Free text                           | C | an..70 | Action identification(an..20)     |          |
| 3453                      | Language, coded                     | C | an..3  |                                   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| FTX[15],FREE TEXT,C,9999x |                                     |   |        | MESSAGE - COUNTRY/REGION -<br>COUNTRY/REGION LSD | Codelist |
|---------------------------|-------------------------------------|---|--------|--|----------|
| 4451                      | Text subject qualifier              | M | an..3  | 'ACV'  |          |
| 4453                      | Text function, coded                | C | an..3  |  |          |
| C107                      | TEXT REFERENCE                      | C |        |  |          |
| 4441                      | Free text identification            | M | an..17 |  |          |
| 1131                      | Code list qualifier                 | C | an..3  |  |          |
| 3055                      | Code list responsible agency, coded | C | an..3  |  |          |
| C108                      | TEXT LITERAL                        | C |        |  |          |
| 4440                      | Free text                           | C | an..70 | Country/region name(an..35)                      |          |
| 4440                      | Free text                           | C | an..70 | Country/region name LNG(a2)                      | 12       |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 4440                      | Free text                           | C | an..70 |  |          |
| 3453                      | Language, coded                     | C | an..3  | Language code(a2)                                | 12       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| RFF[18],REFERENCE,C,15x |                          |   |        | MESSAGE - CUSTOMS OFFICE INFORMATION | Codelist |
|-------------------------|--------------------------|---|--------|--------------------------------------|----------|
| C506                    | REFERENCE                | M |        |                                      |          |
| 1153                    | Reference qualifier      | M | an..3  | 'ADZ'                                |          |
| 1154                    | Reference number         | C | an..35 | Trader dedicated(n1)                 | 27       |
| 1156                    | Line number              | C | an..6  |                                      |          |
| 4000                    | Reference version number | C | an..35 |                                      |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**CTA[20],CONTACT INFORMATION,C,99x**

**MESSAGE - CUSTOMS OFFICE INFORMATION -  
(DEDICATED) TRADER**

**Codelist**

|      |                                       |   |        |                     |
|------|---------------------------------------|---|--------|---------------------|
| 3139 | Contact function, coded               | C | an..3  | 'AX'                |
| C056 | DEPARTMENT OR EMPLOYEE DETAILS        | C |        |                     |
| 3413 | Department or employee identification | C | an..17 | <i>TIN(an..17)</i>  |
| 3412 | Department or employee                | C | an..35 | <i>Name(an..35)</i> |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**CTA[20],CONTACT INFORMATION,C,99x**

|      |                                       |   |        |
|------|---------------------------------------|---|--------|
| 3139 | Contact function, coded               | C | an..3  |
| C056 | DEPARTMENT OR EMPLOYEE DETAILS        | C |        |
| 3413 | Department or employee identification | C | an..17 |
| 3412 | Department or employee                | C | an..35 |

**MESSAGE - CUSTOMS OFFICE INFORMATION**

**Codelist**

'IC'

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

**COM[21],COMMUNICATION CONTACT,C,5x**

**MESSAGE - CUSTOMS OFFICE INFORMATION -  
(DEDICATED) TRADER**

**Codelist**

|      |                                 |   |         |                          |    |
|------|---------------------------------|---|---------|--------------------------|----|
| C076 | COMMUNICATION CONTACT           | M |         |                          |    |
| 3148 | Communication number            | M | an..512 | <i>Language code(a2)</i> | 12 |
| 3155 | Communication channel qualifier | C | an..3   | <i>'EI'</i>              |    |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

# COM[21],COMMUNICATION CONTACT,C,5x

## MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

|      |                                 |   |         |                      |
|------|---------------------------------|---|---------|----------------------|
| C076 | COMMUNICATION CONTACT           | M |         |                      |
| 3148 | Communication number            | M | an..512 | Phone number(an..35) |
| 3155 | Communication channel qualifier | C | an..3   | 'TE'                 |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### COM[21],COMMUNICATION CONTACT,C,5x

|      |                                 |   |
|------|---------------------------------|---|
| C076 | COMMUNICATION CONTACT           | M |
| 3148 | Communication number            | M |
| 3155 | Communication channel qualifier | C |

#### MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

|         |                           |
|---------|---------------------------|
| an..512 | <i>Fax number(an..35)</i> |
| an..3   | <i>'FX'</i>               |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### COM[21],COMMUNICATION CONTACT,C,5x

|      |                                 |   |
|------|---------------------------------|---|
| C076 | COMMUNICATION CONTACT           | M |
| 3148 | Communication number            | M |
| 3155 | Communication channel qualifier | C |

#### MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

|         |                             |
|---------|-----------------------------|
| an..512 | <i>Telex number(an..35)</i> |
| an..3   | <i>'TL'</i>                 |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

# COM[21],COMMUNICATION CONTACT,C,5x

## MESSAGE - CUSTOMS OFFICE INFORMATION

Codelist

|      |                                 |   |         |                        |
|------|---------------------------------|---|---------|------------------------|
| C076 | COMMUNICATION CONTACT           | M |         |                        |
| 3148 | Communication number            | M | an..512 | E-mail address(an..70) |
| 3155 | Communication channel qualifier | C | an..3   | 'EM'                   |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### TOD[24],TERMS OF DELIVERY OR TRANSPORT,C,999x

#### MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE TIMETABLE

Codelist

|      |  |   |        |
|------|--|---|--------|
| 4055 | Terms of delivery or transport function, coded | D | an..3  |
| 4215 | Transport charges method of payment, coded     | C | an..3  |
| C100 | TERMS OF DELIVERY OR TRANSPORT                 | C |        |
| 4053 | Terms of delivery or transport, coded          | C | an..3  |
| 1131 | Code list qualifier                            | C | an..3  |
| 3055 | Code list responsible agency, coded            | C | an..3  |
| 4052 | Terms of delivery or transport                 | C | an..70 |
| 4052 | Terms of delivery or transport                 | C | an..70 |

'1'  
Season code(n1)  
  
Season name LNG(a2)  
  
Season name(an..35)

12

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TOD[24],TERMS OF DELIVERY OR TRANSPORT,C,999x |  |   |        | MESSAGE - CUSTOMS OFFICE INFORMATION -<br>CUSTOMS OFFICE LSD | Codelist |
|---|--|---|--------|--|----------|
| 4055  | Terms of delivery or transport function, coded | D | an..3  | '5'  |          |
| 4215  | Transport charges method of payment, coded     | C | an..3  | Language code(a2)  | 12       |
| C100  | TERMS OF DELIVERY OR TRANSPORT                 | C |        |  |          |
| 4053  | Terms of delivery or transport, coded          | C | an..3  | Space to add(n1)   | 27       |
| 1131  | Code list qualifier                            | C | an..3  | Customs office usual name LNG(a2)                            | 12       |
| 3055  | Code list responsible agency, coded            | C | an..3  | Street and number LNG(a2)                                    | 12       |
| 4052  | Terms of delivery or transport                 | C | an..70 | Customs office usual name(an..35)                            |          |
| 4052  | Terms of delivery or transport                 | C | an..70 | Street and number(an..35)                                    |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TOD[24],TERMS OF DELIVERY OR TRANSPORT,C,999x |  |   |        | MESSAGE - COUNTRY HOLIDAYS - COUNTRY<br>HOLIDAYS DATA | Codelist |
|---|--|---|--------|---|----------|
| 4055  | Terms of delivery or transport function, coded | D | an..3  | '6'   |          |
| 4215  | Transport charges method of payment, coded     | C | an..3  |   |          |
| C100  | TERMS OF DELIVERY OR TRANSPORT                 | C |        |   |          |
| 4053  | Terms of delivery or transport, coded          | C | an..3  | Day(an2)  |          |
| 1131  | Code list qualifier                            | C | an..3  | Month(an2)  | 26       |
| 3055  | Code list responsible agency, coded            | C | an..3  | Variable holiday date(n1)                             | 27       |
| 4052  | Terms of delivery or transport                 | C | an..70 | Year(n4)  |          |
| 4052  | Terms of delivery or transport                 | C | an..70 |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| TOD[24],TERMS OF DELIVERY OR TRANSPORT,C,999x |  |   |        | MESSAGE - COUNTRY/REGION -<br>COUNTRY/REGION HOLIDAYS | Codelist |
|---|--|---|--------|---|----------|
| 4055  | Terms of delivery or transport function, coded | D | an..3  | '6'   |          |
| 4215  | Transport charges method of payment, coded     | C | an..3  |   |          |
| C100  | TERMS OF DELIVERY OR TRANSPORT                 | C |        |   |          |
| 4053  | Terms of delivery or transport, coded          | C | an..3  | Day(an2)  |          |
| 1131  | Code list qualifier                            | C | an..3  | Month(an2)  | 26       |
| 3055  | Code list responsible agency, coded            | C | an..3  | Variable holiday date(n1)                             | 27       |
| 4052  | Terms of delivery or transport                 | C | an..70 | Year(n4)  |          |
| 4052  | Terms of delivery or transport                 | C | an..70 |   |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

DTM[25],DATE/TIME/PERIOD,C,2x

MESSAGE - CUSTOMS OFFICE INFORMATION -  
CUSTOMS OFFICE TIMETABLE

Codelist

|      |                                   |   |        |                       |
|------|-----------------------------------|---|--------|-----------------------|
| C507 | DATE/TIME/PERIOD                  | M |        |                       |
| 2005 | Date/time/period qualifier        | M | an..3  | '194'                 |
| 2380 | Date/time/period                  | C | an..35 | Season start date(n8) |
| 2379 | Date/time/period format qualifier | C | an..3  |                       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

DTM[25],DATE/TIME/PERIOD,C,2x

MESSAGE - CUSTOMS OFFICE INFORMATION -  
CUSTOMS OFFICE TIMETABLE

Codelist

|      |                                   |   |        |                     |
|------|-----------------------------------|---|--------|---------------------|
| C507 | DATE/TIME/PERIOD                  | M |        |                     |
| 2005 | Date/time/period qualifier        | M | an..3  | '206'               |
| 2380 | Date/time/period                  | C | an..35 | Season end date(n8) |
| 2379 | Date/time/period format qualifier | C | an..3  |                     |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[26],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - CUSTOMS OFFICE INFORMATION - CUSTOMS OFFICE TIMETABLE - CUSTOMS OFFICE TIMETABLE LINE

Codelist

|      |   |   |        |  |     |
|------|---|---|--------|--|-----|
| 3227 | Place/location qualifier                  | M | an..3  | '22'   |     |
| C517 | LOCATION IDENTIFICATION                   | C |        |  |     |
| 3225 | Place/location identification             | C | an..25 | <i>Opening hours time first period from(n4)</i>  |     |
| 1131 | Code list qualifier                       | C | an..3  | <i>Day in the week (begin day)(n1)</i>           | 105 |
| 3055 | Code list responsible agency, coded       | C | an..3  |  |     |
| 3224 | Place/location                            | C | an..70 | <i>Opening hours time first period to(n4)</i>    |     |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |     |
| 3223 | Related place/location one identification | C | an..25 | <i>Opening hours time second period from(n4)</i> |     |
| 1131 | Code list qualifier                       | C | an..3  | <i>Day in the week (end day)(n1)</i>             | 105 |
| 3055 | Code list responsible agency, coded       | C | an..3  |  |     |
| 3222 | Related place/location one                | C | an..70 | <i>Opening hours time second period to(n4)</i>   |     |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |     |
| 3233 | Related place/location two identification | C | an..25 |  |     |
| 1131 | Code list qualifier                       | C | an..3  |  |     |
| 3055 | Code list responsible agency, coded       | C | an..3  |  |     |
| 3232 | Related place/location two                | C | an..70 |  |     |
| 5479 | Relation, coded                           | C | an..3  |  |     |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| LOC[26],PLACE/LOCATION IDENTIFICATION,C,99x |   |   |        | MESSAGE - CUSTOMS OFFICE INFORMATION -<br>CUSTOMS OFFICE LSD | Codelist |
|---|---|---|--------|--|----------|
| 3227  | Place/location qualifier                  | M | an..3  | '89'   |          |
| C517  | LOCATION IDENTIFICATION                   | C |        |  |          |
| 3225  | Place/location identification             | C | an..25 | City LNG(a2)   | 12       |
| 1131  | Code list qualifier                       | C | an..3  |  |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |  |          |
| 3224  | Place/location                            | C | an..70 | City(an..35)   |          |
| C519  | RELATED LOCATION ONE IDENTIFICATION       | C |        |  |          |
| 3223  | Related place/location one identification | C | an..25 | Prefix-suffix name LNG(a2)                                   | 12       |
| 1131  | Code list qualifier                       | C | an..3  |  |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |  |          |
| 3222  | Related place/location one                | C | an..70 | Prefix-suffix name(an..35)                                   |          |
| C553  | RELATED LOCATION TWO IDENTIFICATION       | C |        |  |          |
| 3233  | Related place/location two identification | C | an..25 | Prefix-suffix level(an1)                                     | 53       |
| 1131  | Code list qualifier                       | C | an..3  |  |          |
| 3055  | Code list responsible agency, coded       | C | an..3  |  |          |
| 3232  | Related place/location two                | C | an..70 | Prefix-suffix flag(n1)                                       | 27       |
| 5479  | Relation, coded                           | C | an..3  |  |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[26],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - COUNTRY HOLIDAYS - COUNTRY HOLIDAYS DATA - COUNTRY HOLIDAYS DATA LSD

Codelist

|      |   |   |        |                                    |    |
|------|---|---|--------|------------------------------------|----|
| 3227 | Place/location qualifier                  | M | an..3  | '89'                               |    |
| C517 | LOCATION IDENTIFICATION                   | C |        |                                    |    |
| 3225 | Place/location identification             | C | an..25 | <i>Public holiday name LNG(a2)</i> | 12 |
| 1131 | Code list qualifier                       | C | an..3  |                                    |    |
| 3055 | Code list responsible agency, coded       | C | an..3  |                                    |    |
| 3224 | Place/location                            | C | an..70 | <i>Public holiday name(an..35)</i> |    |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                    |    |
| 3223 | Related place/location one identification | C | an..25 |                                    |    |
| 1131 | Code list qualifier                       | C | an..3  |                                    |    |
| 3055 | Code list responsible agency, coded       | C | an..3  |                                    |    |
| 3222 | Related place/location one                | C | an..70 |                                    |    |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                    |    |
| 3233 | Related place/location two identification | C | an..25 |                                    |    |
| 1131 | Code list qualifier                       | C | an..3  |                                    |    |
| 3055 | Code list responsible agency, coded       | C | an..3  |                                    |    |
| 3232 | Related place/location two                | C | an..70 |                                    |    |
| 5479 | Relation, coded                           | C | an..3  | <i>Language code(a2)</i>           | 12 |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### LOC[26],PLACE/LOCATION IDENTIFICATION,C,99x

#### MESSAGE - COUNTRY/REGION - COUNTRY/REGION HOLIDAYS - COUNTRY/REGION HOLIDAYS LSD

Codelist

|      |   |   |        |                                    |    |
|------|---|---|--------|------------------------------------|----|
| 3227 | Place/location qualifier                  | M | an..3  | '89'                               |    |
| C517 | LOCATION IDENTIFICATION                   | C |        |                                    |    |
| 3225 | Place/location identification             | C | an..25 | <i>Public holiday name LNG(a2)</i> | 12 |
| 1131 | Code list qualifier                       | C | an..3  |                                    |    |
| 3055 | Code list responsible agency, coded       | C | an..3  |                                    |    |
| 3224 | Place/location                            | C | an..70 | <i>Public holiday name(an..35)</i> |    |
| C519 | RELATED LOCATION ONE IDENTIFICATION       | C |        |                                    |    |
| 3223 | Related place/location one identification | C | an..25 |                                    |    |
| 1131 | Code list qualifier                       | C | an..3  |                                    |    |
| 3055 | Code list responsible agency, coded       | C | an..3  |                                    |    |
| 3222 | Related place/location one                | C | an..70 |                                    |    |
| C553 | RELATED LOCATION TWO IDENTIFICATION       | C |        |                                    |    |
| 3233 | Related place/location two identification | C | an..25 |                                    |    |
| 1131 | Code list qualifier                       | C | an..3  |                                    |    |
| 3055 | Code list responsible agency, coded       | C | an..3  |                                    |    |
| 3232 | Related place/location two                | C | an..70 |                                    |    |
| 5479 | Relation, coded                           | C | an..3  | <i>Language code(a2)</i>           | 12 |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

FTX[27],FREE TEXT,C,99x

MESSAGE - CUSTOMS OFFICE INFORMATION -  
CUSTOMS OFFICE TIMETABLE - CUSTOMS  
OFFICE TIMETABLE LINE - CUSTOMS OFFICE  
ROLE / TRAFFIC COMPETENCE

Codelist

|      |                                     |   |        |                     |    |
|------|-------------------------------------|---|--------|---------------------|----|
| 4451 | Text subject qualifier              | M | an..3  | 'ADA'               |    |
| 4453 | Text function, coded                | C | an..3  | Role(an..3)         | 56 |
| C107 | TEXT REFERENCE                      | C |        |                     |    |
| 4441 | Free text identification            | M | an..17 | Traffic type(an..3) | 20 |
| 1131 | Code list qualifier                 | C | an..3  |                     |    |
| 3055 | Code list responsible agency, coded | C | an..3  |                     |    |
| C108 | TEXT LITERAL                        | C |        |                     |    |
| 4440 | Free text                           | C | an..70 |                     |    |
| 4440 | Free text                           | C | an..70 |                     |    |
| 4440 | Free text                           | C | an..70 |                     |    |
| 4440 | Free text                           | C | an..70 |                     |    |
| 4440 | Free text                           | C | an..70 |                     |    |
| 3453 | Language, coded                     | C | an..3  |                     |    |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[31],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                   | Codelist |
|------------------------------|-----------------------------------|---|--------|---|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message --' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNZ[32],INTERCHANGE TRAILER,M,1x |                               |   |        | MESSAGE                               | Codelist |
|----------------------------------|-------------------------------|---|--------|---------------------------------------|----------|
| 0036                             | Interchange control count     | M | n..6   | '-- Interchange control count --'     |          |
| 0020                             | Interchange control reference | M | an..14 | Interchange control reference(an..14) |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

## SANCRT

### UNB[0],INTERCHANGE HEADER,M,1x

|      |  |   |        | MESSAGE   | Codelist |
|------|--|---|--------|---|----------|
| S001 | SYNTAX IDENTIFIER                        | M |        |   |          |
| 0001 | Syntax identifier                        | M | a4     | <i>Syntax identifier(a4)</i>                          | 21       |
| 0002 | Syntax version number                    | M | n1     | <i>Syntax version number(n1)</i>                      | 22       |
| S002 | INTERCHANGE SENDER                       | M |        |   |          |
| 0004 | Sender identification                    | M | an..35 | <i>Message sender(an..35)</i>                         |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Sender identification code qualifier(an..4)</i>    |          |
| 0008 | Address for reverse routing              | C | an..14 |   |          |
| S003 | INTERCHANGE RECIPIENT                    | M |        |   |          |
| 0010 | Recipient identification                 | M | an..35 | <i>Message recipient(an..35)</i>                      |          |
| 0007 | Identification code qualifier            | C | an..4  | <i>Recipient identification code qualifier(an..4)</i> |          |
| 0014 | Routing address                          | C | an..14 |   |          |
| S004 | DATE/TIME OF PREPARATION                 | M |        |   |          |
| 0017 | Date                                     | M | n6     | <i>Date of preparation(n6)</i>                        |          |
| 0019 | Time                                     | M | n4     | <i>Time of preparation(n4)</i>                        |          |
| 0020 | Interchange control reference            | M | an..14 | <i>Interchange control reference(an..14)</i>          |          |
| S005 | RECIPIENTS REFERENCE, PASSWORD           | C |        |   |          |
| 0022 | Recipient's reference/password           | M | an..14 | <i>Recipient's reference/password(an..14)</i>         |          |
| 0025 | Recipient's reference/password qualifier | C | an2    | <i>Recipient's reference/password qualifier(an2)</i>  |          |
| 0026 | Application reference                    | C | an..14 | <i>Application reference(an..14)</i>                  |          |
| 0029 | Processing priority code                 | C | a1     | <i>Priority(a1)</i>                                   |          |
| 0031 | Acknowledgement request                  | C | n1     | <i>Acknowledgement request(n1)</i>                    | 27       |
| 0032 | Communications agreement id.             | C | an..35 | <i>Communications agreement id(an..35)</i>            |          |
| 0035 | Test indicator                           | C | n1     | <i>Test indicator(n1)</i>                             | 27       |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNH[1],MESSAGE HEADER,M,1x |                           |   |        | MESSAGE                         | Codelist |
|----------------------------|---------------------------|---|--------|---------------------------------|----------|
| 0062                       | Message reference number  | M | an..14 | Message identification(an..14)  |          |
| S009                       | MESSAGE IDENTIFIER        | M |        |                                 |          |
| 0065                       | Message type              | M | an..6  | 'SANCRT'                        |          |
| 0052                       | Message version number    | M | an..3  | 'D'                             |          |
| 0054                       | Message release number    | M | an..3  | '96B'                           |          |
| 0051                       | Controlling agency        | M | an..2  | 'UN'                            |          |
| 0057                       | Association assigned code | C | an..6  | Message type(an..6)             | 60       |
| 0068                       | Common Access Reference   | C | an..35 | Common access reference(an..35) |          |
| S010                       | STATUS OF THE TRANSFER    | C |        |                                 |          |
| 0070                       | Sequence of transfers     | M | n..2   |                                 |          |
| 0073                       | First and last transfer   | C | a1     |                                 |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| BGM[2],BEGINNING OF MESSAGE,M,1x |                                     |   |        | MESSAGE | Codelist |
|----------------------------------|-------------------------------------|---|--------|---------|----------|
| C002                             | DOCUMENT/MESSAGE NAME               | C |        |         |          |
| 1001                             | Document/message name, coded        | C | an..3  |         |          |
| 1131                             | Code list qualifier                 | C | an..3  |         |          |
| 3055                             | Code list responsible agency, coded | C | an..3  |         |          |
| 1000                             | Document/message name               | C | an..35 |         |          |
| C106                             | DOCUMENT/MESSAGE IDENTIFICATION     | C |        |         |          |
| 1004                             | Document/message number             | C | an..35 |         |          |
| 1056                             | Version                             | C | an..9  |         |          |
| 1060                             | Revision number                     | C | an..6  |         |          |
| 1225                             | Message function, coded             | C | an..3  | '6'     |          |
| 4343                             | Response type, coded                | C | an..3  |         |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

| UNT[77],MESSAGE TRAILER,M,1x |                                   |   |        | MESSAGE                                   | Codelist |
|------------------------------|-----------------------------------|---|--------|---|----------|
| 0074                         | Number of segments in the message | M | n..6   | '-- Number of segments in the message --' |          |
| 0062                         | Message reference number          | M | an..14 | Message identification(an..14)            |          |

|  |                          |
|--|--------------------------|
| DDNXA for ECS P2. Version 5.00                     | ALIGNED TO DDNA KEL 0.23 |
| REF:CUSTDEV2-SC04-RfA71-DLV-6.8-z-2 DDNXA_P2_APP_H |                          |
| Appendix H: EDIFACT Segment Descriptions           |                          |
| 4. EDIFACT   |                          |

#### UNZ[78],INTERCHANGE TRAILER,M,1x

|      |                               |   |        |                                       |
|------|-------------------------------|---|--------|---------------------------------------|
| 0036 | Interchange control count     | M | n..6   | '-- Interchange control count --'     |
| 0020 | Interchange control reference | M | an..14 | Interchange control reference(an..14) |

#### MESSAGE

Codelist